



## Corrigendum to “A Novel Polyamine Allosteric Site of SpeG from *Vibrio Cholerae* is Revealed by its Dodecameric Structure” [J. Mol. Biol. 427 (6 Part B) (2015) 1316–1334]

Ekaterina V. Filippova<sup>1</sup>, Misty L. Kuhn<sup>1</sup>, Jerzy Osipiuk<sup>2</sup>, Olga Kiryukhina<sup>1</sup>, Andrzej Joachimiak<sup>2</sup>, Miguel A. Ballicora<sup>3</sup> and Wayne F. Anderson<sup>1</sup>

**1 - Center for Structural Genomics of Infectious Diseases**, Department of Biochemistry and Molecular Genetics, Northwestern University Feinberg School of Medicine, Chicago, IL, 60611, USA

**2 - Biosciences Division**, Argonne National Laboratory, Argonne, IL, 60439, USA

**3 - Department of Chemistry and Biochemistry**, Loyola University Chicago, Chicago, IL, 60626, USA

**Correspondence to Wayne F. Anderson:** Correspondence to Wayne F. Anderson: [wf-anderson@northwestern.edu](mailto:wf-anderson@northwestern.edu).  
<https://doi.org/10.1016/j.jmb.2019.10.002>

The pH of the buffer used for enzymatic assays was incorrectly reported as 9.0. All enzymatic assays were performed at pH 8.0.