

The Knee

VOLUME 26 ISSUE 3

CONTENTS

JUNE 2019

EDITORIAL

- Evidence update: A summary of new evidence to inform treatment decisions for patients with meniscal lesions
S.G.F. Abram, D.J. Beard, C.B. Hing, A.J. Price (UK) 521

REVIEWS

- Vancomycin-soaked wrapping of harvested hamstring tendons during anterior cruciate ligament reconstruction. A review of the 'vancomycin wrap'
J.G. Jefferies, J.M.S. Aithie, S.J. Spencer (United Kingdom of Great Britain and Northern Ireland) 524
- Different clinical outcomes on the second side after staged total knee replacement. A systematic review
M.-A. Malahias, A. Gu, J. Addona, A.A. Nocon, A.V. Carli, P.K. Sculco (USA) 530

BASIC SCIENCE

- Relationship between anterior cruciate ligament and anterolateral meniscal root bony attachment: High-resolution 3-T MRI analysis
T. Oshima, M. Leie, S. Grasso, D.A. Parker (Australia) 537
- Motor imagery in high-functioning individuals with chronic anterior cruciate ligament deficiency: A cross-sectional study
S.A. Ismail, M. Simic, T.R. Stanton, E. Pappas (Australia) 545
- Comprehensive description of T2 value spatial variations in non-osteoarthritic femoral cartilage using three-dimensional registration of morphological and relaxometry data
S.N. Edd, H. Babel, N. Kerkour, B.M. Jolles, P. Omoumi, J. Favre (Switzerland) 555

BIOMECHANICS & KINEMATICS

- Contributions of muscles and external forces to medial knee load reduction due to osteoarthritis braces
S.C.E. Brandon, M.J. Brown, A.L. Clouthier, A. Campbell, J.D. Richards, K.J. Deluzio (Canada, UK) 564
- Assessment of objective dynamic knee joint control in anterior cruciate ligament deficient and reconstructed individuals
K.B. Smale, T. Alkjaer, T.E. Flaxman, M.R. Krogsgaard, E.B. Simonsen, D.L. Benoit (Canada, Denmark) 578
- Can total knee arthroplasty restore the correlation between radiographic mechanical axis angle and dynamic coronal plane alignment during gait?
G. Larose, A. Fuentes, F. Lavoie, R. Aissaoui, J. de Guise, N. Hagemester (Canada) 586
- Changes in total lower limb support moment in middle-aged patients undergoing arthroscopic partial meniscectomy – A longitudinal observational cohort study
A. Holsgaard-Larsen, J.B. Thorlund, T. Blackmore, M.W. Creaby (Denmark, United Kingdom, Australia) 595

SOFT TISSUE

- Income change after cruciate ligament injury – A population-based study
A.I. Marcano, R. Nordenvall, P. Karlsson, M. Gerdin, J. Adami, M. Palme, V.M. Mattila, S. Bahmanyar, L. Felländer-Tsai (Sweden, Finland) 603
- Tibial insertion of the anterior cruciate ligament and anterior horn of the lateral meniscus share the lateral slope of the medial intercondylar ridge: A computed tomography study in a young, healthy population
Y. Yonetani, A. Tsujii, K. Kinugasa, M. Hamada, K. Shino (Japan) 612
- Identifying candidates for arthroscopic primary repair of the anterior cruciate ligament: A case-control study
J.P. van der List, A. Jonkergouw, A. van Noort, G.M.M.J. Kerkhoffs, G.S. DiFelice (United States, The Netherlands) 619
- Femoral tunnel placement in single-bundle, remnant-preserving anterior cruciate ligament reconstruction using a posterior trans-septal portal
S.H. Lee, E.S. Lee, T.W. Ko, Y.S. Lee (South Korea) 628
- The anatomy of the anterolateral structures of the knee – A histologic and macroscopic approach
M. Brockmeyer, P. Orth, D. Höfer, R. Seil, F. Paulsen, M.D. Menger, D. Kohn, T. Tschernig (Germany, Luxembourg) 636

(continued on next page)

Diagnosis and management of chondral delamination injuries of the knee A.A. Theodorides, A. Williams, H. Guthrie, S. Church (United Kingdom)	647
Pullout repair using modified Mason-Allen suture induces better meniscal healing and superior clinical outcomes: A comparison between two surgical methods T. Furumatsu, Y. Okazaki, Y. Kodama, Y. Okazaki, S. Masuda, Y. Kamatsuki, S. Takihira, T. Hiranaka, T. Yamawaki, T. Ozaki (Japan)	653
No safe zone: The anatomy of the saphenous nerve and its posteromedial branches D.C. Patterson, C.M. Cirino, J.N. Gladstone (USA)	660

ARTHRITIS & OSTEOTOMIES

Knee-related quality of life, functional results and osteoarthritis at a minimum of 20 years' follow-up after anterior cruciate ligament reconstruction M. Costa-Paz, I. Garcia-Mansilla, S. Marciano, M.A. Ayerza, D.L. Muscolo (Argentina)	666
Characteristic location and rapid progression of medial femoral condylar chondral lesions accompanying medial meniscus posterior root tear J.-Y. Park, B.H. Kim, D.H. Ro, M.C. Lee, H.-S. Han (Republic of Korea)	673

ARTHROPLASTY

Continuous adductor canal blockade facilitates increased home discharge and decreased opioid consumption after total knee arthroplasty M.R. Klement, W.M. Bullock, B.T. Nickel, A.J. Lampley, T.M. Seyler, C.L. Green, S.S. Wellman, M.P. Bolognesi, S.A. Grant (USA)	679
Short term patient outcomes after total knee arthroplasty: Does the implant matter? I.B. Molloy, B.J. Keeney, M.B. Sparks, N.G. Paddock, K.M. Koenig, W.E. Moschetti, D.S. Jevsevar (USA)	687
Wound closure and follow-up after total knee arthroplasty – Do they affect the rate of antibiotic prescription? M. Zhu, R. Rahardja, J. Munro, B. Coleman, S.W. Young (New Zealand)	700
Incidence and safety profile of outpatient unicompartmental knee arthroplasty J. Gruskay, S. Richardson, W. Schairer, C. Kahlenberg, M. Steinhaus, R. Rauck, A. Pearle (United States of America)	708
Mid-term outcomes following primary semi-constrained total knee arthroplasty in patients less than 60 years old, a retrospective review D.B. Johnson Jr., J.J. Triplet, D.R. Gaines, A. Gupta, K.L. Unverferth (United States of America)	714
An increased body mass index was not associated with higher rates of 30-day postoperative complications after unicompartmental knee arthroplasty K. Sundaram, J. Warren, H. Anis, J. George, T. Murray, C.A. Higuera, N.S. PiuZZi (United States of America, India, Argentina)	720
Twenty-four-week hospital-based progressive resistance training on functional recovery in female patients post total knee arthroplasty W.-H. Hsu, W.-B. Hsu, W.-J. Shen, Z.-R. Lin, S.-H. Chang, R.W.-W. Hsu (Taiwan, Republic of China)	729
Residual varus alignment after total knee arthroplasty increases knee adduction moment without improving patient function: A propensity score-matched cohort study D.H. Ro, J.-K. Kim, D.W. Lee, J. Lee, H.-S. Han, M.C. Lee (Republic of Korea)	737
Low rate of iatrogenic complications during unicompartmental knee arthroplasty with two semiautonomous robotic systems J.H. Lonner, G.J. Kerr (United States of America)	745
Clinical results and 12-year survivorship of the Physica ZUK unicompartmental knee replacement J.R. Gill, P. Nicolai (United Kingdom)	750
Sagittal shapes of current fixed-bearing unicompartmental knee replacements differ from those of normal knees K.J. Cho, P.J. Erasmus, J.H. Müller (South Africa)	759
Short-term survival of cementless Oxford unicondylar knee arthroplasty based on the Finnish Arthroplasty Register J. Knif Sund, A. Reito, J. Haapakoski, T. Niinimäki, A. Eskelinen, J. Leskinen, A.-P. Puhto, J. Kettunen, M. Manninen, K.T. Mäkelä (Finland)	768
Why are revision knee replacements failing? S. Agarwal, R. Kabariti, R. Kakar, D. Lopez, R. Morgan-Jones (UK)	774

TECHNICAL TIPS

A new landmark for measuring tibial component rotation after total knee arthroplasty F.F. Mahmood, N.J. Holloway, A.H. Deakin, J.V. Clarke, F. Picard (UK)	779
Joint-preserving tumour resection around the knee with allograft reconstruction using three-dimensional preoperative planning and patient-specific instruments L. Jud, D.A. Müller, P. Färnstahl, S.F. Fucentese, L. Vlachopoulos (Switzerland)	787

CASE REPORTS

- Adequate joint line restoration and good preliminary clinical outcomes after total knee arthroplasty using the Flexion First Balancer technique
W.A.M. van Lieshout, B.J. Duijnsveld, K.L.M. Koenraadt, L.H.G.J. Elmans, G.M.M.J. Kerkhoffs, R.C.I. van Geenen (the Netherlands) 794
- Discoid lateral meniscal repair without saucerization for adolescents with peripheral longitudinal tear
K. Kinugasa, M. Hamada, Y. Yonetani, T. Matsuo, T. Mae, K. Nakata, S. Horibe (Japan) 803

LETTERS TO EDITOR & CORRECTIONS

- Corrigendum to “The development and validation of a custom built device for assessing frontal knee joint laxity” [The Knee 24 (2017) 1307–1316]
S.A. Ismail, M. Simic, J.L. Clarke, T.J.A. Lopes, E. Pappas (Australia, Brazil) 809