

Biological Psychiatry

CNNI Cognitive Neuroscience
and Neuroimaging

Volume 4, Number 8, August 2019

IN THIS ISSUE - AUGUST

681 A brief summary of the articles appearing in this issue of *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*

COMMENTARIES

682 **Converging Evidence for Abnormal Thalamic Oscillations in Schizophrenia**
Stephan F. Taylor
» See corresponding article on page 706

684 **Predicting Mental Health in Adolescence: Frontoinsular Circuitry, Emotion in Daily Life, and Risk for Depression**
Dylan G. Gee and Camila Caballero
» See corresponding article on page 715

686 **Identifying the Long-term Brain Changes Associated With Childhood Trauma Exposure Using Data-Driven Machine Learning Techniques**
Yann Quidé
» See corresponding article on page 734

ARCHIVAL REPORTS

688 **Neural Effects of Cognitive Training in Schizophrenia: A Systematic Review and Activation Likelihood Estimation Meta-analysis**
David Mothersill and Gary Donohoe

697 **Functional Connectivity Between Sensory-Motor Subnetworks Reflects the Duration of Untreated Psychosis and Predicts Treatment Outcome of First-Episode Drug-Naïve Schizophrenia**
Yiwen Zhang, Lihua Xu, Yang Hu, Jinfeng Wu, Chunbo Li, Jijun Wang, and Zhi Yang

706 **Increased Thalamocortical Connectivity in Schizophrenia Correlates With Sleep Spindle Deficits: Evidence for a Common Pathophysiology**
Bengi Baran, Fikret Işık Karahanoğlu, Dimitrios Mylonas, Charmaine Demanuele, Mark Vangel, Robert Stickgold, Alan Anticevic, and Dara S. Manoach
» See commentary on page 682

715 **Frontoinsular Network Markers of Current and Future Adolescent Mood Health**
Roselinde H. Kaiser, Elena Peterson, Min Su Kang, Julie Van Der Feen, Blaise Aguirre, Rachel Clegg, Franziska Goer, Erika C. Esposito, Randy P. Auerbach, and Diego A. Pizzagalli
» See commentary on page 684

726 Predicting Bipolar Disorder Risk Factors in Distressed Young Adults From Patterns of Brain Activation to Reward: A Machine Learning Approach

Leticia de Oliveira, Liana C.L. Portugal, Mirtes Pereira, Henry W. Chase, Michele Bertocci, Richelle Stiffler, Tsafir Greenberg, Genna Bebko, Jeanette Lockovich, Haris Aslam, Janaina Mourao-Miranda, and Mary L. Phillips

734 Machine Learning Analysis of the Relationships Between Gray Matter Volume and Childhood Trauma in a Transdiagnostic Community-Based Sample


Ashley N. Clausen, Robin L. Aupperle, Hung-Wen Yeh, Darcy Waller, Janelle Payne, Rayus Kuplicki, Elisabeth Akeman, Martin Paulus, and Tulsa 1000 Investigators
» See commentary on page 686

743 The Modulation of Neural Noise Underlies the Effectiveness of Methylphenidate Treatment in Attention-Deficit/Hyperactivity Disorder

Maik Pertermann, Annet Bluschke, Veit Roessner, and Christian Beste

751 Cue Reactivity in the Ventral Striatum Characterizes Heavy Cannabis Use, Whereas Reactivity in the Dorsal Striatum Mediates Dependent Use

Xinqi Zhou, Kaeli Zimmermann, Fei Xin, Weihua Zhao, Roelinka T. Derckx, Anja Sassmannshausen, Dirk Scheele, Rene Hurlmann, Bernd Weber, Keith M. Kendrick, and Benjamin Becker



Thalamocortical functional connectivity in healthy control subjects is displayed on the cover, with positive connectivity depicted in warm colors and negative connectivity in blue. This image is from Baran *et al.*, whose work presented in this issue (pages 706–714) provides evidence for a common pathophysiology between two schizophrenia biomarkers: increased thalamocortical connectivity and reduced sleep spindle activity.
