



Retraction Notice

Retraction to “A Fluorescent molecularly-imprinted polymer gate with temperature and pH as inputs for detection of alpha-fetoprotein”, [Biosensors and Bioelectronics, 78 (2016) 454–463]

Paramita Karfa^a, Ekta Roy^a, Santanu Patra^a, Deepak Kumar^b, Rashmi Madhuri^{a,*}, Prashant K. Sharma^c

^a Department of Applied Chemistry, Indian School of Mines, Dhanbad, Jharkhand 826004, India

^b Solid State and Structural Chemistry Unit, Indian Institute of Science, Bangalore 560012, India

^c Functional Nanomaterials Research Laboratory, Department of Applied Physics, Indian School of Mines, Dhanbad, Jharkhand 826004, India

This article has been retracted: please see Elsevier Policy on Article Withdrawal (<http://www.elsevier.com/locate/withdrawalpolicy>).

This article has been retracted at the request of the Editor following concerns raised by a reader.

The article reuses an electron micrograph from a previous publication while claiming that these are different particles.

Fig. 1C/D were reused from Fig. 2B published in Biosensors and Bioelectronics, Volume 73, 15 November 2015, Pages 234–244, <https://doi.org/10.1016/j.bios.2015.06.005>.

This problem with the data presented casts doubt on all the data, and accordingly also the conclusions based on that data, in this publication.

As such this article represents a severe abuse of the scientific publishing system. The scientific community takes a very strong view on this matter and apologies are offered to readers of the journal that this was not detected during the submission process.

DOI of original article: <https://doi.org/10.1016/j.bios.2015.11.092>

* Corresponding author:

E-mail address: rshmmadhuri@gmail.com (R. Madhuri).

<https://doi.org/10.1016/j.bios.2018.10.058>