

available at www.sciencedirect.com
journal homepage: www.europeanurology.com



Corrigendum

Corrigendum to “Comparison of different techniques for prostate biopsy: Systematic versus cognitive versus software fusion” [Eur Urol Suppl 2018;17(12);e2637]

Mokrzyś M.¹, Lewicki A.¹, Zagrodzka M.², Pyzlak M.³, Ostrowska J.⁴, Sklinda K.⁵, Dobruch J.¹

¹Centre of Postgraduate Medical Education, Orłowski Public Clinical Hospital, Department of Urology, Warsaw, Poland; ²Voxel Medical Centre, CT/MR Imaging Department, Warsaw, Poland; ³Medical University, Department of General & Experimental Pathology, Warsaw, Poland; ⁴Centre of Postgraduate Medical Education, Orłowski Public Clinical Hospital, Department of Pathology, Warsaw, Poland; ⁵Department of Radiology, Centre of Postgraduate Medical Education, Warsaw, Poland

In the original abstract, the affiliation for author K. Sklinda was incorrectly listed as the Central Clinical Hospital of the Ministry of Interior, Department of Radiology, Warsaw, Poland.

DOI of original article: [https://doi.org/10.1016/S1569-9056\(18\)33481-X](https://doi.org/10.1016/S1569-9056(18)33481-X).

<https://doi.org/10.1016/j.eururo.2019.02.032>

0302-2838/© 2019 Published by Elsevier B.V. on behalf of European Association of Urology.

