



ELSEVIER

Contents lists available at ScienceDirect

Chemistry and Physics of Lipids

journal homepage: www.elsevier.com/locate/chemphyslip

Corrigendum

Corrigendum to “Solid-state NMR structural investigations of peptide-based nanodiscs and of transmembrane helices in bicellar arrangements” [Chem. Phys. Lipids 219 (2019) 58–71]

Evgeniy S. Salnikov^a, Christopher Aisenbrey^a, G.M. Anantharamaiah^b, Burkhard Bechinger^{a,*}^a Université de Strasbourg/CNRS, UMR7177, Institut de Chimie, 4, rue Blaise Pascal, 67070 Strasbourg, France^b Department of Medicine, Biochemistry & Molecular Genetics, University of Alabama at Birmingham, Birmingham, AL, 35294, USA

The DQB1-TMD sequence used to record the spectra shown in Figure 6C was labelled at the Leu position 15. Therefore, the Figure caption 6 should read:

Figure 6: Solid-state NMR spectra of [¹⁵N-G¹⁵,²H₃-A⁹]-DQA1 (A,B) or [¹⁵N-L¹⁵]-DQB1 (C,D) reconstituted into DMPC/DHPC bicelles (q = 3.2). Proton-decoupled ¹⁵N (A, C) and ³¹P (B, D) spectra are

shown. Temperature 37 °C. The magnetic field is 17.6 Tesla.

Correspondingly on page 64 the text changes to:

In comparison, the related sequence [¹⁵N-L¹⁵]-DQB1 shows a strong intensity at 90 ± 5 ppm (Fig. 6C).

The authors would like to apologise for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.chemphyslip.2019.01.012>

* Corresponding author at: Faculte de chimie, Institut le Bel, 4, rue Blaise Pascal, 67070, Strasbourg, France.

E-mail address: beching@unistra.fr (B. Bechinger).

<https://doi.org/10.1016/j.chemphyslip.2019.04.006>

Available online 26 April 2019

0009-3084/ © 2019 Elsevier B.V. All rights reserved.