

February 2019, Volume 80, Number 2

CONTENTS

Continuing Medical Education

CME 303

Basal cell carcinoma

Epidemiology; pathophysiology; clinical and histological subtypes; and disease associations

Michael C. Cameron, MD, Erica Lee, MD, Brian P. Hibler, MD,
Christopher A. Barker, MD, Shoko Mori, BS, Miguel Cordova, MD,
Kishwer S. Nehal, MD, and Anthony M. Rossi, MD

318 CME examination

320 Answers to CME examination (Identification No. JA0219),
February 2019 issue of the *Journal of the American Academy of
Dermatology*

CME 321

Basal cell carcinoma

Contemporary approaches to diagnosis, treatment, and prevention

Michael C. Cameron, MD, Erica Lee, MD, Brian P. Hibler, MD,
Cerrene N. Giordano, MD, Christopher A. Barker, MD, Shoko Mori, BS,
Miguel Cordova, MD, Kishwer S. Nehal, MD, and Anthony M. Rossi, MD

339 Answers to CME examination (Identification No. JB0219),
February 2019 issue of the *Journal of the American Academy of
Dermatology*

340 CME examination

CME 341

Dermoscopy and dermatopathology correlates of cutaneous neoplasms

Oriol Yélamos, MD, Ralph P. Braun, MD, Konstantinos Liopyris, MD,
Zachary J. Wolner, BA, Katrin Kerl, MD, Pedram Gerami, MD, and
Ashfaq A. Marghoob, MD

363 Answers to CME examination (Identification No. JC0219),
February 2019 issue of the *Journal of the American Academy of
Dermatology*

364 CME examination

<p>CME 365</p>	<p>Usefulness of dermoscopy to improve the clinical and histopathologic diagnosis of skin cancers <i>Oriol Yélamos, MD, Ralph P. Braun, MD, Konstantinos Liopyris, MD, Zachary J. Wolner, BA, Katrin Kerl, MD, Pedram Gerami, MD, and Ashfaq A. Marghoob, MD</i></p>
<p>377</p>	<p>Answers to CME examination (Identification No. JD0219), February 2019 issue of the <i>Journal of the American Academy of Dermatology</i></p>
<p>378</p>	<p>CME examination</p>

<p>Letter from the Editor</p>	<p>379 Writing a better research paper: Advice for young authors <i>Dirk M. Elston, MD</i></p>
--------------------------------------	---

<p>A Clinician's Perspective</p>	<p>380 The expanding saga of hydrochlorothiazide and skin cancer <i>Warren R. Heymann, MD</i></p>
---	--

<p>From the Dermatology Foundation</p>	<p>382 Association between atopic dermatitis and autoimmune disorders in US adults and children: A cross-sectional study Bottom line: Clinicians should consider increased screening for autoimmune disorders in atopic dermatitis patients. <i>Shanthi Narla, MD, and Jonathan I. Silverberg, MD, PhD, MPH</i></p> <p>390 A systematic review and meta-analysis of the regional and age-related differences in atopic dermatitis clinical characteristics Bottom line: These phenotypic differences should be incorporated into the diagnosis and severity assessment of patients with atopic dermatitis. <i>Yik Weng Yew, MBBS, MPH, Jacob P. Thyssen, MD, PhD, and Jonathan I. Silverberg, MD, PhD, MPH</i></p> <p>402 Association between atopic dermatitis, depression, and suicidal ideation: A systematic review and meta-analysis Bottom line: Presence of depression and suicidality should be incorporated into clinical decision making regarding patients with atopic dermatitis. <i>Kevin R. Patel, BS, Supriya Immaneni, BA, Vivek Singam, BLA, Supriya Rastogi, BA, and Jonathan I. Silverberg, MD, PhD, MPH</i></p>
---	--

<p>Original Articles</p>	<p>411 Relative efficacy of systemic treatments for atopic dermatitis Bottom line: Dupilumab and cyclosporine are both effective at improving clinical severity of atopic dermatitis, as are newer biologic medications lebrikizumab and tralokinumab. Long-term efficacy and safety results are needed for biologic medications. <i>Edward W. Seger, MS, Todd Wechter, BS, Lindsay Strowd, MD, and Steven R. Feldman, MD, PhD</i></p>
---------------------------------	---

- 417** Guideline-based medicine grading on the basis of the guidelines of care for ambulatory atopic dermatitis treatment in the United States
Bottom line: Health care providers received a grade of B or C (analogous to the US academic A-F grading system) in their atopic dermatitis management, suggesting that physicians might benefit from reviewing guidelines of care.
Alan B. Fleischer, Jr, MD
- 425** The national burden of inpatient dermatology in adults
Bottom line: These findings emphasize the importance of expanding access to inpatient dermatologists given the high prevalence of skin disease among hospitalized individuals.
Justin D. Arnold, MMSc, SunJung Yoon, MS, and A. Yasmine Kirkorian, MD
- 433** Relationship between age and likelihood of lymph node metastases in patients with intermediate thickness melanoma (1.01-4.00 mm): A National Cancer Database study
Bottom line: Select older patients may be safely spared a sentinel lymph node biopsy.
Andrew N. Hanna, MD, Andrew J. Sinnamon, MD, Robert E. Roses, MD, Rachel R. Kelz, MD, MSCE, David E. Elder, MBChB, Xiaowei Xu, MD, PhD, Barbara A. Pockaj, MD, Jonathan S. Zager, MD, Douglas L. Fraker, MD, and Giorgos C. Karakousis, MD
- 441** Predictors of sentinel lymph node positivity in thin melanoma using the National Cancer Database
Bottom line: Continued evaluation of possible predictors of sentinel lymph node positivity is necessary to establish clear guidelines when to proceed with obtaining a sentinel lymph node biopsy specimen in patients with thin melanomas.
Rosalynn R. Z. Conic, MD, Jennifer Ko, MD, Giovanni Damiani, MD, Pauline Funchain, MD, Thomas Knackstedt, MD, Alok Vij, MD, Allison Vidimos, MD, and Brian R. Gastman, MD
- 448** Cutaneous malignant melanoma incidence and mortality trends in Canada: A comprehensive population-based study
Bottom line: Described trends enable us to develop sex-specific and geographic region-specific recommendations to decrease incidence of melanoma and mortality due to melanoma in Canada.
Feras M. Ghazawi, MD, PhD, Janelle Cyr, MD, MSc, Rami Darwich, PhD, Michelle Le, BSc, Elham Rahme, PhD, Linda Moreau, MD, Elena Netchiporouk, MD, FRCPC, Andrei Zubarev, MSc, Osama Roshdy, MD, Steven J. Glassman, MD, Denis Sasseville, MD, FRCPC, and Ivan V. Litvinov, MD, PhD, FRCPC
- 460** Hydrochlorothiazide use and risk for Merkel cell carcinoma and malignant adnexal skin tumors: A nationwide case-control study
Bottom line: Use of hydrochlorothiazide should be carefully considered in patients at high risk for skin cancer.
Sidsel Arnspang Pedersen, MD, Sigrun Alba Johannesdottir Schmidt, PhD, Lisbet Rosenkrantz Hölmich, DMSc, Søren Friis, MD, Anton Pottegård, PhD, and David Gaist, PhD

- 466** Comorbidities in alopecia areata: A systematic review and meta-analysis
Bottom line: Physicians' awareness of potential comorbid conditions is crucial for improved therapeutic management of patients with alopecia areata.
Solam Lee, MD, Hanil Lee, MD, Chung Hyeok Lee, MD, and Won-Soo Lee, MD, PhD
- 478** Association of skin hyperpigmentation disorders with digital ulcers in systemic sclerosis: Analysis of a cohort of 239 patients
Bottom line: Screening for skin pigmentation disorders could be useful to identify patients with a high risk of development of digital ulcers, which are a clinical symptom of vascular involvement in systemic sclerosis.
Vaianu Leroy, MD, Pauline Henrot, MD, Thomas Barnetche, PhD, Muriel Cario, PhD, Anne-Sophie Darrigade, MD, Pauline Manicki, MD, Marie-Sylvie Doutre, MS, Estibaliz Lazaro, MD, PhD, Joel Constans, MD, PhD, Damien Barcat, MD, Jean-Philippe Vernhes, MD, Christophe Richez, MD, PhD, Alain Taieb, MD, PhD, Marie-Elise Truchetet, MD, PhD, and Julien Seneschal, MD, PhD, on behalf of the Fédération Hospitalo-Universitaire—Aquitaine's Care and Research Organisation for Inflammatory and Immune-Mediated Diseases
- 485** Local radiation and phototherapy are the most cost-effective treatments for stage IA mycosis fungoides: A comparative decision analysis model in the United States
Bottom line: Our findings can help with considerations in treatment selection and inform future comparative studies of therapy for stage IA mycosis fungoides.
Fan Di Xia, MD, Bart S. Ferket, MD, PhD, Victor Huang, MD, Robert S. Stern, MD, and Peggy A. Wu, MD, MPH
- 493** Late growth of infantile hemangiomas in children >3 years of age: A retrospective study
Bottom line: Identifying risk factors for late growth will aid therapeutic management and enhance guidance for parents of affected infants.
Kathleen F. O'Brien, BA, MS, Sonal D. Shah, MD, Elena Pope, MD, MSc, Roderic J. Phillips, MD, Francine Blei, MD, MBA, Eulalia Baselga, MD, Maria C. Garzon, MD, Catherine McCuaig, MD, Anita N. Haggstrom, MD, Peter H. Hoeger, MD, James R. Treat, MD, Marissa J. Perman, MD, Jane S. Bellet, MD, Xavier Cubiró, MD, Jeffrey Poole, MD, and Ilona J. Frieden, MD
- 500** Voriconazole exposure and risk of cutaneous squamous cell carcinoma among lung or hematopoietic cell transplant patients: A systematic review and meta-analysis
Bottom line: Regular dermatologic surveillance should be considered for the patients taking voriconazole, especially those at high risk of developing squamous cell carcinoma.
Huilin Tang, MSc, Weilong Shi, MSc, Yiqing Song, MD, ScD, and Jiali Han, PhD

508 Use of topical rapamycin in the treatment of superficial lymphatic malformations
Bottom line: Topical rapamycin improves the clinical appearance of superficial lymphatic malformations and alleviates associated symptoms.
Pablo García-Montero, MD, Javier del Boz, MD, PhD, Eulalia Baselga-Torres, MD, PhD, José Manuel Azaña-Defez, MD, PhD, Manuel Alcaraz-Vera, MD, PhD, Jesús Tercedor-Sánchez, MD, PhD, Lucero Noguera-Morel, MD, PhD, and Ángel Vera-Casaño, MD, PhD

516 Analysis of spin in the reporting of studies of topical treatments of photoaged skin
Bottom line: Physicians, scientists, editors, and peer-reviewers should be mindful of spin techniques to improve the quality of research and care of our patients.
Catherine C. Motosko, BS, Anna K. Ault, BA, Laura L. Kimberly, MSW, MBE, George A. Zakhem, BS, M. David Gothard, MS, Roger S. Ho, MD, MS, MPH, and Alexes Hazen, MD

Dermatologic Surgery

523 Long-term outcomes of laser treatment for congenital melanocytic nevi
Bottom line: Repigmentation of CMN after laser treatment occurs quite frequently and gradually; therefore, >4 years of follow-up is recommended to evaluate the efficacy of lasers.
Yeongjoo Oh, MD, Si-Hyung Lee, MD, PhD, Jung Min Lim, MD, Kee Yang Chung, MD, PhD, and Mi Ryung Roh, MD, PhD

Dermatopathology

532 Follicular involvement is frequent in lentigo maligna: Implications for treatment
Bottom line: When managing lentigo maligna, one should assume follicular involvement.
Karen L. Connolly, MD, Cerrene Giordano, MD, Stephen Dusza, DrPH, Klaus J. Busam, MD, and Kishwer Nehal, MD

Review

538 Approaches to limit systemic antibiotic use in acne: Systemic alternatives, emerging topical therapies, dietary modification, and laser and light-based treatments
John S. Barbieri, MD, MBA, Natalie Spaccarelli, MD, David J. Margolis, MD, PhD, and William D. James, MD

Research Letters

550 Atopic dermatitis is associated with osteoporosis and osteopenia in older adults
Mohammed S. Shaheen, JD, and Jonathan I. Silverberg, MD, PHD, MPH

551 High prevalence of clinical spondyloarthritis features in patients with hidradenitis suppurativa
Angelique Rondags, MD, Kelsey R. van Straalen, MD, Suzanne Arends, PhD, Hessel H. van der Zee, MD, PhD, Errol P. Prens, MD, PhD, Anneke Spooenberg, MD, PhD, and Barbara Horváth, MD, PhD

554 Chronic nonmelanoma skin cancers and health-related impairment: A case-control study
Adam Sutton, MD, MBA, Ashley Crew, MD, Shauna Higgins, MD, Andrew Kwong, BS, and Ashley Wysong, MD, MS

- 556** Sirolimus for treatment of verrucous venous malformation:
A retrospective cohort study
Gaolei Zhang, MD, PhD, Hongguang Chen, MD, PhD, Zhen Zhen, MD, Jianyou Chen, MD, Sheng Zhang, MMSc, Qin Qin, BMS, and Xiaoyan Liu, MD, PhD
- 558** Drug reaction with eosinophilia and systemic symptoms syndrome induced by combination of vemurafenib and cobimetinib in melanoma: A series of 11 cases
Barbara Brégeon, MD, Claire Bernier, MD, Nicolas Josselin, MD, Lucie Peuvrel, MD, Marie Le Moigne, MD, Mélanie Saint-Jean, MD, and Gaëlle Quéreux, PhD
- 562** Preoperative hypertension increases intraoperative bleeding in patients undergoing Mohs micrographic surgery
Prativa S. A. Jayasekera, BM Med, MRCP (Dermatology), Anneke Kai, MB BChir, MRCP, and Clifford M. Lawrence, MD, FRCP
- 564** Pembrolizumab for advanced basal cell carcinoma:
An investigator-initiated, proof-of-concept study
Anne Lynn S. Chang, MD, Duy C. Tran, BS, John G. D. Cannon, BS, Shufeng Li, MS, Mark Jeng, PhD, Roma Patel, PA-C, Lindsay Van der Bokke, RN, Alana Pague, BS, Richard Brotherton, RN, Kerri E. Rieger, MD PhD, Ansuman T. Satpathy, MD, PhD, Kathryn E. Yost, BS, Sunil Reddy, MD, Kavita Sarin, MD, PhD, and A. Dimitrios Colevas, MD
- 566** Ruxolitinib for the treatment of severe alopecia areata
Lucy Y. Liu, MD, and Brett A. King, MD, PhD
- 568** Tofacitinib for the treatment of alopecia areata in preadolescent children
Brittany G. Craiglow, MD, and Brett A. King, MD, PhD

Dermatoethics Consultation

- 571** “Sweetheart, you should have that looked at:” Ethical implications of treating family members
Solomiya Grushchak, MSIV, and Jane M. Grant-Kels, MD

Commentary

- 574** The role of sunscreen in the prevention of cutaneous melanoma and nonmelanoma skin cancer
Reid A. Waldman, MD, and Jane M. Grant-Kels, MD
- 577** Lack of a US Food and Drug Administration indication should not limit access to appropriate treatment
Joerg Albrecht, MD, PhD, Adewole S. Adamson, MD, MPP, John S. Barbieri, MD, MBA, Daniel D. Bennett, MD, Elizabeth A. Kiracofe, MD, A. Shadi Kourosh, MD, MPH, Kieron S. Leslie, MD, Joseph F. Merola, MD, MMSc, Josephine Nguyen, MD, Elaine Siegfried, MD, Nicole Strickland, MD, Suzanne Olbricht, MD, and Maryam M. Asgari, MD, MPH, for the American Academy of Dermatology Association Task Force on Drug Pricing and Transparency

- Retraction Notice** **579** Stein-Gold L, Kircik LH, Draelos ZD, et al. Efficacy and safety of topical oxymetazoline cream 1.0% for treatment of persistent facial erythema associated with rosacea: Findings from the 2 phase 3, 29-day, randomized, controlled REVEAL trials. *J Am Acad Dermatol*. doi: <https://doi.org/10.1016/j.jaad.2018.01.028>. Published online January 31, 2018.

JAAD ONLINE

Available at <http://www.jaad.org>

- Clinical Pearl** **e29** Nail photography tricks for pediatric and geriatric patients
Sanjeev Gupta, MD, DNB, Archana Singal, MD, MNAMS, Kartikay Aggarwal, MBBS, and Ravi Shankar Jangra, MD
- Therapeutic Pearl** **e31** Platelet-rich fibrin dressings in treating nonhealing leg ulcers
Rajsmita Bhattacharjee, MD, Gitesh Sawatkar, MD, and Keshavamurthy Vinay, MD, DNB, MNAMS
- Surgical Pearl** **e33** Modified—purse-string closure: A lymphatic channel and tissue sparing technique for biopsy of suspicious pigmented lesions on extremities
David M. Oberlin, MD, Dennis A. Porto, MD, Matteo C. Lopicollo, MD, and Laurie L. Kohen, MD
- Notes & Comments** **e35** Response to “Analysis of spin in the reporting of topical treatments of photoaged skin”
Patricia K. Farris, MD, Barbara A. Green, RPh, MS, and Brenda L. Edison, BA
- e37** Reply to: “Response to ‘Analysis of spin in the reporting of topical treatments of photoaged skin’”
Catherine C. Motosko, BS, George A. Zakhem, BS, Anna K. Ault, BA, Laura L. Kimberly, MSW, MBE, M. David Gothard, MS, Roger S. Ho, MD, MS, MPH, and Alexes Hazen, MD
- e39** Lightening Becker nevus: Role of topical therapies
Naveen Kumar Kansal, MD
- e41** Reply to: “Lightening Becker nevus: Role of topical therapies”
Mao-Qiang Man, MD
- e43** Dermoscopy of pityrosporum folliculitis
Deepak Jakhar, MD, Ishmeet Kaur, MD, and Richa Chaudhary, MD
- e45** Rethinking the classification of alopecia areata
Carlos G. Wambier, MD, PhD, and Brett A. King, MD, PhD
- Iotaderma** **e47** Iotaderma #300
Robert I. Rudolph, MD, FACP

Contents *continued*

To access the current version of the Information for Authors, Transfer of Copyright Form, Authorship Declaration Form, Conflict of Interest Disclosure, and Authors' Rights Statement, as well as many other pertinent documents, please visit our website at www.jaad.org/content/auth_page.

Full text access to *Journal of the American Academy of Dermatology Online* is now available for Academy members and all print subscribers. To activate your online subscription, please visit *Journal of the American Academy of Dermatology Online* by pointing your browser to <http://www.jaad.org>.

Icon Key

	=	CME article
	=	Video content available at http://www.jaad.org
	=	Podcast available at http://www.aad.org/olc
	=	MOC credits available

Early online publication: Articles in press

The *Journal of the American Academy of Dermatology* posts in-press articles online before they appear in the print edition of the *Journal*. These Articles in Press are available from both the JAAD website (www.jaad.org) and Science Direct (www.sciencedirect.com). To access Articles in Press, simply click the Articles in Press link.

JAAD Case Reports

The *Journal of the American Academy of Dermatology* no longer publishes Case Reports. These can now be found in our new open access journal, *JAAD Case Reports*, at <http://www.jaadcasereports.org>.