

Please visit our companion journal, **JAAD Case Reports**, at
www.jaadcasereports.org to read these exciting articles from the most recent issue.

Erythematous papular rash with sparing of folds

Katerina Yale, BA, Ashley N. Elsensohn, MD, MPH, Jessica Shiu, MD, PhD, Kyle Amber, MD, and Janellen Smith, MD

Verrucous plaques on the elbows

Paul M. Hoesly, MD, Mario M. Mitkov, MD, and Mark A. Cappel, MD

Brown macule on vulva of an elderly woman

Megan A. Jones, DO, Taylor Edwards, DO, and Tanya Ermolovich, DO

Multiple white papules on the retroauricular fold

Li-wen Zhang, MM, Wen-ju Wang, MM, Lei Xu, MM, Cong-hui Li, PhD, MD, Yong-hong Lu, MM, Lin Li, MD, and Fen Li, MM

Dupilumab treatment for atopic dermatitis leading to unexpected treatment for alopecia universalis

Dema T. Alniemi, MD, and Laura McGevna, MD

Epidermotropic poorly differentiated adenocarcinoma of colon presenting as a diffuse erythematous petechial rash

Luis-Antonio Sardiña, MD, Addie Walker, MD, and Melissa Piliang, MD, FAAD

Remission of alopecia universalis in a patient with atopic dermatitis treated with dupilumab

Jan Smogorzewski, MD, Tiffany Sierro, BS, Goli Compoginis, MD, and Gene Kim, MD

A case of erosive pustular dermatosis of the scalp in a pediatric patient

Matthew LaCour, BS, Timothy Allen, BS, Michael Wilkerson, MD, and Adam V. Nguyen, MD

Rare case of leukemia cutis presenting as erythroderma in a patient with acute myeloid leukemia

Marie Donaldson, BA, Matthew I. Ebia, MS, Joshua L. Owen, MD, PhD, and Jennifer N. Choi, MD

Linear IgA bullous dermatosis treated with rituximab

Camille Pinard, MD, Vivien Hebert, MD, Myriam Lecuyer, MD, Laurine Sacre, MD, and Pascal Joly, MD, PhD



JAAD Case Reports (continued)

Cutaneous lymphoid hyperplasia arising in pre-existing morphea plaques treated with methotrexate

Motaz Dairi, MD, Jean-Philippe Arnault, MD, Ali Dadban, MD, Florian Lombart, MD, Christophe Attencourt, MD, Nicolas Ortonne, MD, PhD, Catherine Lok, MD, PhD, and Guillaume Chaby, MD

When amplified *Mycobacterium tuberculosis* direct (MTD) testing confuses leprosy diagnosis: A case report

Sarah Schmitz, BS, Marjon Vatanchi, MD, Farzad Moussavi, MD, John DeLury, MD, and Edward Heilman, MD, FAAD, FCAP

Bowel-associated dermatosis arthritis syndrome: A case report with first positron emission tomography analysis

Nolan Hassold, MD, Germain Jelin, MD, Elisabeth Palazzo, MD, Lydia Deschamps, MD, Marine Forien, MD, Sébastien Ottaviani, MD, Vincent Descamp, PhD, and Philippe Dieudé, PhD

A case of linear morphea involving the oral cavity

Mildred Lopez Pineiro, MD, Kory Lee, MD, and Sarah Pinney, MD

Arterial hand ulcer: A common disease in an uncommon location

Mary Clare Bohnett, MD, Michael Heath, BS, Stephanie Mengden, MD, and Lynne Morrison, MD

An interleukin-17 inhibitor successfully treated a complicated psoriasis and psoriatic arthritis patient with hepatitis B virus infection and end-stage kidney disease on hemodialysis

Yuta Koike, MD, PhD, Yumi Fujiki, MD, Maho Higuchi, MD, Reika Fukuchi, MD, Sayaka Kuwatsuka, MD, and Hiroyuki Murota, MD, PhD

Pseudoangiomatous stromal hyperplasia presenting as an axillary mass in a postmenopausal woman undergoing in vitro fertilization

Jesse Liu, MD, Megan Casady, MD, Kristen Paral, MD, and Jennifer Powers, MD

The management of numerous carcinomatous sequelae of human papilloma virus in an allogeneic stem cell transplant patient with chronic graft versus host disease

Amanda Williams, MD, Courtney Gwinn, MD, Jayasri Iyer, MD, Philip Fleckman, MD, and Michi M. Shinohara, MD

JAAD Case Reports (continued)

Disappearing pigmentary mosaicism during imatinib treatment for gastrointestinal stromal tumors

Emily Coleman, BA, Gauri Panse, MD, Shawn Cowper, MD, Jill Lacy, MD, and Jonathan Leventhal, MD

Foreign body gingivitis: An uncommon iatrogenic simulant of oral lichenoid mucositis

Stephanie T. Le, MD, Brian Hinds, MD, MS, Richard Jordan, DDS, PhD, FRCPath, and Anna Haemel, MD

The pulseless patient: Profound vasculopathy as the presenting feature of fulminant dermatomyositis and response to therapy

Farzam Gorouhi, MD, Maija Kiuru, MD, PhD, Marc Silverstein, MD, Parisa Emami-Naeini, MD, MPH, Susanna S. Park, MD, PhD, and Danielle Tartar, MD, PhD

Oral mycosis fungoides with CD30⁺ large cell transformation successfully treated with brentuximab vedotin

Clare A. Goggins, BS, M. Timothy Gocke, DDS, Sekwon Jang, MD, and Jennifer A. DeSimone, MD

Secukinumab and hidradenitis suppurativa: Friends or foes?

Claudio Marasca, MD, Matteo Megna, MD, Anna Balato, MD, Nicola Balato, MD, Prof, Maddalena Napolitano, MD, and Gabriella Fabbrocini, MD, Prof

Successful use of a fractional 2940-nm laser in treating chronic, severe erosive pustular dermatosis of the scalp

Hailey E. Grubbs, BS, MS-IV, and Chris W. Robb, MD, PhD

Epidermodysplasia verruciformis in a young adult with activated PI3K δ syndrome

Stephanie L. Donaldson, BS, J. Chase Purnell, MD, Peter G. Pavlidakey, MD, Thomas P. Atkinson, MD, PhD, and Rebecca Kissel, MD

Tumid lupus erythematosus—like pseudovasculitic lesions in catastrophic antiphospholipid syndrome

Jenny Z. Wang, BA, Kourosh Beroukhim, MD, Yi-Chun Chen, MD, Danielle Tartar, MD, Maxwell Fung, MD, and Alain Brassard, MD, FRCPC

Paraneoplastic scleroderma in the setting of CD30⁺ large cell transformation of mycosis fungoides

Dawn Queen, BA, Adriana Lopez, BA, and Larisa J. Geskin, MD



JAAD Case Reports (continued)

Apremilast as a potential treatment for moderate to severe dermatomyositis:
A retrospective study of 3 patients

*Carole Bitar, MD, Jalal Maghfour, MS, Hoang Ho-Pham, MD, Brittany Stumpf, MD, and
Erin Boh, MD, PhD*

Caliphylaxis causes recurrent pancreatitis

*Aoibheann Flynn, MD, Aine de Bhailis, MD, Ann-Marie Tobin, PhD,
George Mellotte, MD FRCPI, Professor, and Maureen Connolly, MD*

Comment on “Oral lichenoid reaction in a psoriatic patient treated with
secukinumab: A drug-related rather than a class-related adverse event?”

*Antonella Di Cesare, MD, Roberto Maglie, MD, Leonardo Pescitelli, MD,
Elia Rosi, MD, and Francesca Prignano, MD, PhD*