

THE SPINE JOURNAL

TABLE OF CONTENTS

Volume 19, Number 2
February 2019

CLINICAL STUDIES

- Prognostic factors associated with best outcomes (minimal symptom state) following fusion for lumbar degenerative conditions.....187
Charles H. Crawford, III, MD, Steven D. Glassman, MD, Mladen Djurasovic, MD, R. Kirk Owens, II, MD, Jeffrey L. Gum, MD, Leah Y. Carreon, MD, MSc
- Utility of repeat magnetic resonance imaging in surgical patients with lumbar stenosis without disc herniation.....191
Bryan S. Lee, MD, Rod Nault, BA, Matthew Grabowski, MD, Benjamin Whiting, MD, Joseph Tanenbaum, BA, Konrad Knusel, MS, Matthew Poturalski, MD, Todd Emch, MD, Thomas E. Mroz, MD, Michael P. Steinmetz, MD
- Lumbar epidural steroid injections for herniation and stenosis: incidence and risk factors of subsequent surgery.....199
Jayme C.B. Koltsov, PhD, Matthew W. Smuck, MD, Alicia Zagel, PhD, Todd F. Alamin, MD, Kirkham B. Wood, MD, Ivan Cheng, MD, Serena S. Hu, MD
- Electromyography stimulation compared with intraoperative O-arm imaging for evaluating pedicle screw breaches in lumbar spine surgery: a prospective analysis of 1006 screws in 164 patients206
Vijay M. Ravindra, MD, MSPH, Ricky R. Kalra, MD, Andrew T. Dailey, MD
- Robotic-assisted pedicle screw placement fails to reduce overall postoperative complications in fusion surgery.....212
Alexander M. Lieber, BA, Gregory J. Kirchner, MPH, Yehuda E. Kerbel, MD, Amrit S. Khalsa, MD
- Five-year follow-up of clinical and radiological outcomes of LP-ESP elastomeric lumbar total disc replacement in active patients218
Jean-Yves Lazennec, MD, PhD, Jean-Patrick Rakover, MD, Marc-Antoine Rousseau, MD, PhD
- Elevated glycohemoglobin HbA1c is associated with low back pain in nonoverweight diabetics225
Alexander Real, BS, Chierika Ukogu, BA, Divya Krishnamoorthy, PhD, Nicole Zubizarreta, MPH, Samuel K. Cho, MD, Andrew C. Hecht, MD, James C. Iatridis, PhD
- The effect of psychosocial measures of resilience and self-efficacy in patients with neck and lower back pain232
Shaan A. Ahmed, BA, Govind Shantharam, BS, Adam E.M. Eltorai, MSc, Davis A. Hartnett, BS, Avi Goodman, MD, Alan H. Daniels, MD



BMI and gender increase risk of sacral fractures after multilevel instrumented spinal fusion compared with bone mineral density and pelvic parameters	238
<i>Stephan N. Salzman, MD, Courtney Ortiz Miller, BA, John A. Carrino, MD, Jingyan Yang, MHS, Jennifer Shue, MS, Andrew A. Sama, MD, Frank P. Cammisa, MD, Federico P. Girardi, MD, Alexander P. Hughes, MD</i>	
Preoperative severity of facet joint degeneration does not impact the 2-year clinical outcomes and cervical imbalance following laminoplasty	246
<i>Koji Tamai, MD, Akinobu Suzuki, MD, Akito Yabu, MD, Shinji Takahashi, MD, Hiromitsu Toyoda, MD, Masatoshi Hoshino, MD, Hidetomi Terai, MD, Hiroaki Nakamura, MD</i>	
Prophylactic perioperative dexamethasone decreases the incidence of postoperative C5 palsies after a posterior cervical laminectomy and fusion.....	253
<i>Malcolm E. Dombrowski, MD, Alejandro Morales-Restrepo, MD, Mitchell S. Fourman, MD, MPhil, Nicholas Vaudreuil, MD, Joon Y. Lee, MD</i>	
The impact of prophylactic intraoperative vancomycin powder on microbial profile, antibiotic regimen, length of stay, and reoperation rate in elective spine surgery	261
<i>Zachary J. Grabel, MD, Allison Boden, BA, Dale N. Segal, MD, Stephanie Boden, BA, Andrew H. Milby, MD, John G. Heller, MD</i>	
An empiric analysis of 5 counter measures against surgical site infections following spine surgery—a pragmatic approach and review of the literature	267
<i>Marko Tomov, MD, Nathan Wanderman, MD, Elie Berbari, MD, Bradford Currier, MD, Michael Yaszemski, MD, PhD, Ahmad Nassr, MD, Paul Huddleston, MD, Mohamad Bydon, MD, Brett Freedman, MD</i>	
Treatment outcomes of 17 patients with atypical spinal meningioma, including 4 with metastases: a retrospective observational study	276
<i>Sung Hyun Noh, Kyung Hyun Kim, Dong Ah Shin, Jeong Yoon Park, Seong Yi, Sung Uk Kuh, Keung Nyun Kim, Dong Kyu Chin, Keun Su Kim, Do Heum Yoon, Yong Eun Cho</i>	
Outcomes of multilevel vertebrectomy for spondylodiscitis.....	285
<i>Nissim Ackshota, MD, Alysa Nash, BS, Ian Bussey, BS, Mark Shasti, MD, Luke Brown, MD, MBA, Vijay Vishwanath, BA, Zanaib Malik, Kelley E. Banagan, MD, Eugene Y. Koh, MD, PhD, Steven C. Ludwig, MD, Daniel E. Gelb, MD</i>	
Sensitivity and specificity of patient-entered red flags for lower back pain	293
<i>John T. Tsiang, BS, Tyler G. Kinzy, MS, Nicolas Thompson, MS, Joseph E. Tanenbaum, BS, Nitya L. Thakore, Tagreed Khalaf, MD, Irene L. Katzan, MD, MS</i>	
Risk factors for newly developed osteoporotic vertebral compression fractures following treatment for osteoporotic vertebral compression fractures.....	301
<i>Bong Gun Lee, MD, PhD, Jung-Hwan Choi, MD, Dong-Yun Kim, MD, Won Rak Choi, MD, Seung Gun Lee, MD, Chang-Nam Kang, MD, PhD</i>	
Selective intradural dorsal rhizotomy for persistent radicular leg pain: a contemporary series.....	306
<i>Sierk H. Bakker, MD, Niels A. van der Gaag, MD, PhD, Godard C.W. de Ruiter, MD, PhD, Mark P. Arts, MD, PhD</i>	
Surgical treatment of early-onset idiopathic scoliosis in the United States: a trend analysis of 15 years (1997–2012)	314
<i>Tarush Rustagi, MS, DNB, Swamy Kurra, MBBS, Katherine Sullivan, Ravi Dhawan, William F. Lavelle, MD</i>	
Accuracy of photogrammetry for detecting adolescent idiopathic scoliosis progression	321
<i>Jefferson Soares Leal, MD, PhD, Rozilene Maria Cota Aroeira, MSc, PhD, Vinicius Gressler, MD, Marcelo Greco, PhD, Antônio Eustáquio. M. Pertence, PhD, Joel Alves Lamounier, MD, PhD</i>	

INSERT ADVERT

Severe hyperkyphosis reduces the aerobic capacity and maximal exercise tolerance in patients with Scheuermann disease330
Alejandro Lorente, MD, PhD, Carlos Barrios, MD, PhD, Rafael Lorente, MD, PhD, Rocío Tamariz, MD, Jesús Burgos, MD, PhD

The cost effectiveness of minimally invasive spine surgery in the treatment of adult degenerative scoliosis: a comparison of transpoas and open techniques339
Ganesh Swamy, MD, FRCSC, Elena Lopatina, MD, MSc, Ken C. Thomas, MD, MHSc, FRCSC, Deborah A Marshall, PhD, Herman S. Johal, MD, MPH, FRCSC

Sagittal spinal alignment deviation in the general elderly population: a Japanese cohort survey randomly sampled from a basic resident registry349
Masashi Uehara, MD, Jun Takahashi, MD, Shota Ikegami, MD, Ryosuke Tokida, PT, Hikaru Nishimura, OT, Noriko Sakai, MD, Hiroyuki Kato, MD

Risk factors for nonroutine discharge in adult spinal deformity surgery357
Raj M. Amin, MD, Micheal Raad, MD, Amit Jain, MD, Morsi Khashan, MD, Hamid Hassanzadeh, MD, Steven M. Frank, MD, Khaled M. Kebaish, MD

BASIC SCIENCE

Effects of pregnancy on lumbar motion patterns and muscle responses364
Gemma Biviá-Roig, PT, PhD, Juan Francisco Lisón, MD, PhD, Daniel Sánchez-Zuriaga, MD, PhD

LETTERS TO THE EDITOR

Risk factors for low back pain with special reference to current smoking372
Tomoyuki Kawada, MD

Risk factors for low back pain with special reference to current smoking373
Patricia do Carmo Silva Parreira, PhD, Chris G. Maher, Professor, Daniel Steffens, Deputy Director, Mark Hancock, Associate Professor, Manuela L. Ferreira, Associate Professor

CORRIGENDUM

Corrigendum to Attenuation of the degenerative effects of endothelin-1 on cartilaginous end plate cells by the endothelin receptor antagonist BQ-123 via the Wnt/ β -catenin signaling pathway [The Spine Journal 18 (2018) 1669–1677]374
Wei Yuan, PhD, MD, Zhen-Xi Li, PhD, Cheng-Long Zhao, MD, Tian-Hui Hou, MS, Si-Wang Hu, MD, Wei-Bo Liu, MD, Feng-Lai Yuan, PhD, Jian-Ru Xiao, PhD, MD

PAPERS AVAILABLE ONLINE ONLY

Bipartite atlas in a trauma patiente1
Hakan Cebeci, MD, Mesut Sivri, MD, Mustafa Koplay, MD

Cervical myelopathy caused by anomalies at the craniovertebral junctione2
Yu Hu, MD, Peizhi Zhou, MD, Jiagang Liu, MD, Haifeng Chen, MD, Siqing Huang, MD, Shu Jiang, MD

Spinal fusion from nonoperative management of lytic myelomatous vertebraee4
Kishan Gokaraju, BMedSci, MBChB, MRCS, Joseph S. Butler, PhD, FRCS (Tr&Orth), Adam Benton, MBChB, Susanne Selvadurai, BSc, MCSP, Sean Molloy, MSc, FRCS (Tr&Orth)

Computed tomography-guided sub-end plate injection of pingyangmycin for a novel rabbit model of slowly progressive disc degeneratione6
Fuxin Wei, MD, PhD, Rui Zhong, MD, Ximin Pan, MD, Mohammed Khaleel, MD, PhD, Aziz Hammoud, Zhiyu Zhou, MD, PhD, Shaoyu Liu, MD, Haixing Sun, MD, Yajing Zhao, MD, Xuenong Zou, MD, PhD, Bo Jiang, MD, PhD, Wenquan Zhuang, MD, PhD, Ningning Chen, MD, Yingming Chen, MD

INSERT ADVERT

The Spine Functional Index: development and clinimetric validation of a new whole-spine functional outcome measure.....	e19
<i>Charles P. Gabel, MPhD, PT, Markus Melloh, MD, DMedSc, MPH, MBA, Brendan Burkett, PhD, Lori A. Michener, PhD, PT, ATC</i>	
Does the presence of the fibronectin-aggrecan complex predict outcomes from lumbar discectomy for disc herniation?.....	e28
<i>Micah W. Smith, MD, Agnes Ith, MD, Eugene J. Carragee, MD, Ivan Cheng, MD, Todd F. Alamin, MD, S. Raymond Golish, MD, PhD, Kyle Mitsunaga, MD, Gaetano J. Scuderi, MD, Matthew Smuck, MD</i>	
Platelet-rich plasma enhances bone union in posterolateral lumbar fusion: A prospective randomized controlled trial	e34
<i>Go Kubota, MD, PhD, Hiroto Kamoda, MD, PhD, Sumihisa Orita, MD, PhD, Kazuyo Yamauchi, MD, PhD, Yoshihiro Sakuma, MD, PhD, Yasuhiro Oikawa, MD, PhD, Kazuhide Inage, MD, PhD, Takeshi Sainoh, MD, PhD, Jun Sato, MD, PhD, Michihiro Ito, PhD, Masaomi Yamashita, MD, PhD, Junichi Nakamura, MD, PhD, Takane Suzuki, MD, PhD, Kazuhisa Takahashi, MD, PhD, Seiji Ohtori, MD, PhD</i>	
Evaluation of five scoring systems for cervical spondylogenic myelopathy	e41
<i>Kristina Dalitz, MD, Hans-Ekkehart Vitzthum, MD, PhD</i>	
Meetings Calendar	375

Financial Conflict of Interest Disclosure Key

Level A. \$100 to \$1000	Level D. \$25,001 to \$50,000	Level G. \$500,001 to \$1 M
Level B. \$1,001 to \$10,000	Level E. \$50,001 to \$100,000	Level H. \$1,000,001 to \$2.5 M
Level C. \$10,001 to \$25,000	Level F. \$100,001 to \$500,000	Level I. Greater than \$2.5 M

All Volume Indexes from Volume 1, Number 1 to the present are available ONLINE at the journal's full-text website at www.TheSpineJournalOnline.com. Author Instructions are also available at www.TheSpineJournalOnline.com/authorinfo.

© 2019 Elsevier Inc. All rights reserved.

Publisher: The Spine Journal (ISSN: 1529-9430) is published monthly by Elsevier, 360 Park Avenue South, New York, NY 10010-1710. Periodicals postage paid at New York, NY and at additional mailing offices.

POSTMASTER: Send address changes to The Spine Journal, Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043.

Photocopying: Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

Permission may be sought directly from Elsevier Rights & Permission Department, PO Box 800, Oxford O × 5 1DX, UK; phone: (+44) 1865 843 830, fax: (+44) 1865 853 333. Requests may also be completed online via the Elsevier site (<http://www.elsevier.com/authors/obtaining-permission-to-re-use-elsevier-material>).

In the USA, users may clear permissions and make payment through the Copyright Clearance Center, Inc. 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (978) 750-8400, fax: (978) 750-4744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 171 436 5931, fax: (+44) 171 436 3986. Other countries may have a local reprographic rights agency for payments.

Derivative Works: Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the publisher is required for resale or distribution outside the institution. Permission of the publisher is required for all other derivative works, including compilations and translations.

Electronic Storage or Usage: Permission of the publisher is required to store or use electronically and material contained in this journal, including any article or part of an article. Contact the publisher at the address indicated. Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher. Address permissions requests to: Elsevier Rights & Permission Department, at the mail, fax and e-mail addresses noted above.

Notice: No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or

ideas contained in the material herein. Advertising material included in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made or it by its manufacturer.

Customer Service (orders, claims, online, change of address): Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043. Tel: 1-800-654-2452 (U.S. and Canada); 314-447-8871(outside U.S. and Canada). Fax: 314-447-8029. E-mail: journalscustomerservice-usa@elsevier.com (for print support); journalsonlinesupport-usa@elsevier.com (for online support).

For advertising orders and inquiries: North and South America: Aretha Gaskin, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3681; fax: (212) 633-3820. For classified advertising, contact Adam Moorad, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3122; fax: (212) 633-3820. International: Advertising Department, Elsevier, The Boulevard, Langford Lane Kidlington, Oxford O × 5 1GB, United Kingdom, Tel.: (+44) (0) 1865 843565, fax: (+44) (0) 1865 843 967; e-mail: media@elsevier.co.uk. Japan: Advertising Department, Elsevier Japan, Tel.: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047.

Disclaimer Notice: Statements and opinions expressed in the articles and communications herein are those of the author(s) and are not necessarily those of the Editor(s), North American Spine Society (NASS) or Publisher, or indicative of NASS views, policy or editorial concurrence. The Editor(s), the NASS, and the Publisher assume no responsibility for any injury and/or damage to persons or property as a matter of products liability, negligence, or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein. No suggested test or procedure should be carried out unless, in the reader's judgement, its risk is justified. Because of the rapid advances in the medical sciences, medical practitioners should obtain independent verification of diagnoses and drug dosages. Discussions, views, and recommendations as to medical procedures, choice of drugs, and drug dosages are the responsibility of the authors. Consumers should consult with their own doctors about their individual health status before making any health decisions.

Although all advertising material is expected to conform to ethical (medical) standards, the appearance of advertising in The Spine Journal does not constitute a guarantee or endorsement by the journal and/or the North American Spine Society of the quality or value of such product or to the claims made for it by its manufacturer. The fact that a product, service, or company is advertised in The Spine Journal shall not be referred to by the manufacturer in collateral advertising.

This paper meets the requirements of ANSI Standard Z39.48-1992 (Permanence of Paper).

INSERT ADVERT

INSERT ADVERT