



Available online at  
**ScienceDirect**  
[www.sciencedirect.com](http://www.sciencedirect.com)

Elsevier Masson France  
**EM|consulte**  
[www.em-consulte.com/en](http://www.em-consulte.com/en)



## Editorial

# Gender equity in clinical practice, research and training: Where do we stand in rheumatology?



## ARTICLE INFO

### Keywords:

Gender equity  
 Training  
 Academic medicine  
 Research  
 Bias

## 1. Introduction

In recent decades, there has been great progress towards gender equity in medicine. Research in developmental psychology has shown that girls perform as well or sometimes superior to boys in of science, technology, engineering and mathematics (STEM) topics and report a strong interest in pursuing STEM careers [1]. Admission to medical school on both sides of the Atlantic is now approximately 50% women [2,3], and in some European countries 60% women [4]. Increased levels of gender equity can positively contribute to medical training and clinical practice because studies show that women perform equally well or even outperform men in medical knowledge, professional skills, and clinical judgement [5]. The current trend towards gender equity in medical school admissions is likely to continue despite notable setbacks. One prestigious Japanese medical school deliberately lowered the examination scores of female applicants for over a decade to favour male applicants. This controversial policy was only reversed following an unprecedented backlash from the public and global medical community [6]. Despite this clear demonstration of support for gender equity, in most countries, women are still underrepresented at many levels in medicine, especially, in leadership roles [4,5]. In this paper, we will discuss some of the reasons and potential solutions to this ongoing inequity.

## 2. What is the evidence for gender inequity in medicine and rheumatology?

As in other areas of STEM, there is a lack of gender equity in medicine at many levels [4,5]. In rheumatology, the proportion of women is expanding. In the US, there is currently a shift underway from a majority of male rheumatologists to female, with the majority of fellows in training who are women [7]. However, this recent shift means that many more women are in junior roles as

trainees and junior consultants whilst proportionally more men are in senior positions.

Whilst increasing numbers of women are choosing rheumatology, women remain even more underrepresented in academic roles in medicine. This is particularly true in senior academic leadership roles where gender equity has not been achieved [8,9]. Proportions have improved recently in general medicine [2,10] but there is still an unmet need to ensure that women can succeed on an equal basis to men [11].

The outdated social norms and professional barriers preventing women from choosing academic careers in medicine lead to a waste of intellectual capital to direct detriment to the individuals and medical profession [12]. Beyond this at a societal level, there is a resultant lack of diversity in the research agenda, which can adversely impact on future health practices and medical innovation [13,14].

## 3. Why does gender inequity exist?

Reasons for this are multifactorial. While the effects of the historically late entrance of a large number of women into medicine [15] gradually wear off, the salience of gender stereotypes and unconscious bias, the persistence of work-family conflict based on the assumptions of the traditional male breadwinner and female homemaker norms in broader society [16,17], and a scarcity of female mentorship and physician-scientist role models still hold back progress towards gender equity. Research in academic medicine shows that inequity is reflected in lower income (despite similar roles), specialisation into lower paid and potentially undervalued areas of medicine, weaker reference letters for medical school faculty positions and a decreased likelihood of being addressed by one's professional title compared to men [18]. Despite governmental funding and set pay scales, a gender pay gap remains in medicine linked to choice of specialisation, differential involvement in leadership roles, overtime payments and bonuses (paid in the UK via clinical excellence awards) [19]. Further research has shown that a combination of many subtle societal factors and professional barriers push women out of the academic career path with consistent discrimination and bias against women seen at every stage of their professional life [18]. One study has summed it up as "The many small discriminatory events take a cumulative toll, becoming the 'ton of feathers' that destroys or corrupts a career" [20]. This discrimination is potentially even higher for women of

colour, low socioeconomic class, and women who are disabled or non-heterosexual, where additional biases may be additive.

Whilst we would not advocate for positive discrimination for women, awareness of unconscious biases against women in medicine shows that careers, promotions and advancement criteria may not be defined in gender-neutral meritocratic terms, and that meritocratic criteria may relate more to ascribed criteria than achieved. One study found that female post-doctoral researchers must be, on average, 2.5 times more productive than the average male candidate to be appointed [21]. Applications for grant funding from women are significantly less likely to be funded when the grant programme has an explicit focus on the calibre of the principal investigator, even when the research question and quality of research are similarly rated [22]. This raises the concern that the current systems may be unconsciously undervaluing women and other minority groups.

In medicine, a number of studies have investigated the underlying reasons for gender inequity in academic medicine. A 2016 systematic review published in the *Lancet* identified 52 papers addressing why women choose or reject careers in academic medicine and identified four consistent themes with conflicting evidence for an additional four themes (Fig. 1).

Despite the research in medicine as a whole, there is a paucity of data and robust scientific evidence addressing the gender inequity in academic rheumatology. Research performed by the American College of Rheumatology (ACR), surveyed rheumatologists about barriers and facilitators to a career in academic rheumatology. This survey had over 50% female respondents, but responses were not reported separately for men and women [23]. The most significant barriers for both genders revolved around grant funding and protected time for research, whilst the most significant facilitators were mentorship and department/divisional support. As a result of this survey, the ACR are now developing an inter-institutional mentoring programme in adult rheumatology.

#### 4. What can be done to address gender inequity in medicine?

Within a recent themed issue of the *Lancet*, a review article sought to provide solutions to improving gender diversity and inclusion in medicine [24]. They argued that national or international guidelines around bias could change practice and overcome habits and biases [18], similar to progress made in other areas in medicine. They suggested five potential solutions shown in Box 1.

#### Box 1: Potential solutions for achieving gender equity in medicine according to Kang and Kaplan [18]

1. Treat gender equality as an innovation challenge with innovation and experimentation to identify solutions that work.
2. Change institutional norms ideally with change guided by group leaders as they have powerful influence.
3. Create a culture in which people feel personally responsible for change, rather than perceived coercion with mandatory diversity programmes.
4. Implement behavioural guidelines and action plans to support specific changes in behaviour with measurable targets.
5. Create organisational accountability for change in a comprehensive approach.

A second review concurred with the need for organisational culture change and inclusive leadership, but also highlighted the potential role for academic societies. Major scientific and medical societies were encouraged to “present a united voice on the need for equity, diversity and inclusion in science and medicine” [25]. One commentary pointed out that despite holding the power and influence to create substantial change, men are often absent in the efforts to advance gender equality. Drawing on the experience of Male Champions of Change in Australia, the authors argued that “engaging decent and influential men to work beside women to accelerate gender equality in STEM is a major strategic opportunity and priority” [26].

#### 5. What further work can be done to address gender inequity in rheumatology?

In the US, the Association of Women in Rheumatology (AWIR) was founded in 2015. This group runs networking events and is active in advocacy in rheumatology in the US. In some individual European countries, there are existing national societies such as ReDO (Reumatologhe Donne, [www.reumatologhedonne.it](http://www.reumatologhedonne.it)) in Italy. This group aims to establish an inter-institutional network of female rheumatologists to highlight and address the unmet clinical and scientific needs of women. Whilst some individual countries have networks in place to promote gender equity, such as the Athena SWAN programme ([www.ecu.ac.uk/equality-charters/athena-swan/](http://www.ecu.ac.uk/equality-charters/athena-swan/)) in the UK, there is no consistent approach alongside rheumatology training. In Europe, both individual national rheumatology societies and the




Fig. 1. Studies supporting and refuting overarching themes on women's choice or rejection of careers in academic medicine according to Edmunds et al. [9].

European League Against Rheumatism (EULAR) could offer structure and support to such an initiative.

Career development programmes exist in many countries to accelerate women's advancement and leadership in STEM subjects including medicine. Research has shown that academic medical trainees feel that they can learn new skills in a number of areas, particularly, interpersonal skills, leadership, negotiation, and networking [27]. Studies have also found that different skills or different levels of skills are required at different levels of career suggesting that interventions need to be personalised depending on career phases. For example, assistant professor level attendees found that training supporting career planning was key for those planning to apply for associate professor posts [27].

EULAR has an extensive educational programme available to rheumatologists and allied health professionals, but the focus of this to date has been knowledge based rather than skills training. The Emerging EULAR Network (EMEUNET) was established within EULAR in 2009 'to bring on board high quality, young generation contributors in all EULAR activities'. The EMEUNET group contains 2224 young rheumatologists, scientists and health professionals of whom 62% who have disclosed their gender at registration ( $n = 525$ ) are women. The EMEUNET working group members currently consist of 26 men and 24 women and 7 of the 11 chairs have been women. This is in contrast to the EULAR executive committee where only 11/30 members are women and the majority of these are representatives of health professionals or the patient group (PARE). Of 35 past EULAR presidents, only one woman has held the post. A large survey of nearly 600 EMEUNET members in 2015 showed support for a broad range of educational initiatives comprising of clinical training programmes but also skills based training including research and presentation skills [28]. The survey respondents were 68% women reflecting the increasing number of female trainees in the speciality and also a likely response bias. A further EMEUNET survey of 248 respondents was used to establish the need for mentoring programmes in rheumatology and again the majority of respondents were women. This identified an unmet need in the field particularly around mentorship for career development/planning, capacity building and communication skills [29]. As a result of this, EMEUNET has now developed a mentorship programme offering face to face mentoring meetings and peer review training for early career and post-doctoral researchers.

## 6. EULAR task force on gender equity in rheumatology

In 2019 and beyond, there is a plan for EULAR to establish a task force to address the unmet need for support of gender equity in rheumatology, specifically for women in academic rheumatology. The task force will conduct EMEUNET and EULAR exploratory research to determine the extent of unmet need and potential societal differences between different European countries, to identify potential training gaps, and to establish what opportunities exist for EULAR to develop a comprehensive programme of gender equity interventions in rheumatology. Ideas suggested to date are shown in Box 2. A dedicated ResearchGate social networking site is planned to provide updates on emerging activity, gather further ideas, and facilitate feedback and external peer review from academics, clinicians, patients, and the public (<https://www.researchgate.net/project/EULAR-task-force-on-gender-equity-in-rheumatology>).

The proposed EULAR programme of gender equality interventions in rheumatology would clearly benefit individuals but would also be of benefit to society. Specifically, the programme closely aligns with the strategy of Responsible Research and Innovation in the European Research Area to improve the scientific quality and societal relevance of the produced knowledge, technology and

### Box 2: Potential opportunities within a proposed EULAR programme of gender equity interventions

- Senior sponsorship and peer mentorship
- High-impact scientific writing masterclasses
- Editing and peer review webinars
- Grantsmanship workshops
- Academic conference circuit
- Professional networking
- Leadership strategies
- Promotion and salary negotiation
- Effective career planning
- Fulfilling work-life balance
- Personality insights, e.g. Insights Discovery®
- Gender-sensitive clinical practice, research, and training
- Male champions of change
- #SheLeadsRheumatology or similar social media campaign

innovation in patient care by fostering gender balance in research teams; ensuring gender balance in decision-making; and integrating the gender dimension in research and innovation content [30].

## 7. Conclusions

It is clear that achieving gender equity in both medicine and rheumatology specifically needs a wide variety of approaches including organisational, structural and individual initiatives. According to the Horizon 2020-funded project Systemic Action for Gender Equality (SAGE, [www.sage-growingequality.eu](http://www.sage-growingequality.eu)), four main areas of action can guide the implementation of "Gender Equality Plans":

- engendering knowledge: to incorporate gender-sensitive practices, processes and procedures in research;
- institutional governance: to develop balanced representation of women and men in decision-making;
- work-life balance: work should adapt to life not vice versa;
- career progression: to engage healthcare and academic leaders to promote gender equity (see the #BeEthical campaign whose call is "Ending Gender Workforce Disparities is an Ethical Imperative", [www.sheleadshhealthcare.com](http://www.sheleadshhealthcare.com)) and preventing the loss of female representativeness as the career ladder progresses ("leaky pipeline").

Scientific journals and social/scientific networks are instrumental in raising awareness about gender issues and promoting advocacy for gender equity, diversity and inclusion. Rheumatology can be considered as a "female" specialty in the sense that the majority of patients are women. Therefore, the achievement of gender equity in clinical practice, research and training is likely to benefit not only individual physicians but also patients and wider society.

### Disclosure of interest

The authors declare that they have no competing interest.

### Acknowledgements

Laura C. Coates is funded by a National Institute for Health Research (NIHR) Clinician Scientist award. Pavel V. Ovseiko is supported by the NIHR Oxford Biomedical Research Centre, grant BRC-1215-20008, and by the EU Horizon 2020 research and innovation programme award STARBIOS2 under grant agreement

No. 709517. The views expressed are those of the author(s) and not necessarily those of the NHS, the NIHR or the Department of Health.

## References

- [1] Halpern DF, Benbow CP, Geary DC, Gur RC, Hyde JS, Gernsbacher MA. The science of sex differences in science and mathematics. *Psychol Sci Public Interest* 2007;8:1–51.
- [2] Centre for Workforce Intelligence. Shape of the medical workforce: starting the debate on the future consultant workforce; 2012.
- [3] AAMC, Association of American Medical Colleges Group on Women in Medicine and Science. Medical students, selected years, 1965–2013, <https://www.aamc.org/members/gwims/statistics/>.
- [4] Kuhlmann E, Ovseiko PV, Kurmeyer C, Gutierrez-Lobos K, Steinbock S, von Knorring M, et al. Closing the gender leadership gap: a multi-centre cross-country comparison of women in management and leadership in academic health centres in the European Union. *Hum Resour Health* 2017;15:2.
- [5] Level Medicine. Gender equity in medical specialties; 2017 [Available from: <http://levelmedicine.org.au/resources/completed-fellowship-papers/gender-equity-in-medical-specialties/>. Accessed 26th February 2019].
- [6] France 24. Nationwide probe after Tokyo medical school excluded women; 2018 [Available from: <https://www.france24.com/en/20180810-japan-nationwide-probe-tokyo-medical-school-excludes-women>. Accessed 26th February 2019].
- [7] Deal C, Bolster MB, Hausmann JS, Battafarano D, Monrad S, Ditmyer M. Adult rheumatology specialists in the United States: effect of gender and generation. *Arthritis Rheumatol* 2016;68, <https://acrabstracts.org/abstract/2015-acrarhp-workforce-study-wfs-adult-rheumatology-specialists-in-the-united-states-effect-of-gender-and-generation/>. [Accessed June 24, 2019].
- [8] Elston MA. Women and medicine: the future. London: Royal College of Physicians; 2009.
- [9] Edmunds LD, Ovseiko PV, Shepperd S, Greenhalgh T, Frith P, Roberts NW, et al. Why do women choose or reject careers in academic medicine? A narrative review of empirical evidence. *Lancet* 2016;388:2948–58.
- [10] Medical Schools Council. A survey of staffing levels of medical clinical academics in UK medical schools as at 31 July 2013; 2014.
- [11] Medical Schools Council. A survey of staffing levels of medical clinical academics in UK medical schools as at 31 July 2017; 2018.
- [12] Shah DN, Volpe NJ, Abbuhl SB, Pietrobon R, Shah A. Gender characteristics among academic ophthalmology leadership, faculty, and residents: results from a cross-sectional survey. *Ophthalmol Epidemiol* 2010;17:1–6.
- [13] Carnes M, Morrissey C, Geller SE. Women's health and women's leadership in academic medicine: hitting the same glass ceiling? *J Womens Health (Larchmt)* 2008;17:1453–62.
- [14] Penny M, Jeffries R, Grant J, Davies SC. Women and academic medicine: a review of the evidence on female representation. *J R Soc Med* 2014;107:259–63.
- [15] Yedidia MJ, Bickel J. Why aren't there more women leaders in academic medicine? The views of clinical department chairs. *Acad Med* 2001;76:453–65.
- [16] Williams JC, Berdahl JL, Vandello JA. Beyond work-life "integration". *Annu Rev Psychol* 2016;67:515–39.
- [17] Guille C, Frank E, Zhao Z. Work-family conflict and the sex difference in depression among training physicians. *JAMA Intern Med* 2017;177:1766–72.
- [18] Kang SK, Kaplan S. Working toward gender diversity and inclusion in medicine: myths and solutions. *Lancet* 2019;393:579–86.
- [19] The Guardian. Male NHS doctors earn 17% more than their female peers; 2019 [Available from: <https://www.theguardian.com/society/2019/mar/29/male-nhs-doctors-earn-17-more-than-their-female-peers>].
- [20] Carr PL, Szalacha L, Barnett R, Caswell C, Inui T. A "ton of feathers": gender discrimination in academic medical careers and how to manage it. *J Womens Health (Larchmt)* 2003;12:1009–18.
- [21] Moss-Racusin CA, Dovidio JF, Brescoll VL, Graham MJ, Handelsman J. Science faculty's subtle gender biases favor male students. *Proc Natl Acad Sci U S A* 2012;109:16474–9.
- [22] Witterman HO, Hendricks M, Straus S, Tannenbaum C. Are gender gaps due to evaluations of the applicant or the science? A natural experiment at a national funding agency. *Lancet* 2019;393:493–610.
- [23] Ogdie A, Shah AA, Makris UE, Jiang Y, Nelson AE, Kim AH, et al. Barriers to and Facilitators of a Career as a Physician-Scientist Among Rheumatologists in the US. *Arthritis Care Res (Hoboken)* 2015;67:1191–201.
- [24] Horton R. Advancing women in science, medicine and global health. *The Lancet* 2019;393:493–610.
- [25] Coe IR, Wiley R, Bekker LG. Organisational best practices towards gender equality in science and medicine. *Lancet* 2019;393:587–93.
- [26] Latimer J, Cerise S, Ovseiko PV, Rathborne JM, Billiards SS, El-Adhami W. Australia's strategy to achieve gender equality in STEM. *Lancet* 2019;393:524–6.
- [27] Helitzer DL, Newbill SL, Morahan PS, Magrane D, Cardinali G, Wu CC, et al. Perceptions of skill development of participants in three national career development programs for women faculty in academic medicine. *Acad Med* 2014;89:896–903.
- [28] Beyer C, Ramiro S, Sivera F, Mandl P, Machado PM, Ospelt C, et al. Educational needs and preferences of young European clinicians and physician researchers working in the field of rheumatology. *RMD Open* 2016;2:e000240.
- [29] Frank-Bertoncelj M, Hatemi G, Ospelt C, Ramiro S, Machado P, Mandl P, et al. Mentoring of young professionals in the field of rheumatology in Europe: results from an EMerging EUlar Network (EMEUNET) survey. *Clin Exp Rheumatol* 2014;32:935–41.
- [30] European Commission. 2019. [Available from: <https://ec.europa.eu/programmes/horizon2020/node/797>].

Laura Andreoli<sup>a</sup>  
 Pavel V. Ovseiko<sup>b,c</sup>  
 Neelam Hassan<sup>d</sup>  
 Uta Kiltz<sup>e</sup>  
 Leonieke van Mens<sup>f</sup>  
 Laure Gossec<sup>g,h</sup>  
 Laura C. Coates<sup>c,i,\*</sup>

<sup>a</sup> Rheumatology and Clinical Immunology, Spedali Civili, and Department of Clinical and Experimental Sciences, University of Brescia, Brescia, Italy

<sup>b</sup> Radcliffe Department of Medicine, University of Oxford, John Radcliffe Hospital, Oxford OX3 9DU, United Kingdom

<sup>c</sup> NIHR Oxford Biomedical Research Centre, John Radcliffe Hospital, Oxford OX3 9DU, United Kingdom

<sup>d</sup> Musculoskeletal Research Unit, University of Bristol, Learning and Research Building, Southmead Hospital, Bristol BS10 5NB, United Kingdom

<sup>e</sup> Rheumazentrum Ruhrgebiet, Herne, and Ruhr-University Bochum, Germany

<sup>f</sup> Rheumatology and Clinical immunology, AUMC location AMC, Amsterdam, The Netherlands

<sup>g</sup> Sorbonne Université, Institut Pierre-Louis d'Épidémiologie et de Santé Publique, INSERM UMR S1136, 75646 Paris, France

<sup>h</sup> Department of rheumatology, AP-HP, Pitié-Salpêtrière Hospital, 75013 Paris, France

<sup>i</sup> Nuffield Department of Orthopaedics, Rheumatology and Musculoskeletal Sciences, University of Oxford, Oxford, United Kingdom

\* Corresponding author at: Nuffield Department of Orthopaedics, Rheumatology and Musculoskeletal Sciences, University of Oxford, Oxford, United Kingdom.

E-mail address: [Laura.coates@ndorms.ox.ac.uk](mailto:Laura.coates@ndorms.ox.ac.uk) (L.C. Coates)

Accepted 14 May 2019  
 Available online 17 June 2019