

June 2019, Volume 80, Number 6

CONTENTS

Continuing Medical Education

- CME** 1467 Skin diseases of the breast and nipple
Benign and malignant tumors
*Reid A. Waldman, MD, Justin Finch, MD, Jane M. Grant-Kels, MD,
Christina Stevenson, MD, and Diane Whitaker-Worth, MD*
- 1481 Answers to CME examination (Identification No. JA0619),
June 2019 issue of the *Journal of the American Academy of
Dermatology*
- 1482 CME examination
- CME** 1483 Skin diseases of the breast and nipple
Inflammatory and infectious diseases
*Reid A. Waldman, MD, Justin Finch, MD, Jane M. Grant-Kels, MD, and
Diane Whitaker-Worth, MD*
- 1495 CME examination
- 1496 Answers to CME examination (Identification No. JB0619),
June 2019 issue of the *Journal of the American Academy of
Dermatology*
- CME** 1497 Androgens in women
Androgen-mediated skin disease and patient evaluation
*Amanda Bienenfeld, BA, Sarah Azarchi, BS, Kristen Lo Sicco, MD,
Shari Marchbein, MD, Jerry Shapiro, MD, and Arielle R. Nagler, MD*
- 1507 CME examination
- 1508 Answers to CME examination (Identification No. JC0619),
June 2019 issue of the *Journal of the American Academy of
Dermatology*
- CME** 1509 Androgens in women
Hormone-modulating therapies for skin disease
*Sarah Azarchi, BS, Amanda Bienenfeld, BA, Kristen Lo Sicco, MD,
Shari Marchbein, MD, Jerry Shapiro, MD, and Arielle R. Nagler, MD*

Cover image reprinted from Vossen ARJV, van Huijkelom MAPC, Nijsten TEC, et al. Aggravation of mild axillary hidradenitis suppurativa by microwave ablation: Results of a randomized inpatient-controlled trial. *J Am Acad Dermatol.* 2019;80(3):777-779.

Copyright © 2019 by the American Academy of Dermatology, Inc. *Journal of the American Academy of Dermatology* (ISSN: 0190-9622), is published monthly by Elsevier Inc., 230 Park Avenue, Suite 800, New York, NY 10169-0901, USA. Periodicals postage paid at New York, NY and additional mailing offices.

POSTMASTER: Send address changes to Elsevier, Journal Returns, 1799 Highway 50 East, Linn, MO 65051, USA.

1521 Answers to CME examination (Identification No. JD0619), June 2019 issue of the *Journal of the American Academy of Dermatology*

1522 CME examination

Letter from the Editor

1523 Common reasons why manuscripts are rejected: Advice for young investigators
Dirk M. Elston, MD

A Clinician's Perspective

1524 Predicting the nature of follicular mucinosis: Still a sticky situation
Warren R. Heymann, MD

From the Dermatology Foundation

1526 A systematic review and meta-analysis of the prevalence and phenotype of adult-onset atopic dermatitis
Bottom line: Adult-onset atopic dermatitis is associated with different morphologic and historical characteristics than child-onset atopic dermatitis.
Harrison H. Lee, BS, Kevin R. Patel, BS, Vivek Singam, BLA, Supriya Rastogi, BA, and Jonathan I. Silverberg, MD, PhD, MPH

Original Articles



1533 Overall and subgroup prevalence of pyoderma gangrenosum among patients with hidradenitis suppurativa: A population-based analysis in the United States
Bottom line: Given our observations, painful ulcerations in patients with hidradenitis suppurativa that do not appear typical for the disease may warrant further evaluation for pyoderma gangrenosum.
Rachel Tannenbaum, BA, Andrew Strunk, MA, and Amit Garg, MD

1538 Focal atrichia: A diagnostic clue in female pattern hair loss
Bottom line: FA is a helpful clue in the diagnosis of female pattern hair loss.
Elise A. Olsen, MD, and David A. Whiting, MD

1544 Risk factors for death and survival in paraneoplastic pemphigus associated with hematologic malignancies in adults
Bottom line: The survival rate of PNP associated with HMs is low. Toxic epidermal necrolysis–like PNP and PNP associated with bronchiolitis obliterans have an especially poor prognosis.
Elise Ouedraogo, MD, Jeremy Gottlieb, MD, Adèle de Masson, MD, PhD, Clémence Lepelletier, MD, Marie Jachiet, MD, Camille Salle de Chou, MD, Lionel Galicier, MD, Martine Bagot, MD, PhD, Sylvie Chevret, MD, PhD, and Jean-David Bouaziz, MD, PhD

- 1550** Potential of narrow-band ultraviolet B to induce sustained durable complete remission off-therapy in patients with stage I mycosis fungoides
Bottom line: NB-UVB can be considered a disease-modifying and potentially curative therapy for patients with stage I mycosis fungoides.
Felix Pavlotsky, MD, Marwan Dawood, BA, and Aviv Barzilai, MD
- 1556** Stigmatizing attitudes toward persons with psoriasis among laypersons and medical students
Bottom line: Medical students and people who have heard of or know someone with psoriasis report less stigmatizing attitudes. Educational campaigns for the public and medical trainees may reduce stigma toward patients with psoriasis.
Rebecca L. Pearl, PhD, Marilyn T. Wan, MBChB, MPH, Junko Takeshita, MD, PhD, MSCE, and Joel M. Gelfand, MD, MSCE
- 1564** Developing an international standard for the classification of surface anatomic location for use in clinical practice and epidemiologic research
Bottom line: It is vital that anatomic sites in dermatology are precise and accurate for correct site treatment, epidemiologic tracking, and interprovider communication.
Katherine A. Kenneweg, MD, MSBS, Allan C. Halpern, MD, MSc, Robert J. G. Chalmers, FRCP, H. Peter Soyer, MD, Michael Weichenenthal, MD, and Matthew A. Molenda, MD, MBA
- 1585** Clinical and dermoscopic features of cutaneous BAP1-inactivated melanocytic tumors: Results of a multicenter case-control study by the International Dermoscopy Society
Bottom line: Dome-shaped papules with pink to tan structureless areas and peripheral irregular dots/globules or network should raise suspicion for BIMT associated with BAP1 germline mutations.
Oriol Yélamos, MD, Cristián Navarrete-Dechent, MD, Michael A. Marchetti, MD, Tova Rogers, MD, Zoe Apalla, MD, Philippe Bahadoran, MD, Nuria Blázquez-Sánchez, MD, PhD, Klaus Busam, MD, Cristina Carrera, MD, Stephen W. Dusza, DrPH, Arnaud de la Fouchardière, MD, Gerardo Ferrara, MD, Pedram Gerami, MD, Harald Kittler, MD, Aimilios Lallas, MD, Josep Malvehy, MD, José F Millán-Cayetano, MD, Kelly C. Nelson, MD, Victor Li Quan, Susana Puig, MD, Howard Stevens, MD, Luc Thomas, MD, PhD, and Ashfaq A. Marghoob, MD
- 1594** A 4-year retrospective assessment of postoperative complications in immunosuppressed patients following Mohs micrographic surgery
Bottom line: Dermatologists should take the higher risk of complications into account when counseling and managing immunosuppressed recipients of solid organ transplants who are undergoing Mohs micrographic surgery.
Pallavi Basu, BA, Alina Goldenberg, MD, MAS, Natasha Cowan, BS, Robert Eilers, MD, Jennifer Hau, MD, and Shang I Brian Jiang, MD

- 1602** Incidence of pneumocystosis among patients exposed to immunosuppression
Bottom line: Benefit of prophylaxis with trimethoprim/sulfamethoxazole appears to outweigh risk for severe drug reaction for patients receiving combination corticosteroid and immunosuppressant therapy.
Sergey Rekhtman, MD, PharmD, MPH, Andrew Strunk, MA, and Amit Garg, MD
- 1608** Mohs micrographic surgery for eyelid sebaceous carcinoma: A multicenter cohort of 360 patients
Bottom line: Compared with wide local excision, Mohs micrographic surgery exhibited a lower recurrence rate but comparable chances of metastasis and tumor-related mortality. Patients with pagetoid invasion may require adjuvant measures.
Chuandi Zhou, MD, PhD, Fan Wu, MD, Peiwei Chai, MD, PhD, Yingyun Shi, MD, Juan Ye, MD, PhD, Xin Shi, MD, PhD, Jia Tan, MD, PhD, Yi Ding, MD, PhD, Yingxiu Luo, MD, Bitu Esmaeli, MD, PhD, Renbing Jia, MD, PhD, and Xianqun Fan, MD, PhD
- 1618** Patients with negative patch tests: Retrospective analysis of North American Contact Dermatitis Group (NACDG) data 2001-2016
Bottom line: Patients with negative patch test results have distinct characteristics. They are more likely to be male and have irritant dermatitis and less likely to have occupationally related skin disease when compared with patients with positive patch test results.
Erin M. Warshaw, MD, MS, Amy J. Zhang, BA, Donald V. Belsito, MD, Joseph F. Fowler, Jr, MD, James S. Taylor, MD, Howard I. Maibach, MD, Toby Mathias, MD, Denis Sasseville, MD, James G. Marks, Jr, MD, Vincent A. DeLeo, MD, Anthony F. Fransway, MD, Kathryn A. Zug, MD, Melanie D. Pratt, MD, Matthew J. Zirwas, MD, and Joel G. DeKoven, MD
- 1630** Prevalence of clinically significant incidental findings by whole-body fludeoxyglucose F 18 positron emission tomography/computed tomography scanning in moderate-to-severe psoriasis patients participating in clinical trials
Bottom line: About 12% of patients had clinically significant incidental findings on fludeoxyglucose F 18 positron emission tomography/computed tomography imaging, and 2.31% of patients had cancer.
Marilyn T. Wan, MBChB, MPH, Drew A. Torigian, MD, MA, Abass Alavi, MD, PhD, DSc, Judith Alvarez, BS, Zelma C. Chiesa Fuxench, MD, Megan H. Noe, MD, MPH, MSCE, Maryte Papadopoulou, MBE, Daniel B. Shin, PhD, Junko Takeshita, MD, MSCE, PhD, Thomas J. Werner, MSE, Nehal N. Mehta, MD, MSCE, and Joel M. Gelfand, MD, MSCE
- 1640** Poor prognosis for thin ulcerated melanomas and implications for a more aggressive approach to treatment
Bottom line: The poorer survival of patients with thin ulcerated tumors implies the need for additional studies to determine the benefits of aggressive or targeted treatment.
Makenzie L. Hawkins, MSPH, Matthew J. Rieth, MD, Megan M. Eguchi, MPH, and Myles Cockburn, PhD

- 1650** Patient-reported outcomes are important elements of psoriasis treatment decision making: A discrete choice experiment survey of dermatologists in the United States
Bottom line: Patient-reported outcome evaluations should be integrated into psoriasis clinical trials to obtain the information needed to facilitate treatment decision making.
Steven R. Feldman, MD, PhD, Stephane A. Regnier, PhD, Alexandra Chirilov, BS, Felix Hey, BA, Isabelle Gilloteau, MSc, and David Cella, PhD
- 1658** Treatment of morphea with hydroxychloroquine: A retrospective review of 84 patients at Mayo Clinic, 1996-2013
Bottom line: Hydroxychloroquine should be considered a treatment option for morphea.
Anagha Bangalore Kumar, MBBS, Elizabeth K. Blixt, MD, Lisa A. Drage, MD, Rokea A. el-Azhary, MD, PhD, and David A. Wetter, MD
- 1664** Linear morphea: Clinical characteristics, disease course, and treatment of the Morphea in Adults and Children cohort
Bottom line: Deep involvement is most common in the linear subtype and signals risk for functional limitations warranting more aggressive treatment. Appropriate treatment decreases activity and stabilizes damage.
Elaine Kunzler, MD, Stephanie Florez-Pollack, BS, Noelle Teske, MD, MSc, Jack O'Brien, MD, Smriti Prasad, BS, and Heidi Jacobs, MD, MSCS
- 1671** Patients believe that cosmetic procedures affect their quality of life: An interview study of patient-reported motivations
Bottom line: This qualitative study may help physicians better understand the goals and expectations of cosmetic patients.
Abigail Waldman, MD, Amanda Maisel, BS, Alexandra Weil, BS, Sanjana Iyengar, MD, Kaitlyn Sacotte, BS, Jake M. Lazaroff, BA, Sasha Kurumety, BA, Sara L. Shaunfield, PhD, Kelly A. Reynolds, BA, Emily Poon, PhD, June K. Robinson, MD, and Murad Alam, MD, MSCI, MBA
- 1682** Inflammatory dietary pattern and incident psoriasis, psoriatic arthritis, and atopic dermatitis in women: A cohort study
Bottom line: Our findings do not support that decreasing the inflammatory potential of the diet can be used as a preventive measure in patients at risk for psoriasis, psoriatic arthritis, or atopic dermatitis.
Alanna C. Bridgman, MSc, Abrar A. Qureshi, MD, MPH, Tricia Li, MD, MS, Fred K. Tabung, PhD, MSPH, Eunyoung Cho, MS, ScD, and Aaron M. Drucker, MD, ScM
- 1691** Randomized phase 3 evaluation of trifarotene 50 μ g/g cream treatment of moderate facial and truncal acne
Bottom line: Trifarotene appears to be safe and efficacious as treatment of moderate acne on the face and trunk. Local tolerability was acceptable and manageable on the face and trunk.
Jerry Tan, MD, Diane Thiboutot, MD, Georg Popp, MD, Melinda Gooderham, MD, Charles Lynde, MD, James Del Rosso, DO, Jonathan Weiss, MD, Ulrike Blume-Peytavi, MD, Jolanta Węglowska, MD, Sandra Johnson, MD, Lawrence Parish, MD, Dagmara Witkowska, MD, Nestor Sanchez Colon, MD, Alessandra Alió Saenz, MD, Faiz Ahmad, MS, Michael Graeber, MD, and Linda Stein Gold, MD

-
- Dermatologic Surgery** **1700** Tissue-sparing properties of Mohs micrographic surgery for infiltrative basal cell carcinoma
- Bottom line:** Besides the advantage of 100% margin control and lowest recurrence rates, this study proves a tissue-sparing effect of Mohs micrographic surgery compared with standard surgical excision. This is beneficial for reconstruction techniques.
- Marloes S. van Kester, MD, PhD, Jelle J. Goeman, PhD, and Roel E. Genders, MD*
-
- Dermatopathology** **1704** Follicular mucinosis in patients with hematologic malignancies other than mycosis fungoides: A clinicopathologic study
- Bottom line:** Clinicopathologic features of follicular mucinosis in the setting of hematopoietic stem cell transplantation and diverse systemic hematologic malignancies differ from those of mycosis fungoides-associated cases, and follicular mucinosis is not necessarily a precursor to cutaneous T-cell lymphoma.
- Shamir Geller, MD, Christian J. Gomez, BA, Patricia L. Myskowski, MD, and Melissa Pulitzer, MD*
-
- Reviews** **1712** Medical and aesthetic procedural dermatology recommendations for transgender patients undergoing transition
- Bottom line:** Dermatologists may have a tremendous impact on the lives of transgender individuals who seek to realize their gender identity.
- Nikhil Dhingra, MD, Lauren Meshkov Bonati, MD, Erica B. Wang, MD, Margaret Chou, BA, and Jared Jagdeo, MD, MS*
- 1722** Global epidemiology and clinical spectrum of rosacea, highlighting skin of color: Review and clinical practice experience
- Bottom line:** This information might help reduce disparities in managing rosacea across diverse populations with the disease.
- Andrew F. Alexis, MD, MPH, Valerie D. Callender, MD, Hilary E. Baldwin, MD, Seemal R. Desai, MD, Marta I. Rendon, MD, and Susan C. Taylor, MD*
- 1730** Platelet-rich plasma and its utility in the treatment of acne scars: A systematic review
- Bottom line:** Activated, leukocyte- and platelet-rich plasma with a fractional ablative laser administered monthly in 2 to 3 sequential treatments improves acne scarring with less postprocedure downtime.
- Michael J. Hessler, MD, and Nikhil Shyam, MD*
- 1746** The uses of naltrexone in dermatologic conditions
- Bottom line:** Full therapeutic doses may have a role in treating a variety of inflammatory skin disorders.
- Brigitte Lee, BS, and Dirk M. Elston, MD*
-
- Research Letters** **1753** Koebnerisin (S100A15): A novel player in the pathogenesis of rosacea
- Aleksandra Batycka-Baran, PhD, Eva Hattinger, BS, Aleksander Marchenkov, BS, Maria Koziol, PhD, Andrzej Bieniek, MD, PhD, Jacek Szepietowski, MD, PhD, Thomas Ruzicka, MD, PhD, and Ronald Wolf, MD, PhD*

- 1755** Pigmentation of basal cell carcinoma is inversely associated with tumor aggressiveness in Asian patients
Hye-Rim Moon, MD, Tae Jun Park, MD, Ki Woong Ro, MD, PhD, Hwa Jung Ryu, MD, PhD, Soo Hong Seo, MD, PhD, Sang Wook Son, MD, PhD, and Il-Hwan Kim, MD, PhD
- 1757** Long-term sheltering mustaches reduce incidence of lower lip actinic keratosis
Deede Y. Liu, MD, Muhammad I. Gul, BS, Jo Wick, PhD, Anand N. Rajpara, MD, Prescilia Isedeh, MD, Ting Wang, MD, and Daniel J. Aires, MD
- 1758** One in a hundred million: Merkel cell carcinoma in pediatric and young adult patients is rare but more likely to present at advanced stages based on US registry data
Kelly G. Paulson, MD, PhD, and Paul Nghiem, MD, PhD
- 1760** Online communications among hidradenitis suppurativa patients reflect community needs
Nicole M. Golbari, BA, Martina L. Porter, MD, and Alexa B. Kimball, MD, MPH
- 1762** Antibiotic exposure is associated with cutaneous adverse events in hairy cell leukemia patients treated with purine analogues
Rebecca F. Wang, BA, Daniel Li, BS, Gina J. Kuehn, MD, Leslie A. Andritsos, MD, Michael R. Grever, MD, and Benjamin H. Kaffenberger, MD
- 1764** Camp Sun Safe: A community-level sun safety intervention
Virginia A. Tracey, MD, Katharine P. Saussy, MD, Jacqueline G. Witt, BS, Alexandra M. Haugh, MD, MPH, and Brittany J. Stumpf, MD
-  **1766** Gabor-domain optical coherence tomography to aid in Mohs resection of basal cell carcinoma
Patrice Tankam, PhD, Jonathan Soh, MD, Cristina Canavesi, PhD, MBA, Mara Lanis, BS, Adam Hayes, PhD, Andrea Cogliati, PhD, Jannick P. Rolland, PhD, and Sherrif F. Ibrahim, MD, PhD
- 1769** Trends in the incidence and survival of eccrine malignancies in the United States: A SEER population-based study
Raghav Tripathi, MPH, Harib H. Ezaldeen, MD, Jeffrey F. Scott, MD, and Jeremy S. Bordeaux, MD, MPH
- 1771** Comparative clinicopathologic analysis of cutaneous peripheral T-cell lymphoma, not otherwise specified, according to primary tumor site
Mi Hye Lee, MD, Myoung Eun Choi, MD, Chong Hyun Won, MD, PhD, Sung Eun Chang, MD, PhD, Mi Woo Lee, MD, PhD, Jee Ho Choi, MD, PhD, and Woo Jin Lee, MD, PhD
- 1774** Trends in scholarly productivity of dermatology faculty by academic status and gender
Allen F. Shih, MD, MBA, AM, Wendy Sun, BS, Cameron Yick, BS, Suzanne Xu, BS, Rance J. T. Fujiwara, MD, MBA, and Oscar R. Colegio, MD, PhD

- 1776** Alopecia areata and poliosis: A retrospective analysis of 258 cases
Young Bin Lee, MD, Myungsoo Jun, MD, and Won-Soo Lee, PhD
- 1778** Response to tofacitinib therapy of eyebrows and eyelashes in alopecia areata
Lucy Y. Liu, MD, and Brett A. King, MD, PhD
- 1780** Tumor mutational burden and response to programmed cell death protein 1 inhibitors in a case series of patients with metastatic desmoplastic melanoma
Lise Boussemart, MD, PhD, Adrienne Johnson, MSc, Alexa B. Schrock, PhD, MD, Sumanta K. Pal, MD, Garrett M. Frampton, PhD, David Fabrizio, BS, Zachary Chalmers, Michal Lotem, MD, Geoffrey Gibney, MD, Jeffery Russell, MD, Bartosz Chmielowski, MD, PhD, Jeffrey S. Ross, MD, Phil J. Stephens, PhD, Vincent A. Miller, MD, and Siraj M. Ali, MD, PhD
- 1782** Optimal concentration range of ustekinumab in patients with plaque-type psoriasis
Sergio Martín-González, PhD, Peru Urigoitia-Ugalde, MD, Jesús Careaga, MD, Daniel Nagore, PhD, Rosaura Navarro, PhD, Rosa Izu-Belloso, MD, Laura Blanch, MD, Jaime González del Tánago, MD, Antonio Martínez, PhD, and Ainhoa Ruiz del Agua, PhD
- 1784** Building a scale for measuring burden of hand eczema: BoHEM
François Maccari, MD, Khaled Ezzedine, MD, PhD, Anne Claire Fougerousse, MD, Stéphanie Mérhand, PhD, Charles Bordet, MSc, Caroline Jacobzone, MD, and Charles Taieb, MD
- 1786** Contaminated sharps injuries: A survey among dermatology residents
Kimberly M. Ken, MD, and Nicholas J. Golda, MD
- 1788** A randomized double-blind placebo-controlled trial of autologous platelet-rich plasma intradermal injections for the treatment of vulvar lichen sclerosus
Andrew T. Goldstein, MD, Leia Mitchell, MS, Vaishnavi Govind, MS, and Debra Heller, MD
- 1789** Molecular epidemiology of locally acquired Hansen's disease in Central Florida
Christina Dai, BA, Ahmed Ansari, BS, Shawn Shih, BA, Vilma Marks, BS, Rahul Sharma, PhD, and Jeffrey Greenwald, MD, JD
- 1791** The acceleration of melanoma in situ: A population-based study of melanoma incidence trends from Victoria, Australia, 1985-2015
David J. Curchin, BBus(Hons), MSt, Emily Forward, BSc, MBA, MBBS, Philippa Dickison, BMed, MD, Victoria R. Harris, MBBS, LLB, MPhil, Chris J. McCormack, MBBS, FACD, and Saxon D. Smith, MBChB, MHL, PhD, FACD

- 1793** Examining cutaneous disease activity as an outcome measure for clinical trials in dermatomyositis
Rebecca G. Gaffney, BA, Rui Feng, PhD, David R. Pearson, MD, Meera Tarazi, BA, and Victoria P. Werth, MD
- 1794** Keratoacanthomas: A review of excised specimens
Mitchell Gibbons, BA, Alexander Ernst, MD, Ashaki Patel, MD, Eric Armbrrecht, PhD, and Ramona Behshad, MD
- 1796** A comparison of apremilast monotherapy and combination therapy for psoriatic arthritis in a real-life setting: Data from the Leeds Combined Psoriatic Service
Giuseppina Abignano, MD, PhD, Nafisa Fadl, MRCP, Mira Merashli, MD, Claire Vandeveld, MRCP, MD, Jane Freeston, MRCP, MD, Dennis McGonagle, FRCPI, PhD, and Helena Marzo-Ortega, LMS, MRCP, PhD
- 1799** Lack of an association between generalized granuloma annulare and malignancy: A case-control study
Vicente Haro Gabaldón, MD, and Victor Haro-González-Vico, MS

Dermatoethics Consultation

- 1801** Ethical dilemma regarding more than one biopsy reimbursement
Sonal A. Parikh, MD, and Jane M. Grant-Kels, MD

Consultative Dermatology

- 1804** Where are we now with inpatient consultative dermatology?: Assessing the value and evolution of this subspecialty over the past decade
Bottom line: Inpatient consultative dermatology has advanced as a subspecialty over the past decade to provide much needed expertise regarding uncommon and severe skin disorders. Recent data support the significant clinical, outcomes-based, and economic value associated with inpatient dermatology care.
Lauren M. Madigan, MD, and Lindy P. Fox, MD

Commentary

- 1809** How to navigate dermatology care for the uninsured
Samantha Shwe, BS, Sama Kassira, MD, Dong Joo Kim, MD, Ashley Elsensohn, MD, MPH, and Patrick Lee, MD

Corrections

- 1814** Alam M, Tung R. Injection technique in neurotoxins and fillers: Indications, products, and outcomes. *J Am Acad Dermatol.* 2018;79(3):423-435
- 1814** Cornell E, Kwa M, Paller A, Xu S. Abstract 7058. *J Am Acad Dermatol.* 2018;79(3S1):AB112
- 1814** Petukhova TA, Foolad N, Prakash N, et al. Objective volumetric grading of postacne scarring. *J Am Acad Dermatol.* 2016;75:229-31

JAAD ONLINE

Available at <http://www.jaad.org>

Clinical Pearls

- e137** Ink-enhanced dermoscopy is a useful tool to differentiate acquired solitary plaque porokeratosis from other scaly lesions
Cristián Navarrete-Dechent, MD, Pablo Uribe, MD, PhD, and Ashfaq Marghoob, MD
- e139** Protecting the diseased digits: Home remedy for the homemaker
Chander Grover, MD, DNB, MNAMS, and Karalikkattil T. Ashique, MBBS, DDVL, PGDC
- e141** Skin stripping technique: A diagnostic clue for fiberglass dermatitis
Jaime Company-Quiroga, MD, Sergio Alique-García, MD, Eduardo Esteban-Garrido, MD, Freddy Eduardo Rojas-Farias, MD, Anastasia Alejandra Garrido-Ríos, MD, Susana Córdoba, MD, and Jesús Borbujo, PhD
- e143** Colored dots on trichoscopy—beware of artifacts
Sidharth Sonthalia, MD, DNB, MNAMS, and Pankaj Tiwary, MD

Surgical Pearls



- e145** A granny sliding knot for high-tension closures
Jeffrey F. Scott, MD, Mona Ascha, MD, Whitney Pollard, DO, and Jeremy S. Bordeaux, MD, MPH
- e147** Practical needle driver cleaning technique when using fast-absorbing plain gut sutures for facial defect repair
Romi Bloom, MD, and Daihung Do, MD
- e149** Electrofulguration-assisted dermabrasion for recipient-site preparation in noncultured epidermal cell suspension type vitiligo surgery
Anuradha Bishnoi, MD, Monisha Gupta, MD, Davinder Parsad, MD, and Keshavamurthy Vinay, MD, DNB
- e151** How to obtain a punch biopsy specimen from the nose using swimmers' clips for hemostasis
Constanza Riquelme-Mc Loughlin, MD, Xavier Fustà-Novell, MD, Sebastian Podlipnik, MD, and Ramon Pigem, MD

Technology Pearls



- e153** Wide area digital dermoscopy
Gerson Dellatorre, MD, and Guilherme Augusto Gadens, MD
- e155** A method for more precise sampling of the scalp and eyebrows in frontal fibrosing alopecia
Curtis T. Thompson, MD, and Antonella Tosti, MD

Notes & Comments

- e157** Comment on “Skin stripping technique: A diagnostic clue for fiberglass dermatitis”
Ali Rajabi-Estarabadi, MD, Natalie M. Williams, and Antonella Tosti, MD
- e159** Reply to: “Comment on ‘Skin stripping technique: A diagnostic clue for fiberglass dermatitis’”
Jaime Company-Quiroga, MD, Sergio Alique-García, MD, Cristina Martínez-Morán, MD, Susana Córdoba, MD, and Jesús Borbujo, MD, PhD

- e161** Use of a prognostic gene expression profile test for T1 cutaneous melanoma: Will it help or harm patients?
Michael A. Marchetti, MD, Edmund K. Bartlett, MD, Stephen W. Dusza, DrPH, and Christopher K. Bichakjian, MD
- e163** Response to: “Use of a prognostic gene expression profile test for T1 cutaneous melanoma: Will it help or harm patients?”
Brian R. Gastman, MD, and Robert W. Cook, PhD
- e165** Fibrosis and stem cell epithelial-mesenchymal transition in primary cicatricial alopecias
Matthew Harries, PhD, FRCP, Hisayoshi Imanishi, MD, PhD, and Ralf Paus, MD, FRSB
- e167** Pink or blue? Unpacking the packaging of iPLEDGE
Jacqueline D. Watchmaker, MD, Lauren Watchmaker, BA, and Jamie L. Abbott, MD
- e169** Note to dermatopathologists: When it comes to moderately atypical nevi, leave the treatment plan to clinicians
Thomas N. Helm, MD, Catherine G. Chung, MD, and Klaus F. Helm, MD
- e171** Dermoscopy in lymphoproliferative disorders—experience from a cutaneous lymphoma clinic in a tertiary cancer center
Shamir Geller, MD, Cristián Navarrete-Dechent, MD, and Patricia L. Myskowski, MD
- e173** Comment on “Infertility and teratogenicity after paternal exposure to systemic dermatologic medications: A systematic review”
Gianfranco Enriquez-Gutierrez, BSc, Fernando Sosaya-Muñoz, BSc, Claudia Rojas-Varona, MD, and Edward Mezones-Holguín, MD, MSc
- e175** Response to: “Comment on ‘Infertility and teratogenicity after paternal exposure to systemic dermatologic medications: A systematic review’”
George A. Zakhem, BS, Catherine C. Motosko, BS, Euphemia W. Mu, MD, and Roger S. Ho, MD, MS, MPH
- e177** Nail lichen planus: A true nail emergency
Shari R. Lipner, MD, PhD
- e179** Nail lichen planus
Christos Tziotzios, MA, MB BChir (Cantab), MRCP(UK), FHEA, John A. McGrath, MD, FRCP, FMedSci, and David A. Fenton, MBE, FRCP
- e181** Comment on “Abnormal erythrocyte morphology in drug reaction with eosinophilia and systemic symptoms”
Yung-Tsu Cho, MD, and Chia-Yu Chu, MD, PhD
- e183** Reply to: “Comment on ‘Abnormal erythrocyte morphology in drug reaction with eosinophilia and systemic symptoms’”
Lindsay C. Strowd, MD

- e185** Comment on “Anti-aging effects of ingenol mebutate for patients with actinic keratosis” and phenol-croton oil peelings
Carlos Gustavo Wambier, MD, PhD, Kachiu Cecilia Lee, MD, MPH, Thomas Michael Bertolini, PhD, Peter P. Rullan, MD, and Flavio Luis Beltrame, PharmD, PhD
- e187** Reply to: “Comment on ‘Anti-aging effects of ingenol mebutate for patients with actinic keratosis’ and phenol-croton oil peelings”
Miri Kim, MD, PhD, Yujin Jung, MD, Jongsic Kim, MD, Seo-won Jeong, BS, Yu Ri Woo, MD, and Hyun Jeong Park, MD, PhD
- e189** Comment on “Oral diabetes medications other than dipeptidyl peptidase-4 inhibitors are not associated with bullous pemphigoid: A Finnish nationwide case-control study” and a case report of glucagon-like peptide-1 receptor agonist–induced bullous pemphigoid
Zachary Schwager, MD, Anar Mikailov, MD, and Adam D. Lipworth, MD
- e191** Reply to: “Comment on ‘Oral diabetes medications other than dipeptidyl peptidase-4 inhibitors are not associated with bullous pemphigoid: A Finnish nationwide case-control study’ and a case report of glucagon-like peptide-1 receptor agonist–induced bullous pemphigoid”
Outi Varpuluoma, MD, Kaisa Tasanen, MD, PhD, and Laura Huilaja, MD, PhD
- lotaderma** **e193** Iotaderma (#304)
Robert I. Rudolph, MD, FACP
-

JAAD Game Changers

- 1815** JAAD Game Changers: Risk of venous thromboembolism in patients with mycosis fungoides and parapsoriasis: A Danish nationwide population-based cohort study
Eden Lake, MD
- 1816** JAAD Game Changers: Trends of skin cancer mortality after transplantation in the United States: 1987 to 2013
Eden Lake, MD
-

Reader Services

- Index to volume 80
- 1819** Author index
- 1845** Subject index

To access the current version of the Information for Authors, Transfer of Copyright Form, Authorship Declaration Form, Conflict of Interest Disclosure, and Authors' Rights Statement, as well as many other pertinent documents, please visit our website at www.jaad.org/content/auth_page.

Full text access to *Journal of the American Academy of Dermatology Online* is now available for Academy members and all print subscribers. To activate your online subscription, please visit *Journal of the American Academy of Dermatology Online* by pointing your browser to <http://www.jaad.org>.

Icon Key



= **CME article**



= **Video content available at <http://www.jaad.org>**



= **Podcast available at <http://www.aad.org/olc>**



= **MOC credits available**

Early online publication: Articles in press

The *Journal of the American Academy of Dermatology* posts in-press articles online before they appear in the print edition of the *Journal*. These Articles in Press are available from both the JAAD website (www.jaad.org) and Science Direct (www.sciencedirect.com). To access Articles in Press, simply click the Articles in Press link.

JAAD Case Reports

The *Journal of the American Academy of Dermatology* no longer publishes Case Reports. These can now be found in our new open access journal, *JAAD Case Reports*, at <http://www.jaadcasereports.org>.