

# THE SPINE JOURNAL

## TABLE OF CONTENTS

Volume 19, Number 6  
June 2019

### CLINICAL STUDIES

- The NECK trial: Effectiveness of anterior cervical discectomy with or without interbody fusion and arthroplasty in the treatment of cervical disc herniation; a double-blinded randomized controlled trial ..... 965  
*Carmen L.A. Vleggeert-Lankamp, MD, MSc, PhD, Tessa M.H. Janssen, BSc, Erik van Zwet, PhD, Caroline M.W. Goedmakers, Lisette Bosscher, MD, Wilco Peul, MD, PhD, Mark P. Arts, MD, PhD*
- Machine learning for prediction of sustained opioid prescription after anterior cervical discectomy and fusion ..... 976  
*Aditya V. Karhade, BE, Paul T. Ogink, MD, Quirina C.B.S. Thio, MD, Marike L.D. Broekman, MD, PhD, JD, Thomas D. Cha, MD, MBA, Stuart H. Hershman, MD, Jianren Mao, MD, PhD, Wilco C. Peul, MD, PhD, MBA, Andrew J. Schoenfeld, MD, MSc, Christopher M. Bono, MD, Joseph H. Schwab, MD, MS*
- Comparing different chronic preoperative opioid use definitions on outcomes after spine surgery ..... 984  
*Emily R. Oleisky, Jacquelyn S. Pennings, PhD, Jeffrey Hills, MD, Ahilan Sivaganesan, MD, Inamullah Khan, MD, Richard Call, BS, Clinton J. Devin, MD, Kristin R. Archer, PhD, DPT*
- Retrolisthesis and lumbar disc herniation: a postoperative assessment of outcomes at 8-year follow-up ..... 995  
*Kartik Shenoy, MD, Nicholas Stekas, BS, Chester J. Donnally, III, MD, Wenyan Zhao, PhD, Yong H. Kim, MD, Jon D. Lurie, MD, MS, Afshin E. Razi, MD*
- Effect of spinal decompression on back pain in lumbar spinal stenosis: a Canadian Spine Outcomes Research Network (CSORN) study ..... 1001  
*Shreya Srinivas, FRCS, Jerome Paquet, FRCSC, Chris Bailey, FRCSC, Andrew Nataraj, FRCSC, Alexandra Stratton, FRCSC, Michael Johnson, FRCSC, Paul Salo, FRCSC, Sean Christie, FRCSC, Charles Fisher, FRCSC, Hamilton Hall, FRCSC, Neil Manson, FRCSC, Y. Raja Rampersaud, FRCSC, Kenneth Thomas, FRCSC, Greg McIntosh, DOP, Nicloas Dea, FRCSC*
- Comparison of the history and physical examination for hip osteoarthritis and lumbar spinal stenosis ..... 1009  
*James Rainville, MD, James V. Bono, MD, Eric B. Laxer, MD, David H. Kim, MD, John M. Lavelle, DO, Aage Indahl, MD, PhD, David G. Borenstein, MD, Andy J. Haig, MD, Jeffrey N. Katz, MD, MSc*



Trends in lumbar radiofrequency ablation utilization from 2007 to 2016 ..... 1019  
*Jordan B. Starr, MD, Laurie Gold, PhD, Zachary McCormick, MD, Pradeep Suri, MD, MS, Janna Friedly, MD*

Development of a collaborative model of low back pain: report from the 2017 NASS consensus meeting ..... 1029  
*Jacek Cholewicki, PhD, John M. Popovich Jr. DPT, PhD, Payam Aminpour, MS, Steven A. Gray, PhD, Angela S. Lee, MPH, Paul W. Hodges, PhD, MedDr, DSc, BPhy(Hons)*

Coronal deformity angular ratio may serve as a valuable parameter to predict in-brace correction in patients with adolescent idiopathic scoliosis..... 1041  
*Chuangdong Lang, MD, Zifang Huang, MD, PhD, Qihua Zou, MD, Wenyuan Sui, MD, PhD, Yaolong Deng, MD, Junlin Yang, MD, PhD*

Physical function computer adaptive test outcomes in diabetic lumbar spine surgical patients ..... 1048  
*Mathieu D. Squires, BS, Darrel S. Brodke, MD, Ashley Neese, BS, Yue Zhang, PhD, William Ryan Spiker, MD, Brandon Lawrence, MD, Nicholas Spina, MD*

## REVIEW ARTICLES

Cross-cultural adaptation of the Neck Pain and Disability Scale: a methodological systematic review ..... 1057  
*Min Yao, PhD, Bao-ping Xu, MD, Zi-rui Tian, BS, Jie Ye, MD, Ying Zhang, PhD, Yong-jun Wang, PhD, Xue-jun Cui, PhD*

Vertebroplasty or kyphoplasty as palliative treatment for cancer-related vertebral compression fractures: a systematic review ..... 1067  
*Simon Thorbjørn Sørensen, MD, Andreas Ole Kirkegaard, MD, Leah Carreon, MD, Rikke Rousing, MD, PhD, Mikkel Østerheden Andersen, MD*

Selection pressures of vancomycin powder use in spine surgery: a meta-analysis ..... 1076  
*Abhiram Gande, MD, Alex Rosinski, BS, Torin Cunningham, MD, Nitin Bhatia, MD, Yu-Po Lee, MD*

## BASIC SCIENCE

The impact of type 2 diabetes on bone metabolism and growth after spinal fusion..... 1085  
*Neil Bhamb, MD, Linda E.A. Kanim, MS, Ruben C. Maldonado, BS, Trevor J. Nelson, BS, Khosrowdad Salehi, BS, Juliane D. Glaeser, PhD, Melodie F. Metzger, PhD*

Improvement of motor function induced by skeletal muscle contraction in spinal cord-injured rats ..... 1094  
*Norito Hayashi, MD, Naoyuki Himi, PhD, Emi Nakamura-Maruyama, PhD, Naohiko Okabe, PhD, Issei Sakamoto, MD, Toru Hasegawa, MD, PhD, Osamu Miyamoto, MD, PhD*

Effect of the type of electrical stimulation on spinal fusion in a rat posterolateral spinal fusion model..... 1106  
*Pyung Goo Cho, MD, Gyu Yeol Ji, PhD, Yoon Ha, PhD, Hye Yeong Lee, Dong Ah Shin, MD, PhD*

Supplemental rods are needed to maximally reduce rod strain across the lumbosacral junction with TLIF but not ALIF in long constructs ..... 1121  
*Jakub Godzik, MD, Randall J. Hlubek, MD, Anna G.U.S. Newcomb, MS, Jennifer N. Lehrman, MS, Bernardo de Andrada Pereira, MD, S. Harrison Farber, MD, Lawrence G. Lenke, MD, Brian P. Kelly, PhD, Jay D. Turner, MD, PhD*

stryker


# Redefining **spine**

Since joining forces with K2M, we're focused on five core principles.



**Surgeon**  
Patient  
Technology  
Representative

The first of these principles is that we believe **surgeons are core to all that we do.**



Together with our customers, we are driven to make healthcare better.

**Learn more at [strykerspine.com](http://strykerspine.com)**

**Spine 2.0**   
Redefining spine

A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery. The information presented is intended to demonstrate the breadth of Stryker product offerings. A surgeon must always refer to the package insert, product label and/or instructions for use before using any Stryker product. The products depicted are CE marked according to the Medical Device Directive 93/42/EEC. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: K2M and Stryker. All other trademarks are trademarks of their respective owners or holders.

Available through Stryker's Spine Division | 600 Hope Parkway SE | Leesburg, VA 20175 | Tel. 866 526 4171  
Copyright © 2019 Stryker

GEN-AD-5\_20532

## LETTER TO THE EDITOR

Confounding variables in future studies assessing relationship between paraspinal muscles and low back pain .....	1132
<i>Vwaire Orhurhu, MD, MPH, Ivan Urits, MD, Mariam Salisu Orhurhu, MD, MPH, Charles Odonkor, MD, Dare Olatoye, MD, Omar Viswanath, MD</i>	
Author's response to letter to editor: "Confounding variables in future studies assessing relationship between paraspinal muscles and low back pain" .....	1134
<i>Tom A. Ranger, MPhty, Flavia M. Cicuttini, PhD, Tue Secher Jensen, PhD, Stephane Heritier, PhD, Donna M. Urquhart, PhD</i>	
Meetings Calendar .....	1136

### Financial Conflict of Interest Disclosure Key

Level A. \$100 to \$1000	Level D. \$25,001 to \$50,000	Level G. \$500,001 to \$1 M
Level B. \$1,001 to \$10,000	Level E. \$50,001 to \$100,000	Level H. \$1,000,001 to \$2.5 M
Level C. \$10,001 to \$25,000	Level F. \$100,001 to \$500,000	Level I. Greater than \$2.5 M

All Volume Indexes from Volume 1, Number 1 to the present are available ONLINE at the journal's full-text website at [www.TheSpineJournalOnline.com](http://www.TheSpineJournalOnline.com). Author Instructions are also available at [www.TheSpineJournalOnline.com/authorinfo](http://www.TheSpineJournalOnline.com/authorinfo).

© 2018 Elsevier Inc. All rights reserved.

**Publisher:** The Spine Journal (ISSN: 1529-9430) is published monthly by Elsevier, 360 Park Avenue South, New York, NY 10010-1710. Periodicals postage paid at New York, NY and at additional mailing offices.

**POSTMASTER:** Send address changes to The Spine Journal, Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043.

**Photocopying:** Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

Permission may be sought directly from Elsevier Rights & Permission Department, PO Box 800, Oxford O × 5 1DX, UK; phone: (+44) 1865 843 830, fax: (+44) 1865 853 333. Requests may also be completed online via the Elsevier site (<http://www.elsevier.com/authors/obtaining-permission-to-re-use-elsevier-material>).

In the USA, users may clear permissions and make payment through the Copyright Clearance Center, Inc. 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (978) 750-8400, fax: (978) 750-4744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 171 436 5931, fax: (+44) 171 436 3986. Other countries may have a local reprographic rights agency for payments.

**Derivative Works:** Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the publisher is required for resale or distribution outside the institution. Permission of the publisher is required for all other derivative works, including compilations and translations.

**Electronic Storage or Usage:** Permission of the publisher is required to store or use electronically and material contained in this journal, including any article or part of an article. Contact the publisher at the address indicated. Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher. Address permissions requests to: Elsevier Rights & Permission Department, at the mail, fax and e-mail addresses noted above.

**Notice:** No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or

ideas contained in the material herein. Advertising material included in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made or it by its manufacturer.

**Customer Service** (orders, claims, online, change of address): Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043. Tel: 1-800-654-2452 (U.S. and Canada); 314-447-8871 (outside U.S. and Canada). Fax: 314-447-8029. E-mail: [journalscustomerservice-usa@elsevier.com](mailto:journalscustomerservice-usa@elsevier.com) (for print support); [journalsonlinesupport-usa@elsevier.com](mailto:journalsonlinesupport-usa@elsevier.com) (for online support).

For advertising orders and inquiries: North and South America: Aretha Gaskin, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3681; fax: (212) 633-3820. For classified advertising, contact Adam Moorad, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3122; fax: (212) 633-3820. International: Advertising Department, Elsevier, The Boulevard, Langford Lane Kidlington, Oxford O × 5 1GB, United Kingdom, Tel.: (+44) (0) 1865 843565, fax: (+44) (0) 1865 843 967; e-mail: [media@elsevier.co.uk](mailto:media@elsevier.co.uk). Japan: Advertising Department, Elsevier Japan, Tel.: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047.

**Disclaimer Notice:** Statements and opinions expressed in the articles and communications herein are those of the author(s) and are not necessarily those of the Editor(s), North American Spine Society (NASS) or Publisher, or indicative of NASS views, policy or editorial concurrence. The Editor(s), the NASS, and the Publisher assume no responsibility for any injury and/or damage to persons or property as a matter of products liability, negligence, or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein. No suggested test or procedure should be carried out unless, in the reader's judgement, its risk is justified. Because of the rapid advances in the medical sciences, medical practitioners should obtain independent verification of diagnoses and drug dosages. Discussions, views, and recommendations as to medical procedures, choice of drugs, and drug dosages are the responsibility of the authors. Consumers should consult with their own doctors about their individual health status before making any health decisions.

Although all advertising material is expected to conform to ethical (medical) standards, the appearance of advertising in The Spine Journal does not constitute a guarantee or endorsement by the journal and/or the North American Spine Society of the quality or value of such product or to the claims made for it by its manufacturer. The fact that a product, service, or company is advertised in The Spine Journal shall not be referred to by the manufacturer in collateral advertising.

This paper meets the requirements of ANSI Standard Z39.48-1992 (Permanence of Paper).