

November 2019, Volume 81, Number 5

CONTENTS

Continuing Medical Education

- CME** 1037 Skin changes in the obese patient
*Penelope A. Hirt, MD, David E. Castillo, MD, Gil Yosipovitch, MD, and
Jonette E. Keri, MD, PhD*
- 1057 Answers to CME examination (Identification No. JA1119),
November 2019 issue of the *Journal of the American Academy of
Dermatology*
- 1058 CME examination
- CME** 1059 Skin changes and manifestations associated with the treatment of
obesity
*Jordan Rosen, BS, Evan Darwin, BA, Sara Moradi Tuchayi, MD, MPH,
Lilit Garibyan, MD, PhD, and Gil Yosipovitch, MD*
- 1069 Answers to CME examination (Identification No. JB1119),
November 2019 issue of the *Journal of the American Academy of
Dermatology*
- 1070 CME examination
-

Letter from the Editor

- 1071 Mendeley
Dirk M. Elston, MD
-

A Clinician's Perspective

- 1072 Contemplating the navel: Omphalomesenteric duct remnant
disorders
Warren R. Heymann, MD
-

Original Articles

- 1074 The impact of environmental ultraviolet exposure on the clinical
course of mycosis fungoides
**Bottom line: To our knowledge, this is the first report demonstrating a
relationship between sun exposure and the clinical course of mycosis
fungoides.**
*Christin B. DeStefano, MD, Sameer Desale, MS, Stephen J. Fernandez, MPH,
and Aarthi G. Shenoy, MD*
-

- 1078** Galactose-deficient IgA1 in skin and serum from patients with skin-limited and systemic IgA vasculitis
Bottom line: The average galactose-deficient IgA1 level in serum was significantly higher in systemic than in skin-limited IgA vasculitis, suggesting a dose-dependent effect of galactose-deficient IgA1 in IgA vasculitis.
Matthias Neufeld, MD, Karen Molyneux, PhD, Karin I. Pappelbaum, PhD, Sarah Mayer-Hain, MA, Christina von Hodenberg, MD, Jan Ehrchen, MD, PhD, Jonathan Barratt, MD, PhD, Yusuke Suzuki, MD, PhD, and Cord Sunderkötter, MD
- 1086** Results of a nationwide epidemiologic survey of autosomal recessive congenital ichthyosis and ichthyosis syndromes in Japan
Bottom line: The results provide important epidemiologic and clinical information on these diseases.
Michiko Kurosawa, PhD, Ritei Uehara, MD, PhD, Atsushi Takagi, MD, PhD, Yumi Aoyama, MD, PhD, Keiji Iwatsuki, MD, PhD, Masayuki Amagai, MD, PhD, Masaki Nagai, MD, PhD, Yosikazu Nakamura, MD, PhD, Yutaka Inaba, MD, PhD, Kazuhito Yokoyama, MD, PhD, and Shigaku Ikeda, MD, PhD
- 1093** A cross-sectional survey and analysis of Dermatology Foundation Career Development Award recipients
Bottom line: Each dollar of Career Development Award funding through 2015 (ie, \$36.2 million) can be linked to more than \$10 in grant support through 2015 and \$12 through 2017.
Chris Boris, MBA, George Cotsarelis, MD, Janet A. Fairley, MD, Bruce U. Wintroub, MD, and Kim B. Yancey, MD
- 1099** Comparative effectiveness study of face-to-face and teledermatology workflows for diagnosing skin cancer
Bottom line: With the right equipment, teledermatology can offer excellent cancer detection with reduced wait times, fewer biopsies, and fewer nonessential dermatology clinic visits.
Sangeeta S. Marwaha, MD, Helene Fevrier, MSPH, Stacey Alexeeff, PhD, Eileen Crowley, MD, Michael Haiman, MD, Ngoc Pham, MD, Melanie J. Tuerk, MD, Danny Wukda, BS, Michael Hartmann, BS, and Lisa J. Herrinton, PhD
- 1107** Cross-cultural validation of a short-form of the Vitiligo Impact Patient scale (VIPs)
Bottom line: Patients with genital involvement have high impact on their quality of life.
Khaled Ezzedine, MD, PhD, Maggi Ahmed, MD, Andrea Tovar-Garza, MD, Carla Hajj, MD, Maxine Whitton, MSc, Amit Pandya, MD, Saad Altalhab, MD, Julien Seneschal, MD, PhD, John Harris, MD, PhD, and Charles Taieb, MD, PhD
- 1115** Optimizing the total-body skin exam: An observational cohort study
Bottom line: Adopting a standardized total-body skin examination can increase time efficiency and minimize the chance of missing a body area.
Matthew F Helm, MD, Katherine K. Hallock, MD, Elizabeth Bisbee, MD, and Jeffrey J. Miller, MD

- 1120** Cutaneous presentations of omphalomesenteric duct remnant:
A systematic review of the literature
Bottom line: Our findings emphasize red flags and suggest an approach for clinical diagnosis and treatment.
Efrat Solomon-Cohen, MD, MOccH, Moshe Lapidoth, MD, MPH, Igor Snast, MD, Dan Ben-Amitai, MD, Omri Zidan, MD, Rivka Friedland, MD, Michael Moshe, MD, Daniel Mimouni, MD, Yael Ann Leshem, MD, MCR, Emmilia Hodak, MD, and Assi Levi, MD
- 1127** Expression of programmed cell death ligand 1 and programmed cell death 1 in cutaneous warts
Bottom line: Many cutaneous warts express programmed cell death ligand 1, suggesting that human papillomavirus infection might promote immune dysfunction. These findings might explain the recalcitrance of some warts to standard treatment modalities and provide a rationale for the use of anti-programmed cell death 1 therapy to treat cutaneous warts.
Wesley Y. Yu, MD, Timothy G. Berger, MD, Jeffrey P. North, MD, Zoltan Laszik, MD, PhD, and Jarish N. Cohen, MD, PhD
- 1134** Histologic and clinical cross-sectional study of chronic hair loss in patients with cutaneous chronic graft-versus-host disease
Bottom line: Fluorescence in situ hybridization analyses in female patients with cGVHD who had male stem cell donors suggest that their alopecia may be a direct manifestation of cGVHD of the hair follicle.
Dustin H. Marks, BS, Jason S. Naftulin, MS, Lauren R. Penzi, MD, Athena Manatis-Lornell, BA, Mariko R. Yasuda, MD, Clifford M. Chapman, MS, HTL(ASCP), QIHC, Sowmya R. Rao, PhD, Arturo Saavedra, MD, and Maryanne M. Senna, MD
- 1142** Unraveling incontinentia pigmenti: A comparison of phenotype and genotype variants
Bottom line: Clinicians caring for children with incontinentia pigmenti should recognize that those with no identifiable mutation may be more likely to be male and have a milder clinical phenotype.
Rebecca Wang, MD, Irene Lara-Corrales, MD, MSc, Peter Kannu, MD, PhD, and Elena Pope, MD, MSc
- 1150** Patient satisfaction and physician productivity in shared medical appointments for vitiligo
Bottom line: Implementing shared medical appointments can improve access to dermatologists for patients with vitiligo and other skin diseases.
Elizabeth Tkachenko, BS, Maggi Ahmed Refat, MBBCh, MSc, Terry Balzano, HSDG, Mary E. Maloney, MD, and John E. Harris, MD, PhD

Dermatopathology

- 1157** Lichenoid granulomatous dermatitis revisited: A retrospective case series
Bottom line: Dermal eosinophils, psoriasiform changes, periadnexal inflammation, and red blood cell extravasation aid in the diagnosis of lichenoid granulomatous dermatitis. Nondrug-induced hypersensitivity and pigmented purpuric dermatosis were previously unrecognized causes.
Diana S. Braswell, MD, Abdulaziz Hakeem, BDS, Addie Walker, MD, Olayemi Sokumbi, MD, Jyoti Kapil, MD, and Kiran Motaparathi, MD

-
- Reviews**
- 1165** Immune checkpoint inhibitors and the development of granulomatous reactions
Bottom line: Cutaneous findings can facilitate timely and accurate diagnosis, avoiding unnecessary immunotherapy modifications.
 Christine M. Cornejo, MD, Paul Haun, MD, Joseph English III, MD, and Misha Rosenbach, MD
- 1176** Assessing the effectiveness of artificial intelligence methods for melanoma: A retrospective review
Bottom line: Inception V3 (Google, Mountain View, CA) incorporated with transfer learning can achieve a better performance in deep learning algorithms.
 Xiaoyu Cui, PhD, Ran Wei, BA, Lixin Gong, MS, Ruiqun Qi, MD, Zeyin Zhao, MS, Hongduo Chen, MD, Kaixin Song, BA, Amer A. A. Abdulrahman, MD, Yining Wang, BM, John Z. S. Chen, MD, Shuo Chen, PhD, Yue Zhao, PhD, and Xinghua Gao, MD
-
- Research Letters**
- 1181** A case for case reports: A retrospective evaluation of the case reports published in the *Journal of the American Academy of Dermatology* in 2000
 Reid A. Waldman, MD, Eric Chen, BS, Justin Finch, MD, and Jane M. Grant-Kels, MD
- 1188** Relative risk of microscopic colitis in dermatomyositis
 David R. Pearson, MD, and Victoria P. Werth, MD
- 1191** The petrified corpse: First study on the preservation status of the skin
 Chiara Rossetti, MD, Marta Licata, PhD, Alberto Carli, PhD, Jutta Maria Birkhoff, MD, PhD, Dario Piombino-Mascalì, PhD, and Ezio Fulcheri, MD
- 1193** Improving Wikipedia skin disease content
 Mary O. Hutton, BS, Jennifer E. Dawson, PhD, Kachiu C. Lee, MD, MPH, Peter R. Shumaker, MD, Elizabeth Doney, MSc, and Robert P. Dellavalle, MD, PhD, MSPH
- 1195** Anti-p200 pemphigoid is the most common pemphigoid disease with serum antibodies against the dermal side by indirect immunofluorescence microscopy on human salt-split skin
 Imke Lau, Stephanie Goletz, PhD, Maike M. Holtsche, MD, Detlef Zillikens, MD, Kai Fechner, Ing, and Enno Schmidt, MD, PhD
- 1197** Methodologic gaps and risk of bias in randomized controlled trials of local anogenital wart treatments
 Antoine Bertolotti, MD, Brigitte Milpied, MD, Sébastien Fouéré, MD, André Cabié, MD, PhD, Nicolas Dupin, MD, PhD, and Christian Derancourt, MD
- 1198** Association between prurigo nodularis and malignancy in middle-aged adults
 Valerie A. Larson, MS, Olive Tang, BS, Sonja Stander, MD, Lloyd S. Miller, MD, PhD, Sewon Kang, MD, and Shawn G. Kwatra, MD

- 1201** Evaluation of preoperative quality of life in patients with nonmelanoma skin cancer
Jean-Phillip Okhovat, MD, MPH, Pritesh S. Karia, MPH, Ariana N. Mora, BA, Frederick C. Morgan, BSPH, Robert J. Besaw, MPH, and Chrysalyne D. Schmults, MD, MSCE
- 1203** Local management of anogenital warts in immunocompetent adults: Systematic review and pooled analysis of randomized-controlled trial data
Antoine Bertolotti, MD, Brigitte Milpied, MD, Sébastien Fouéré, MD, André Cabié, MD, PhD, Nicolas Dupin, MD, PhD, and Christian Derancourt, MD
- 1204** Pitfalls and proposed solutions for patient communication about erythropoietic protoporphyria: A survey of parents and adult patients
Amy Dickey, MD
- 1207** Patient satisfaction with patient–provider interactions at time of diagnosis among early stage melanoma survivors: A cross-sectional survey
Kailey Zaffran, MPH, DeAnn Lazovich, PhD, Christina Boull, MD, and Rachel I. Vogel, PhD
- 1209** Comparison of patient-reported disease severity and sweat measurements in primary focal hyperhidrosis
Mitchell Gibbons, BA, Eric Armbrrecht, PhD, Jacob Dudzinski, BS, and Dee Anna Glaser, MD
- 1211** *Folie à famille*: A systematic review of shared delusional infestation
Eric J. Yang, BS, Kristen M. Beck, MD, and John Koo, MD

Health Policy & Practice

- 1216** Augmented reality in dermatology: Are we ready for AR?
Bottom line: Augmented reality has multifaceted potential to effect dermatologists' abilities to deliver care by enhancing visual diagnosis and aiding in procedural planning. However, dermatologists should recognize that policy questions remain about new technology adoption.
Priyank Sharma, MD, Ruth Ann Vleugels, MD, MPH, and Vinod E. Nambudiri, MD, MBA

Commentary

- 1223** Chronic pruritus of unknown origin (CPUO): Uniform nomenclature and diagnosis as a pathway to standardized understanding and treatment
Brian S. Kim, MD, MTR, Timothy G. Berger, MD, and Gil Yosipovitch, MD

Ethics Journal Club

- 1225** Erection ethics
Paige Norwich, BS, Gillian K. Weston, MD, and Jane M. Grant-Kels, MD

JAAD Game Changer

- 1226** JAAD Game Changers: Sweet syndrome in patients with and without malignancy: A retrospective analysis of 83 patients from a tertiary academic referral center
Wendi Wohltmann, MD

JAAD ONLINE

Available at <http://www.jaad.org>

- Clinical Pearl** **e121** A mnemonic to assist patients with topical steroid application
Brett C. Neill, MD, Spyros M. Siscos, MD, Edward W. Seger, MS, and Daniel J. Aires, MD
- Therapeutic Pearl** **e123** Hangnail: A simple solution to a common problem
Ravi Shankar Jangra, MD, Sanjeev Gupta, MD, DNB, Archana Singal, MD, and Apurav Kaushik, MBBS
- Surgical Pearl** **e127** Electrodisection for nevus lipomatosus cutaneous superficialis removal
Jesus Ancer-Arellano, MD, Cesar Daniel Villarreal-Villarreal, MD, Jesus Alberto Cardenas-de la Garza, MD, Adrian Cuellar-Barboza, MD, Osvaldo Vazquez-Martinez, MD, and Jorge Ocampo-Candiani, MD
- Technology Pearl** **e129** Interventional dermoscopy
Sidharth Sonthalia, MD, DNB, MNAMS, and Rajesh Khurana, MTech (Biomedical Engineering)
- Notes & Comments** **e131** Commentary on “Optimizing the total-body skin exam: An observational cohort study”
Colton B. Nielson, MD, and Jane M. Grant-Kels, MD
- e133** Reply to: “Commentary on ‘Optimizing the total-body skin exam: An observational cohort study’”
Matthew F. Helm, MD, Katherine K. Hallock, MD, Elizabeth Bisbee, BS, and Jeffrey J. Miller, MD
- e135** Comment on “Magnesium supplementation in the treatment of pseudoxanthoma elasticum.” Is magnesium oxide the best choice?
Loukman Omarjee, MD, MSc, Karine Unger, MSc, and Guillaume Mahe, MD, PhD
- e137** Reply to: “Comment on ‘Magnesium supplementation in the treatment of pseudoxanthoma elasticum: Is magnesium oxide the best choice?’”
Mark Lebwohl, MD, Sharon Rose, MD, Wayne Fuchs, MD, and Sharon F. Terry, MA
- e139** Comment on: “Trichloroacetic acid as a treatment for persistent oral mucosal lesions in pemphigus vulgaris”
Roberto Bueno-Filho, MD, PhD, Helena Barbosa Lugão, MD, PhD, and Ana Maria Roselino, MD, PhD
- e141** Reply to: “Comment on ‘Trichloroacetic acid as a treatment for persistent oral mucosal lesions in pemphigus vulgaris’”
Hamidreza Mahmoudi, MD, Kamran Balighi, MD, Soheil Tavakolpour, MSc, and Maryam Daneshpazhooh, MD
- e143** Comment on “Association of alopecia areata with hospitalization for mental health disorders in US adults”
Tomoyuki Kawada, PhD, MD

| | | |
|--------------------|-------------|---|
| | e145 | Reply to: Comment on “Association of alopecia areata with hospitalization for mental health disorders in US adults” <i>Jonathan I. Silverberg, MD, PhD, MPH</i> |
| | e147 | Comment on “Treatment of male pattern alopecia with platelet-rich plasma: A double-blind controlled study with analysis of platelet number and growth factor levels” <i>Cemile Tuğba Altunel, MD, and A. Tülin Güleç, MD</i> |
| | e149 | The prevalence of chronic spontaneous urticaria (CSU) in the pediatric population <i>Dimitri Poddighe, MD</i> |
| | e151 | Pruritus with pemphigoid autoantibodies is the tip of an iceberg <i>Lachlan A. Byth, MD</i> |
| | e153 | Reply to: “Pruritus with pemphigoid autoantibodies is the tip of an iceberg” <i>Aniek Lamberts, MD, Joost M. Meijer, MD, PhD, Gilles F. H. Diercks, MD, PhD, Hendri H. Pas, PhD, and Barbara Horváth, MD, PhD</i> |
| Book Review | e155 | Principles of dermatology, 6th edition <i>Michelle Xu, MD</i> |
| Iotaderma | e157 | Iotaderma (#309) <i>Robert I. Rudolph, MD, FACP</i> |

To access the current version of the Information for Authors, Transfer of Copyright Form, Authorship Declaration Form, Conflict of Interest Disclosure, and Authors’ Rights Statement, as well as many other pertinent documents, please visit our website at www.jaad.org/content/auth_page.

Full text access to *Journal of the American Academy of Dermatology Online* is now available for Academy members and all print subscribers. To activate your online subscription, please visit *Journal of the American Academy of Dermatology Online* by pointing your browser to <http://www.jaad.org>.

Icon Key

| | | |
|---|---|---|
|  | = | CME article |
|  | = | Video content available at http://www.jaad.org |
|  | = | An interview with the author is available by podcast at: https://account.aad.org/Library/Podcasts |
|  | = | MOC credits available |



Early online publication: Articles in press

The *Journal of the American Academy of Dermatology* posts in-press articles online before they appear in the print edition of the *Journal*. These Articles in Press are available from both the JAAD website (www.jaad.org) and Science Direct (www.sciencedirect.com). To access Articles in Press, simply click the Articles in Press link.

JAAD Case Reports

The *Journal of the American Academy of Dermatology* no longer publishes Case Reports. These can now be found in our new open access journal, *JAAD Case Reports*, at <http://www.jaadcasereports.org>.