

December 2019, Volume 81, Number 6

CONTENTS

Continuing Medical Education

- CME** 1227 Visual perception, cognition, and error in dermatologic diagnosis: Key cognitive principles
Christine J. Ko, MD, Irwin Braverman, MD, Richard Sidlow, MD, and Eve J. Lowenstein, MD, PhD
- 1235 **CME examination**
- 1236 Answers to CME examination (Identification No. JA1219), December 2019 issue of the *Journal of the American Academy of Dermatology*
- CME** 1237 Visual perception, cognition, and error in dermatologic diagnosis: Diagnosis and error
Eve J. Lowenstein, MD, PhD, Richard Sidlow, MD, and Christine J. Ko, MD
- 1246 **CME examination**
- 1248 Answers to CME examination (Identification No. JB1219), December 2019 issue of the *Journal of the American Academy of Dermatology*
-

Letter from the Editor

- 1249 Cognitive bias and medical errors
Dirk M. Elston, MD
-

A Clinician's Perspective

- 1250 Dermatology flips me out
Warren R. Heymann, MD
-

Original Articles

- 1252 The ALT-70 cellulitis model maintains predictive value at 24 and 48 hours after presentation
Bottom line: We have retrospectively shown that the performance of the ALT-70 at 24 and 48 hours after initial ED presentation is similar to its performance at the time of initial ED presentation.
Sean Singer, BS, David G. Li, BS, Nicole Gunasekera, MD, MBA, Jean-Phillip Okhovat, MD, MPH, Priyanka Vedak, MD, Christina Weng, MD, Jeffrey Cohen, MD, Cara Joyce, PhD, Adam Raff, MD, PhD, Daniela Kroshinsky, MD, MPH, and Arash Mostaghimi, MD, MPA, MPH
-

- 1257** Poikilodermatous plaque-like hemangioma: Case series of a newly defined entity
Bottom line: We describe and define a novel entity that presents as an atrophic violaceous plaque with a characteristic band-like vascular proliferation on histology. Poikilodermatous plaque-like hemangioma is a distinctive, acquired vascular lesion with a benign clinical course.
Kristina Semkova, MD, MSc, MRCP, SCE (Dermatology), DipRCPath (Dermatopathology), Richard Carr, FRCPath, DipRCPath (DMT), Mark Grainger, MBBS, DipClinDermatol, Ruth Green, MBChB, Abdul Hafejee, MBChB, MRCP (UK), Areti Makrygeorgou, MBBS, Lucy Melly, BSc, MBChB, FRCPath, Luisa Motta, FRCPath, Dip RCPATH (Dermatopathology), John Newsham, BSc (Hons), MBChB, Caroline Owen, MBChB, MRCP, Joanne Sillars, MBChB, Saleem Taibjee, MBBCh, BMedSci, MRCPCH, DipRCPath (Dermatopathology), and Eduardo Calonje, MD, DipRCPath (Dermatopathology)
- 1271** A video-based, flipped classroom, simulation curriculum for dermatologic surgery: A prospective, multi-institution study
Bottom line: Our findings suggest a potential role for video teaching and simulation training in dermatology residency education as an adjunct to traditional surgical education.
Kristina J. Liu, MD, MHS, Elizabeth Tkachenko, BS, Abigail Waldman, MD, Marko T. Boskovski, MD, MHS, MPH, Rebecca I. Hartman, MD, MPH, Adriane A. Levin, MD, Bichchau M. Nguyen, MD, Emily S. Ruiz, MD, MPH, Victoria R. Sharon, MD, Laura Sowerby, MD, Jeffrey Tiger, MD, F. Clarissa Yang, MD, and Arash Mostaghimi, MD, MPA, MPH
- 1277** Venous thromboembolic and bleeding complications among pregnant women with Klippel-Trenaunay syndrome
Bottom line: Among women with Klippel-Trenaunay syndrome, the prevalence of venous thromboembolic or bleeding complications does not appear to be influenced by pregnancy.
Elizabeth K. Marvin, MD, Jennifer J. Schoch, MD, Henry Nguyen, MD, Katelyn R. Anderson, MD, David J. Driscoll, MD, Carl H. Rose, MD, Emily C. Bendel, MD, and Megha M. Tollefson, MD
- 1283** Chronologic order of appearance of immune-mediated inflammatory diseases relative to diagnosis of psoriasis
Bottom line: For most immune-mediated inflammatory diseases, onset occurred several years before diagnosis of psoriasis; however, psoriatic arthritis most often occurred after the diagnosis of psoriasis. These findings might lower the need for continuously screening for comorbidities in patients followed for psoriasis.
Yuki M. F. Andersen, MD, PhD, Jashin J. Wu, MD, Jacob P. Thyssen, MD, PhD, DMSci, and Alexander Egeberg, MD, PhD
- 1292** Longitudinal atopic dermatitis control and persistence vary with timing of disease onset in children: A cohort study
Bottom line: Age of disease onset is a useful parameter for risk-stratifying and counseling patients with atopic dermatitis.
Joy Wan, MD, MSCE, Nandita Mitra, PhD, Ole J. Hoffstad, MA, Albert C. Yan, MD, and David J. Margolis, MD, PhD

- 1300** Diverse presentations of cutaneous mosaicism occur in CYLD cutaneous syndrome and may result in parent-to-child transmission
- Bottom line:** In such patients who lack a family history, genetic testing of skin tumors is necessary. This is relevant for genetic counseling because these patients can transmit a more severe form of the disease to their children.
- Majid Arefi, DVM, Valerie Wilson, PhD, Siobhan Muthiah, MD, Simon Zwolinski, PhD, Dalvir Bajwa, MD, Paul Brennan, MD, Katie Blasdale, MD, David Bourn, PhD, John Burn, MD, Mauro Santibanez-Koref, PhD, and Neil Rajan, MD, PhD*
- 1308** Examining the prior authorization process, patient outcomes, and the impact of a pharmacy intervention: A single-center review
- Bottom line:** A centralized pharmacy intervention is an effective measure to decrease processing time and increase approval rates. Further evaluation of the prior authorization process is needed to reduce the overall burden.
- Sabrina Popatia, MD, MPH, Kelsey S. Flood, MD, Nicole M. Golbari, MD, Parth V. Patel, BSN, RN, Suzanne M. Olbricht, MD, Alexa B. Kimball, MD, MPH, and Martina L. Porter, MD*
- 1319** Nonscarring alopecia in systemic lupus erythematosus: A cross-sectional study with trichoscopic, histopathologic, and immunopathologic analyses
- Bottom line:** The alopecia provides characteristic trichoscopic features and lupus erythematosus-specific changes on histopathologic/immunopathologic examinations and is associated with disease activity. The findings help elaborate the nonscarring alopecia criteria, leading to a more accurate diagnosis.
- Kumutnart Chanprapaph, MD, Siriorn Udompanich, MD, Yingluck Visessiri, MD, Pintip Ngamjanyaporn, MD, and Poonkiat Suchonwanit, MD*
- 1330** Diagnostic accuracy of imaging studies for initial staging of T2b to T4b melanoma patients: A cross-sectional study
- Bottom line:** Initial staging detected metastases in 16.6% patients with stage T2b to T4b. This information may assist in the development of optimal staging protocols.
- Constanza Riquelme-Mc Loughlin, MD, Sebastian Podlipnik, MD, Xavier Bosch-Amate, MD, José Riera-Monroig, MD, Alicia Barreiro, MD, Natalia Espinosa, MD, David Moreno-Ramírez, MD, PhD, Priscila Giavedoni, MD, Ramon Vilana, MD, Marcelo Sánchez, MD, Sergi Vidal-Sicart, MD, PhD, Cristina Carrera, MD, PhD, Josep Malvehy, MD, PhD, and Susana Puig, MD, PhD*
- 1339** The use of 3-dimensionally printed models to optimize patient education and alleviate perioperative anxiety in Mohs micrographic surgery: A randomized controlled trial
- Bottom line:** A 3-dimensionally printed Mohs micrographic surgery model with standardized education enhanced patient understanding of the procedure and decreased perioperative anxiety. This noninvasive, low-cost strategy may improve patient satisfaction and outcomes in Mohs micrographic surgery.
- Mark Biro, MD, InYoung Kim, MD, PhD, Andrea Huynh, BS, Pingfu Fu, PhD, Margaret Mann, MD, and Daniel L. Popkin, MD, PhD*

-
- Dermatologic Surgery** **1346** Dermal suture only versus layered closure: A randomized, split wound comparative effectiveness trial
- Bottom line:** The layered closure technique provides a slightly better scar outcome than the single-layer deep-dermal suture technique early on in follow-up, but the results appear transient.
- Jayne S. Joo, MD, Anne R. Zhuang, MD, Catherine Tchanque-Fossuo, MD, MS, Danielle Tartar, MD, PhD, April W. Armstrong, MD, MPH, Tom H. King, MD, Raja K. Sivamani, MD, and Daniel B. Eisen, MD*
-
- Dermatopathology** **1353** Histopathologic vasculitis from the periulcer edge: A retrospective cohort study
- Bottom line:** Focal histopathologic vasculitis (involvement of fewer than 3 vessels) from the periulcer edge is a nonspecific finding and provides little diagnostic value in determining the etiology of ulcers.
- Cristian D. Gonzalez, MD, Scott R. Florell, MD, Anneli R. Bowen, MD, Angela P. Presson, PhD, and Marta J. Petersen, MD*
-
- Reviews** **1358** Nail squamous cell carcinoma: A hidden high-risk human papillomavirus reservoir for sexually transmitted infections
- Bottom line:** High-risk HPV-associated nail squamous cell carcinoma is not rare and should not be overlooked. The nail apparatus is another pivotal reservoir of high-risk HPV and should be recognized in the field of public health.
- Akira Shimizu, MD, PhD, Yuko Kuriyama, MD, Michiko Hasegawa, MD, Atsushi Tamura, MD, PhD, and Osamu Ishikawa, MD, PhD*
- 1371** Cholestatic pruritus: Emerging mechanisms and therapeutics
- Bottom line:** Emerging evidence-based therapies, including cholestyramine, rifampin, opioid antagonists, sertraline, and phototherapy, can be used clinically to aid in the management of refractory cholestatic pruritus.
- Sagar P. Patel, BA, BS, Chirag Vasavda, BS, Byron Ho, MD, James Meixiong, BA, Xinzhong Dong, PhD, and Shawn G. Kwatra, MD*
- 1379** Hydrogen peroxide and cutaneous biology: Translational applications, benefits, and risks
- Bottom line:** Hydrogen peroxide is commonly used as an antimicrobial and may promote wound healing, in part via its debriding properties. Recently, 40% hydrogen peroxide was US Food and Drug Administration—approved to treat seborrheic keratoses; other novel uses continue to be researched.
- Emily C. Murphy, BS, and Adam J. Friedman, MD*
- 1387** Diagnosis and management of vulvar cancer: A review
- Bottom line:** Dermatologists should be familiar with vulvar malignancies and maintain a high threshold for suspicion during skin examinations. Early treatment and intervention generally lead to more favorable prognosis.
- Andrea Tan, BS, Amy K. Bieber, MD, Jennifer A. Stein, MD, PhD, and Miriam K. Pomeranz, MD*

- Research Letters** **1397** Clinical epidemiology and treatment of lichen planus:
A retrospective review of 2 tertiary care centers
*Zachary Schwager, MD, Marleigh Stern, BA, Jeffrey Cohen, MD, and
Alisa Femia, MD*
- 1399** System-level variations in treatment delay for nonmetastatic
melanoma
Shayan Cheraghlou, BA, George O. Agogo, PhD, and Michael Girardi, MD
- 1401** Knowledge and opinions among Canadian academic physicians
regarding genetic screening to prevent severe cutaneous adverse
drug reactions
*Felix L. Chan, HBSc, Neil H. Shear, MD, Anuysha Maharaj, BSc,
Cristina Olteanu, MD, Rena Hashimoto, MD, Michael Ziv, MD, and
Roni P. Dodiuk-Gad, MD*
- 1405** Secukinumab demonstrates sustained efficacy in clearing skin
and improving patient-reported outcomes in patients with
moderate-to-severe psoriasis through 2 years of treatment:
Results from the CLEAR study
*Diamant Thaçi, MD, Lluís Puig, MD, PhD, Kristian Reich, MD,
Tsen-Fang Tsai, MD, Stephen Tyring, MD, PhD, Külli Kingo, MD, PhD,
Michael Ziv, MD, BSc, Andreas Pinter, MD, Ronald Vender, MD, FRCPC,
Aude Lacombe, PharmD, Summer Xia, MSc, Vaishali Bhosekar, MSc,
Isabelle Gilloteau, MSc, MPH, Adriana Guana, MD, and
Andrew Blauvelt, MD, MBA*
- 1409** Association of particulate matter air pollution and itch:
A digital epidemiology approach
*Katherine A. Whang, BS, Amy H. Huang, MPH, Lloyd S. Miller, MD, PhD,
Sewon Kang, MD, and Shawn G. Kwatra, MD*
- 1410** Timing of mucocutaneous symptoms and medication
discontinuation in patients with Stevens-Johnson syndrome and
toxic epidermal necrolysis in the United States
*Megan H. Noe, MD, MPH, MSCE, Robert G. Micheletti, MD,
Arash Mostaghimi, MD, MPA, MPH, and the Society of Dermatology
Hospitalists SJS/TEN Study Group*
- 1412** Identifying a patient cohort responsible for a disproportionate
number of lost opportunities for dermatologic care at a Veterans
Affairs Medical Center
*Joy Zhou, MHS, Martin A. Weinstock, MD, PhD, Nicolae Done, PhD, and
Shoshana M. Landow, MD, MPH*
- 1414** Management of localized Merkel cell carcinoma at high-volume
facilities is associated with improved survival
*Marcus L. Elias, BS, W. Clark Lambert, MD, PhD, and
Robert A. Schwartz, MD, MPH, DSc (Hon), FRCP Edin*
- 1415** Extending the phenotype of midface toddler excoriation
syndrome (MiTES): Five new cases in three families with PR
domain containing protein 12 (*PRDM12*) mutations
*Arun C. Inamadar, FRCP, Keshavmurthy Vinay, MRCP, Bayanne Olabi, MRCP,
Nivedita Sarveswaran, MSc, Anuradha Bishnoi, MD, Christopher G. Woods, PhD,
and Celia Moss, FRCP*

- 1417** Retrospective cohort study of anatomic localization of cutaneous squamous cell carcinomas in solid organ transplant recipients compared with immunocompetent patients
Joyce Y. Cheng, MD, MHS, Fang-Yong Li, MPH, MS, Mike Wang, BS, and Oscar R. Colegio, MD, PhD
- 1419** Analysis of conflicts of interest in pharmaceutical payments made to Food and Drug Administration physician advisers after dermatologic drug approval
Stephanie L. Kuschel, BA, Claudia M. Ricotti, BS, Cory A. Dunnick, MD, Jeremy Hugh, MD, and Robert P. Dellavalle, MD, PhD, MSPH
- 1420** Parental support for sun-protection policies in schools: A cross-sectional analysis
Anna Kozłowski, MD, Erin Dodd, MD, Brooke Hanson, MD, DeAnn Lazovich, PhD, and Ingrid Polcari, MD
- 1423** Patient-reported adverse effects after facial skin cancer surgery: Long-term data to inform counseling and expectations
Toral S. Vaidya, MPH, Kishwer S. Nehal, MD, Anthony M. Rossi, MD, and Erica H. Lee, MD
- 1425** Darier disease is associated with type 1 diabetes: Findings from a population-based cohort study
Martin Cederlöf, PhD, Philip Curman, MD, Tara Ahanian, MD, Ivone U. S. Leong, PhD, Kerstin Brismar, MD, PhD, ETTY Bachar-Wikstrom, PhD, and Jakob D. Wikstrom, MD, PhD
- 1426** A cross-sectional survey of knowledge, attitudes, and practice in the prescription of isotretinoin for transgender patients among academic dermatologists
Courtney J. Enslin, MD, Keshav Khanijow, MD, Gayane Yenokyan, PhD, and Manisha Loss, MD
- 1429** Frequency of dramatic price increases for topical medications, 2014-2018
Partik Singh, BA, and John S. Barbieri, MD, MBA
- 1431** Increased risk of alopecia areata for people with hidradenitis suppurativa in a cross-sectional study
Mikael Horissian, BS, Steven Maczuga, MS, Joslyn S. Kirby, MD, MS, MEd, and Amanda M. Nelson, PhD
- 1432** Publication productivity of authors of psoriasis clinical practice guidelines with and without ties to industry
Sree S. Kolli, BA, William W. Huang, MD, MPH, and Steven R. Feldman, MD, PhD
- 1433** Benzodiazepine receptor agonists and subsequent risk of psoriasis: A 5-year follow-up cohort study
I-Hsun Li, PhD, Wei-Ming Wang, PhD, Wu-Chien Chien, PhD, Hui-Han Kao, MBA, Jui-Hu Shih, PhD, Yih-Dih Cheng, PhD, Ke-Ting Pan, MS, and Li-Ting Kao, PhD

- 1435** Clinicopathologic comparison of Rowell syndrome, erythema multiforme, and subacute cutaneous lupus erythematosus
Mitch Herold, MD, Colton B. Nielson, MD, Diana Braswell, MD, Kimberly Merkel, MD, Addie Walker, MD, Jena Auerbach, DO, Jyoti Kapil, MD, and Kiran Motaparathi, MD
- 1438** Increased interest in sunless tanning versus tanning beds in the United States: A Google Trends analysis
Angelica Misitzis, MD, and Martin A. Weinstock, MD, PhD
- 1439** Validation of the electronic Psoriasis Area and Severity Index application: Establishing measurement equivalence
Faraz Mahmood Ali, MBChB, MRCP, Sam Salek, PhD, RPh, Andrew Y. Finlay, MBBS, FRCP, and Vincent Piguet, MD, PhD, FRCP
- 1441** An increase in sunscreen use in a population resistant to sun protection
Angelica Misitzis, MD, Meghan Beatson, BS, Julia A. Siegel, MD, Kaveri Korgavkar, MD, Joanna Walker, MD, and Martin A. Weinstock, MD, PhD, for the Veterans Affairs Keratinocyte Carcinoma Chemoprevention Trial Group
- 1442** The association between vitiligo and diabetes mellitus: A systematic review and meta-analysis
Hua-Ching Chang, MD, MS, Ming-Hsiu Lin, MD, Yu-Chen Huang, MD, and Tsung-Yun Hou, MD, PhD

Health Policy & Practice

- 1446** Impact of teledermatology on the accessibility and efficiency of dermatology care in an urban safety-net hospital: A pre-post analysis
Bottom line: Large, closed health care systems may benefit from using teledermatology to triage and manage patients.
Adam Zakaria, BA, Toby Maurer, MD, George Su, MD, and Erin Amerson, MD

Commentary

- 1453** Reviewers' list December 2019

Ethics Journal Club

- 1457** Healing or stealing: Ethical issues surrounding subjectivity and "fudging" in clinical trials in dermatology
Steven Madsen, MD, and Mona Shahriari, MD

JAAD Game Changers

- 1458** JAAD Game Changers: Randomized, placebo-controlled, double-blind study of oral tranexamic acid in the treatment of moderate-to-severe melasma
Wendi Wohltmann, MD
- 1459** JAAD Game Changers: Psoriasis and the risk of diabetes: A prospective population-based cohort study
Wendi Wohltmann, MD

- 1460** JAAD Game Changers: Public perception of dermatologists and comparison with other medical specialties: Results from a national survey
Robert T. Brodell, MD

JAAD ONLINE

Available at <http://www.jaad.org>

- Clinical Pearl** **e159** Perforation of paper with pen: Simple technique to explain the carpet tack sign in discoid lupus erythematosus
Arun C. Inamadar, MD, DVD, FRCP (Edinburgh)
- Therapeutic Pearl** **e161** Intrabullous injection: A novel, painless technique of drug delivery in localized bullous dermatoses
Tejas Vishwanath, MD, Sandip Agrawal, MD, Sunil Ghate, MD, Geeta Shinde, MD, Priyal Gala, MD, and Kavita Ingle, MBBS
- Surgical Pearls** **e165** Segmental phenol–Croton oil chemical peels for treatment of periorbital or perioral rhytides
Kachiu C. Lee, MD, MPH, J. Barton Sterling, MD, Carlos G. Wambier, MD, PhD, Seaver L. Soon, MD, Marina Landau, MD, Peter Rullan, MD, and Harold J. Brody, MD, on behalf of the International Peeling Society
- e167** A novel stitch for closure of wounds having dead space to eliminate the risk of hematoma and seroma formation
Mohammad Reza Namazi, MD
-  **e169** Flush technique to minimize adverse reactions from syringe lubricant (silicone oil)
Carlos Gustavo Wambier, MD, PhD, Evelyn Assis de Andrade, PharmD, Luiza Stolz Cruz, PharmD, MSc, Bruna Mikulis Lemes, PharmD, MSc, Wayne D. Carey, MD, Bárbara de Paula Silveira Moura, MD, Alessandro Soares Both, MD, MSc, Sarah Perillo de Farias Wambier, MD, PhD, and Flávio Luís Beltrame, PharmD, PhD
- Technology Pearl** **e173** Using a metallic ink pen to assist in the demarcation of skin lesions under reflectance confocal microscopy
Saud Aleissa, MD, Cristian Navarrete-Dechent, MD, Christina A. Banzhaf, MD, Brian P. Hibler, MD, Gary Peterson, Konstantinos Liopyris, MD, Miguel Cordova, MD, and Anthony Rossi, MD
- Notes & Comments** **e175** Comment on: “Mobile teledermatology for melanoma detection: Assessment of validity in the framework of a population-based skin cancer awareness campaign in northern Italy”
Vytene Kurtinaityte, MD, Franziska M. Ennemoser, MD, Jitka Eberova, PhD, and Yared Herouy, MD
- e177** Reply to: “Comment on ‘Mobile teledermatology for melanoma detection: Assessment of validity in the framework of a population-based skin cancer awareness campaign in northern Italy’”
Luigi Naldi, MD, and Simone Cazzaniga, MS

- e179** Response to: “Patients with negative patch tests: Retrospective analysis of North American Contact Dermatitis Group (NACDG) data 2001-2016”
Sweta Subhadarshani, MD, MRCP(SCE)
- e181** Reply to: “Response to: ‘Patients with negative patch tests: Retrospective analysis of North American Contact Dermatitis Group (NACDG) data 2001-2016’”
Erin M. Warshaw, MD, and Amy J. Zhang, MD, on behalf of the NACDG
- e183** Comment on “Rule of thumb: A simple tool to estimate 1% scalp surface area”: Whose thumb is it anyway?
Bandhala M. Rajan, MBBS, and Abhishek Bhardwaj, MD
- e185** Reply to: “Comment on ‘Rule of thumb: A simple tool to estimate 1% scalp surface area’: Whose thumb is it anyway?”
Carlos Gustavo Wambier, MD, PhD, and Brett A. King, MD, PhD

Book Review

- e187** Andrews’ diseases of the skin: Clinical dermatology, 13th edition
Qiong Wu, MD

Iotaderma

- e189** Iotaderma (#310)
Robert I. Rudolph, MD, FACP

Reader Services

- Index to volume 81
- 1463** Author index
- 1487** Subject index

To access the current version of the Information for Authors, Transfer of Copyright Form, Authorship Declaration Form, Conflict of Interest Disclosure, and Authors’ Rights Statement, as well as many other pertinent documents, please visit our website at www.jaad.org/content/auth_page.

Full text access to *Journal of the American Academy of Dermatology Online* is now available for Academy members and all print subscribers. To activate your online subscription, please visit *Journal of the American Academy of Dermatology Online* by pointing your browser to <http://www.jaad.org>.

Icon Key

-  = **CME article**
-  = **Video content available at <http://www.jaad.org>**
-  = **An interview with the author is available by podcast at: <https://account.aad.org/Library/Podcasts>**
-  = **MOC credits available**



Early online publication: Articles in press

The *Journal of the American Academy of Dermatology* posts in-press articles online before they appear in the print edition of the *Journal*. These Articles in Press are available from both the JAAD website (www.jaad.org) and Science Direct (www.sciencedirect.com). To access Articles in Press, simply click the Articles in Press link.

JAAD Case Reports

The *Journal of the American Academy of Dermatology* no longer publishes Case Reports. These can now be found in our new open access journal, *JAAD Case Reports*, at <http://www.jaadcasereports.org>.