

THE SPINE JOURNAL

TABLE OF CONTENTS

Volume 19, Number 7
July 2019

CLINICAL STUDIES

- Observed patterns of cervical radiculopathy: how often do they differ from a standard, “Netter diagram” distribution?..... 1137
Steven J. McAnany, MD, John M. Rhee, MD, Evan O. Baird, MD, Weilong Shi, MD, Jeffrey Konopka, MD, Thomas M. Neustein, MD, Rafael Arceo, MD

COMMENTARY

- Variations in cervical myotomes and dermatomes 1143
K. Daniel Riew, MD

CLINICAL STUDIES

- Obesity does not impact clinical outcome but affects cervical sagittal alignment and adjacent segment degeneration in short term follow-up after an anterior cervical decompression and fusion 1146
Bryce A. Basques, MD, Jannat M. Khan, BS, Philip K. Louie, MD, Jeremy Mormol, BS, Steven Heidt, BS, Arya Varthi, MD, Justin C. Paul, MD, Edward J. Goldberg, MD, Howard S. An, MD

- Reliability of the Neck Disability Index and Japanese Orthopedic Association questionnaires in adult cervical radiculopathy and myelopathy patients when administered by telephone or via online format 1154
Gaurang Gupte, BS, Colleen M. Peters, MA, Jacob M. Buchowski, MD, MS, Lukas P. Zebala, MD

- Cost-effectiveness of microdiscectomy versus endoscopic discectomy for lumbar disc herniation..... 1162
Kyung-Chul Choi, MD, PhD, Hyeong-Ki Shim, MD, Jin-Sung Kim, MD, PhD, Kyung Han Cha, MD, Dong Chan Lee, MD, Ea Ran Kim, RN, Mee Jung Kim, RN, Choon-Keun Park, MD, PhD

- Postoperative direct health care costs of lumbar discectomy are reduced with the use of a novel annular closure device in high-risk patients..... 1170
Jared D. Ament, MD, MPH, Bart Thaci, MD, Zhuo Yang, PhD, Adisa Kursumovic, MD, Richard Bostelmann, MD, Todd Lanman, MD, J. Patrick Johnson, MD, Susanne Fröhlich, MD, Kee D. Kim, MD

- Neutrophil to lymphocyte ratio and mortality in spinal epidural abscess..... 1180
Aditya V. Karhade, BE, Kush C. Shah, Akash A. Shah, MD, Paul T. Ogink, MD, Sandra B. Nelson, MD, Joseph H. Schwab, MD, MS



Association between MRI findings and back pain after osteoporotic vertebral fractures: a multicenter prospective cohort study.....	1186
<i>Sayed Abdullah Ahmadi, MD, Shinji Takahashi, MD, PhD, Masatoshi Hoshino, MD, PhD, Kazushi Takayama, MD, PhD, Ryuichi Sasaoka, MD, PhD, Tadao Tsujio, MD, PhD, Hiroyuki Yasuda, MD, PhD, Fumiaki Kanematsu, MD, PhD, Hiroshi Kono, MD, PhD, Hiromitsu Toyoda, MD, PhD, Hiroaki Nakamura, MD, PhD</i>	
Development of a scoring system for predicting adjacent vertebral fracture after balloon kyphoplasty	1194
<i>Shinji Takahashi, MD, PhD, Masatoshi Hoshino, MD, PhD, Hiroyuki Yasuda, MD, PhD, Yusuke Hori, MD, Shoichiro Ohyama, MD, Hidetomi Terai, MD, PhD, Kazunori Hayashi, MD, PhD, Tadao Tsujio, MD, PhD, Hiroshi Kono, MD, PhD, Akinobu Suzuki, MD, PhD, Koji Tamai, MD, PhD, Hiromitsu Toyoda, MD, PhD, Sho Dohzono, MD, PhD, Ryuichi Sasaoka, MD, PhD, Fumiaki Kanematsu, MD, Hiroaki Nakamura, MD, PhD</i>	
Adult spinal deformity and its relationship with hip range of motion: a cohort study of community-dwelling females	1202
<i>Mutsuya Shimizu, MD, PhD, Tetsuya Kobayashi, MD, PhD, Hisashi Chiba, PT, Shizuo Jimbo, MD, PhD, Issei Senoh, MD, PhD, Hiroshi Ito, MD, PhD</i>	
Changes of balance control in individuals with lumbar degenerative spine disease after lumbar surgery: a longitudinal study	1210
<i>Wei-Jin Wong, PT, Dar-Ming Lai, MD, PhD, Shwu-Fen Wang, PT, PhD, Jaw-Lin Wang, PhD, Wei-Li Hsu, PT, PhD</i>	
Malpractice claims in spine surgery in Germany: a 5-year analysis	1221
<i>Sebastian A. Ahmadi, MD, Hosai Sadat, MD, Kai-Michael Scheufler, MD, PhD, Hans-Jakob Steiger, MD, PhD, Beate Weber, MD, Thomas Beez, MD</i>	
Clinical features and prognostic factors of pediatric spine giant cell tumors: report of 31 clinical cases in a single center	1232
<i>Qi Jia, PhD, Guanghui Chen, MD, Jiashi Cao, MD, Xinghai Yang, PhD, Zhenhua Zhou, PhD, Haifeng Wei, PhD, Tielong Liu, PhD, Jianru Xiao, PhD</i>	

BASIC SCIENCE

Assessment of changes in the micro-nano environment of intervertebral disc degeneration based on Pfirrmann grade	1242
<i>Yan-Jun Che, MD, PhD, Jiang-Bo Guo, MD, Ting Liang, PhD, Xi Chen, PhD, Wen Zhang, PhD, Hui-Lin Yang, MD, PhD, Zong-Ping Luo, PhD</i>	
Biomechanical effects on the intermediate segment of noncontiguous hybrid surgery with cervical disc arthroplasty and anterior cervical discectomy and fusion: a finite element analysis	1254
<i>Ting-kui Wu, MD, Yang Meng, MD, PhD, Hao Liu, MD, PhD, Bei-yu Wang, MD, PhD, Ying Hong, MD, Xin Rong, MD, PhD, Chen Ding, MD, Hua Chen, MD, PhD</i>	
Discriminating spatiotemporal movement strategies during spine flexion-extension in healthy individuals	1264
<i>Shawn M. Beaudette, PhD, Derek P. Zwambag, PhD, Ryan B. Graham, PhD, Stephen H.M. Brown, PhD</i>	

REVIEW ARTICLES

Objective measures of functional impairment for degenerative diseases of the lumbar spine: a systematic review of the literature	1276
<i>Martin N. Stienen, MD/FEBNS, Allen L. Ho, MD, Victor E. Staartjes, BSc, Nicolai Maldaner, MD, Anand Veeravagu, MD, Atman Desai, MD, Oliver P. Gautschi, MD, David Bellut, MD, Luca Regli, MD, John K. Ratliff, MD, Jon Park, MD/FRCSC</i>	

The rate of fusion for stand-alone anterior lumbar interbody fusion: a systematic review 1294
Mustfa Manzur, MPH, MS, Sohrab S. Virk, MD, MBA, Bridget Jivanelli, MSLIS,
Avani S. Vaishnav, MBBS, Steven J. McAnany, MD, Todd J. Albert, MD, Sravisht Iyer, MD,
Catherine Himo Gang, MPH, Sheeraz Qureshi, MD, MBA

LETTER TO THE EDITOR

Best in-brace curve correction is related to multiple variables in adolescents with idiopathic
scoliosis 1302
Taher Babae, PhD

Meetings Calendar 1303

Financial Conflict of Interest Disclosure Key		
Level A. \$100 to \$1000	Level D. \$25,001 to \$50,000	Level G. \$500,001 to \$1 M
Level B. \$1,001 to \$10,000	Level E. \$50,001 to \$100,000	Level H. \$1,000,001 to \$2.5 M
Level C. \$10,001 to \$25,000	Level F. \$100,001 to \$500,000	Level I. Greater than \$2.5 M

All Volume Indexes from Volume 1, Number 1 to the present are available ONLINE at the journal’s full-text website at www.TheSpineJournalOnline.com. Author Instructions are also available at www.TheSpineJournalOnline.com/authorinfo.

© 2018 Elsevier Inc. All rights reserved.
Publisher: The Spine Journal (ISSN: 1529-9430) is published monthly by Elsevier, 360 Park Avenue South, New York, NY 10010-1710. Periodicals postage paid at New York, NY and at additional mailing offices.
POSTMASTER: Send address changes to The Spine Journal, Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043.
Photocopying: Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.
Permission may be sought directly from Elsevier Rights & Permission Department, PO Box 800, Oxford O × 5 1DX, UK; phone: (+44) 1865 843 830, fax: (+44) 1865 853 333. Requests may also be completed online via the Elsevier site (<http://www.elsevier.com/authors/obtaining-permission-to-re-use-elsevier-material>).
In the USA, users may clear permissions and make payment through the Copyright Clearance Center, Inc. 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (978) 750-8400, fax: (978) 750-4744), and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 171 436 5931, fax: (+44) 171 436 3986. Other countries may have a local reprographic rights agency for payments.
Derivative Works: Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the publisher is required for resale or distribution outside the institution. Permission of the publisher is required for all other derivative works, including compilations and translations.
Electronic Storage or Usage: Permission of the publisher is required to store or use electronically and material contained in this journal, including any article or part of an article. Contact the publisher at the address indicated. Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher. Address permissions requests to: Elsevier Rights & Permission Department, at the mail, fax and e-mail addresses noted above.
Notice: No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or

ideas contained in the material herein. Advertising material included in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made or it by its manufacturer.
Customer Service (orders, claims, online, change of address): Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043. Tel: 1-800-654-2452 (U.S. and Canada); 314-447-8871(outside U.S. and Canada). Fax: 314-447-8029. E-mail: journalscustomerservice-usa@elsevier.com (for print support); journalsonlinesupport-usa@elsevier.com (for online support).
For advertising orders and inquiries: North and South America: Aretha Gaskin, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3681; fax: (212) 633-3820. For classified advertising, contact Adam Moorad, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3122; fax: (212) 633-3820. International: Advertising Department, Elsevier, The Boulevard, Langford Lane Kidlington, Oxford O × 5 1GB, United Kingdom, Tel.: (+44) (0) 1865 843565, fax: (+44) (0) 1865 843 967; e-mail: media@elsevier.co.uk. Japan: Advertising Department, Elsevier Japan, Tel.: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047.
Disclaimer Notice: Statements and opinions expressed in the articles and communications herein are those of the author(s) and are not necessarily those of the Editor(s), North American Spine Society (NASS) or Publisher, or indicative of NASS views, policy or editorial concurrence. The Editor(s), the NASS, and the Publisher assume no responsibility for any injury and/or damage to persons or property as a matter of products liability, negligence, or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein. No suggested test or procedure should be carried out unless, in the reader’s judgement, its risk is justified. Because of the rapid advances in the medical sciences, medical practitioners should obtain independent verification of diagnoses and drug dosages. Discussions, views, and recommendations as to medical procedures, choice of drugs, and drug dosages are the responsibility of the authors. Consumers should consult with their own doctors about their individual health status before making any health decisions.
Although all advertising material is expected to conform to ethical (medical) standards, the appearance of advertising in The Spine Journal does not constitute a guarantee or endorsement by the journal and/or the North American Spine Society of the quality or value of such product or to the claims made for it by its manufacturer. The fact that a product, service, or company is advertised in The Spine Journal shall not be referred to by the manufacturer in collateral advertising.
This paper meets the requirements of ANSI Standard Z39.48-1992 (Permanence of Paper).