

# THE SPINE JOURNAL

## TABLE OF CONTENTS

Volume 19, Number 9  
September 2019

### CLINICAL STUDIES

The utility of magnetic resonance imaging results in physician decision-making before initial lumbar spinal injection ..... 1455  
*Venu Akuthota, MD, Adele J. Meron, MD, Jaspal Ricky Singh, MD, Sandra Boimbo, MPH, Scott R. Laker, MD, Rachel Brakke Holman, MD, Balaji V. Sridhar, MD, PhD, Jason Friedrich, MD, William J. Sullivan, MD*

Increasing reoperation rates and inferior outcome with prolonged symptom duration in lumbar disc herniation surgery — a prospective cohort study..... 1463  
*Christian C. Støttrup, MD, Andreas K. Andresen, MD, Leah Carreon, MD, Mikkel Ø. Andersen, MD*

Effect of preoperative symptom duration on outcome in lumbar spinal stenosis: a Canadian Spine Outcomes and Research Network registry study ..... 1470  
*Duncan Cushnie, MD, FRCSC, Kenneth Thomas, MD, FRCSC, W. Bradley Jacobs, MD, FRCSC, Roger K.H. Cho, MD, FRCSC, Alex Soroceanu, MD, MPH, Henry Ahn, MD, FRCSC, Najmedden Attabib, MD, FRCSC, Christopher S. Bailey, MD, FRCSC, Charles G. Fisher, MD, MHSc, FRCSC, R. Andrew Glennie, MD, FRCSC, Hamilton Hall, MD, FRCSC, Peter Jarzem, BEng, MD, FRCSC, Michael G. Johnson, MD, FRCSC, Neil A. Manson, MD, FRCSC, Andrew Nataraj, MD, FRCSC, Jerome Paquet, MD, FRCSC, Y. Raja Rampersaud, MD, FRCSC, Philippe Phan, PhD, MD, FRCSC, Steven Casha, MD, FRCSC*

### REVIEW

Nonsurgical treatments for patients with radicular pain from lumbosacral disc herniation ..... 1478  
*Jung Hwan Lee, MD, PhD, Kyoung Hyo Choi, MD, PhD, Seok Kang, MD, Dong Hwan Kim, MD, PhD, Du Hwan Kim, MD, PhD, Bo Ryun Kim, MD, PhD, Won Kim, MD, Jung Hwan Kim, MD, PhD, Kyung Hee Do, MD, PhD, Jong Geol Do, MD, Ju Seok Ryu, MD, Kyunghoon Min, MD, Sung Gin Bahk, MD, Yun Hee Park, MD, Heui Je Bang, MD, Kyoung-ho Shin, MD, Seoyon Yang, MD, Hee Seung Yang, MD, Seung Don Yoo, MD, PhD, Ji Sung Yoo, MD, MS, Kyung Jae Yoon, MD, PhD, Se Jin Yoon, MD, Goo Joo Lee, MD, Sang Yoon Lee, MD, PhD, Sang Chul Lee, MD, PhD, Seung Yeol Lee, MD, In-Sik Lee, MD, PhD, Jung-Soo Lee, MD, PhD, Chang-Hyung Lee, MD, PhD, Jae-Young Lim, MD, Jae-Young Han, MD, PhD, Seung Hoon Han, MD, PhD, Duk Hyun Sung, MD, PhD, Kang Hee Cho, MD, PhD, Soo Young Kim, MD, PhD, Hyun Jung Kim, MPH, PhD, Woong Ju, MD*



## CLINICAL STUDIES

- Predicting survival in older patients treated for cervical spine fractures: development of a clinical survival score..... 1490  
*Patrick K. Cronin, MD, Marco L. Ferrone, MD, Chase C. Marso, BA, Evan K. Stieler, BS, Aaron W. Beck, MD, Justin A. Blucher, MS, Melvin C. Makhni, MD, Andrew K. Simpson, MD, Mitchel B. Harris, MD, Andrew J. Schoenfeld, MD, MSc*
- Outcomes of additional instrumentation in elderly patients with pyogenic vertebral osteomyelitis and previous spinal instrumentation ..... 1498  
*Jihye Kim, MD, PhD, Jeong Hwan Lee, MD, Seok Woo Kim, MD, Jae-Keun Oh, MD, Young-Woo Kim, MD, PhD, Tae-Hwan Kim, MD, PhD*
- McGregor's slope and slope of line of sight: two surrogate markers for Chin-Brow vertical angle in the setting of cervical spine pathology ..... 1512  
*Michael J. Moses, MD, Jared C. Tishelman, BA, Peter L. Zhou, BA, John Y. Moon, BS, Bryan M. Beaubrun, BA, Aaron J. Buckland, MBBS, FRACS, Themistocles S. Protopsaltis, MD*
- Modified PUMC classification for adolescent idiopathic scoliosis ..... 1518  
*Qianyu Zhuang, MD, Guixing Qiu, MD, Qiyi Li, MD, Jianguo Zhang, MD, Jianxiong Shen, MD, Yipeng Wang, MD, Hong Zhao, MD, Yu Zhao, MD, Shugang Li, MD, Bin Yu, MD, Xiao Chang, MD, Shengru Wang, MD, Siyi Cai, MD, Xi Zhou, MD, Jinqian Liang, MD*
- Curve patterns deserve attention when determining the optimal distal fusion level in correction surgery for Scheuermann kyphosis ..... 1529  
*Weiguo Zhu, MD, Xu Sun, MD, Wei Pan, MD, Huang Yan, MD, Zhen Liu, MD, Yong Qiu, MD, Zezhang Zhu, MD*
- Delayed presentation to a spine surgeon is the strongest predictor of poor postoperative outcome in patients surgically treated for symptomatic spinal metastases ..... 1540  
*Floris R. van Tol, MD, David Choi, MD, PhD, Helena M. Verkooijen, MD, PhD, F. Cumhur Oner, MD, PhD, Jorrit-Jan Verlaan, MD, PhD*
- Multidimensional prognostic factors for chronic low back pain-related disability: a longitudinal study in a Saudi population..... 1548  
*Dalyah M. Alamam, MSc, Niamh Moloney, PhD, Andrew Leaver, PhD, Hana I. Alsobayel, PhD, Martin G. Mackey, PhD*
- Influence of incidental dural tears and their primary microendoscopic repairs on surgical outcomes in patients undergoing microendoscopic lumbar surgery ..... 1559  
*Kazuhito Soma, MD, So Kato, MD, Hiroyuki Oka, MD, PhD, Ko Matsudaira, MD, PhD, Masayoshi Fukushima, MD, Masahito Oshina, MD, Hisashi Koga, MD, PhD, Yuichi Takano, MD, PhD, Hiroki Iwai, MD, PhD, Mario Ganau, MD, PhD, FACS, Sakae Tanaka, MD, PhD, Hirohiko Inanami, MD, Yasushi Oshima, MD, PhD*
- Posterior lumbar fusions at physician-owned hospitals – is it time to reconsider the restrictions of the Affordable Care Act? ..... 1566  
*Azeem Tariq Malik, MBBS, Frank M. Phillips, MD, Jeffery Kim, MD, Elizabeth Yu, MD, Safdar N. Khan, MD*

## BASIC SCIENCE

- A novel and efficient method for culturing mouse nucleus pulposus cells..... 1573  
*Junichi Kushioka, MD, Takashi Kaito, MD, PhD, Ryota Chijimatsu, PhD, Rintaro Okada, MD, Hiroyuki Ishiguro, MD, Zeynep Bal, BS, Joe Kodama, MD, Shota Takenaka, MD, DMSc, Takahiro Makino, MD, DMSc, Yusuke Sakai, MD, Hideki Yoshikawa, MD, PhD*

stryker


# Redefining spine

Since joining forces with K2M, we're focused on five core principles.



**Surgeon**  
Patient  
Technology  
Representative

The first of these principles is that we believe **surgeons are core to all that we do.**



Together with our customers, we are driven to make healthcare better.

**Learn more at [strykerspine.com](http://strykerspine.com)**

**Spine 2.0**   
Redefining spine

A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery. The information presented is intended to demonstrate the breadth of Stryker product offerings. A surgeon must always refer to the package insert, product label and/or instructions for use before using any Stryker product. The products depicted are CE marked according to the Medical Device Directive 93/42/EEC. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: K2M and Stryker. All other trademarks are trademarks of their respective owners or holders.

Available through Stryker's Spine Division | 600 Hope Parkway SE | Leesburg, VA 20175 | Tel. 866 526 4171  
Copyright © 2019 Stryker

GEN-AD-5\_20532

Differential miRNAs profile and bioinformatics analyses in bone marrow mesenchymal stem cells from adolescent idiopathic scoliosis patients.....	1584
<i>Shangyi Hui, MD, Yang Yang, MD, Jing Li, MD, Na Li, MD, Pengchao Xu, MD, Hongling Li, MD, Yanbin Zhang, MD, Shengru Wang, MD, Guanfeng Lin, MD, Shugang Li, MD, Guixing Qiu, MD, Robert Chunhua Zhao, MD, Jianguo Zhang, MD, Qianyu Zhuang, MD</i>	

## LETTERS TO THE EDITOR

Patient-reported outcomes unbiased by length of follow-up after lumbar degenerative spine surgery: do we need 2 years of follow-up? .....	1597
<i>Richard J. Nasca, MD</i>	

Do we need 2 years of follow-up? .....	1598
<i>Victor E. Staartjes, BMed, Alessandro Siccoli, BMed, Marlies P. de Wispelaere, MSc, PDEng, Marc L. Schröder, MD, PhD</i>	

Meetings Calendar .....	1599
-------------------------	------

Financial Conflict of Interest Disclosure Key		
Level A. \$100 to \$1000	Level D. \$25,001 to \$50,000	Level G. \$500,001 to \$1 M
Level B. \$1,001 to \$10,000	Level E. \$50,001 to \$100,000	Level H. \$1,000,001 to \$2.5 M
Level C. \$10,001 to \$25,000	Level F. \$100,001 to \$500,000	Level I. Greater than \$2.5 M

All Volume Indexes from Volume 1, Number 1 to the present are available ONLINE at the journal's full-text website at [www.TheSpineJournalOnline.com](http://www.TheSpineJournalOnline.com). Author Instructions are also available at [www.TheSpineJournalOnline.com/authorinfo](http://www.TheSpineJournalOnline.com/authorinfo).

© 2018 Elsevier Inc. All rights reserved.

**Publisher:** The Spine Journal (ISSN: 1529-9430) is published monthly by Elsevier, 360 Park Avenue South, New York, NY 10010-1710. Periodicals postage paid at New York, NY and at additional mailing offices.

**POSTMASTER:** Send address changes to The Spine Journal, Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043.

**Photocopying:** Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

Permission may be sought directly from Elsevier Rights & Permission Department, PO Box 800, Oxford O × 5 1DX, UK; phone: (+44) 1865 843 830, fax: (+44) 1865 853 333. Requests may also be completed online via the Elsevier site (<http://www.elsevier.com/authors/obtaining-permission-to-re-use-elsevier-material>).

In the USA, users may clear permissions and make payment through the Copyright Clearance Center, Inc. 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (978) 750-8400, fax: (978) 750-4744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 171 436 5931, fax: (+44) 171 436 3986. Other countries may have a local reprographic rights agency for payments.

**Derivative Works:** Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the publisher is required for resale or distribution outside the institution. Permission of the publisher is required for all other derivative works, including compilations and translations.

**Electronic Storage or Usage:** Permission of the publisher is required to store or use electronically and material contained in this journal, including any article or part of an article. Contact the publisher at the address indicated. Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher. Address permissions requests to: Elsevier Rights & Permission Department, at the mail, fax and e-mail addresses noted above.

**Notice:** No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or

ideas contained in the material herein. Advertising material included in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made or it by its manufacturer.

Customer Service (orders, claims, online, change of address): Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043. Tel: 1-800-654-2452 (U.S. and Canada); 314-447-8871 (outside U.S. and Canada). Fax: 314-447-8029. E-mail: [journalscustomerservice-usa@elsevier.com](mailto:journalscustomerservice-usa@elsevier.com) (for print support); [journalsonlinesupport-usa@elsevier.com](mailto:journalsonlinesupport-usa@elsevier.com) (for online support).

For advertising orders and inquiries: North and South America: Aretha Gaskin, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3681; fax: (212) 633-3820. For classified advertising, contact Adam Moorad, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3122; fax: (212) 633-3820. International: Advertising Department, Elsevier, The Boulevard, Langford Lane Kidlington, Oxford O × 5 1GB, United Kingdom, Tel.: (+44) (0) 1865 843565, fax: (+44) (0) 1865 843 967; e-mail: [media@elsevier.co.uk](mailto:media@elsevier.co.uk). Japan: Advertising Department, Elsevier Japan, Tel.: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047.

**Disclaimer Notice:** Statements and opinions expressed in the articles and communications herein are those of the author(s) and are not necessarily those of the Editor(s), North American Spine Society (NASS) or Publisher, or indicative of NASS views, policy or editorial concurrence. The Editor(s), the NASS, and the Publisher assume no responsibility for any injury and/or damage to persons or property as a matter of products liability, negligence, or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein. No suggested test or procedure should be carried out unless, in the reader's judgement, its risk is justified. Because of the rapid advances in the medical sciences, medical practitioners should obtain independent verification of diagnoses and drug dosages. Discussions, views, and recommendations as to medical procedures, choice of drugs, and drug dosages are the responsibility of the authors. Consumers should consult with their own doctors about their individual health status before making any health decisions.

Although all advertising material is expected to conform to ethical (medical) standards, the appearance of advertising in The Spine Journal does not constitute a guarantee or endorsement by the journal and/or the North American Spine Society of the quality or value of such product or to the claims made for it by its manufacturer. The fact that a product, service, or company is advertised in The Spine Journal shall not be referred to by the manufacturer in collateral advertising.

This paper meets the requirements of ANSI Standard Z39.48-1992 (Permanence of Paper).