

THE SPINE JOURNAL

TABLE OF CONTENTS

Volume 19, Number 11
November 2019

CLINICAL STUDIES

- Preoperative multimodal analgesia decreases 24-hour postoperative narcotic consumption in elective spinal fusion patients 1753
Max Haffner, MD, Augustine M. Saiz, Jr., MD, Ryan Nathe, MD, Joshua Hwang, BS, Christopher Migdal, BS, Eric Klineberg, MD, Rolando Roberto, MD
- Development of machine learning algorithms for prediction of prolonged opioid prescription after surgery for lumbar disc herniation 1764
Aditya V. Karhade, BE, Paul T. Ogink, MD, Quirina C.B.S. Thio, MD, Thomas D. Cha, MD, MBA, William B. Gormley, MD, MPH, MBA, Stuart H. Hershman, MD, Timothy R. Smith, MD, PhD, MPH, Jianren Mao, MD, PhD, Andrew J. Schoenfeld, MD, MS, Christopher M. Bono, MD, Joseph H. Schwab, MD, MS
- A machine learning approach for predictive models of adverse events following spine surgery 1772
Summer S. Han, PhD, Tej D. Azad, MS, Paola A. Suarez, MS, John K. Ratliff, MD
- A prospective, international, randomized, noninferiority study comparing an implantable titanium vertebral augmentation device versus balloon kyphoplasty in the reduction of vertebral compression fractures (SAKOS study)..... 1782
David Noriega, PhD, Stefano Marcia, MD, Nicolas Theumann, PhD, Benjamin Blondel, MD, PhD, Alexandre Simon, MD, Frank Hassel, MD, Gianluca Maestretti, PhD, Antoine Petit, MD, Patrick A. Weidle, MD, Andres Gonzalez Mandly, MD, Jean-Marc Kaya, MD, Adamou Touta, MD, Stéphane Fuentes, MD, Robert Pflugmacher, PhD
- Serum albumin levels predict which patients are at increased risk for complications following surgical management of acute osteoporotic vertebral compression fractures 1796
Anmol Gupta, MBA, Shivam Upadhyaya, MD, Thomas Cha, MD, MBA, Joseph Schwab, MD, Christopher Bono, MD, Stuart Hershman, MD
- Characterizing gait abnormalities in patients with cervical spondylotic myelopathy: a neuromuscular analysis 1803
Ram Haddas, PhD, Joseph Cox, MD, Theodore Belanger, MD, Kevin L. Ju, MD, Peter B. Derman, MD, MBA
- The discrepancy between functional outcome and self-reported health status after surgery for degenerative cervical myelopathy 1809
Lindsay A. Tetreault, PhD, Mary P. Zhu, Rachel M. Howard, HBS, Fatimah Sorefan-Mangou, BSc, Alpesh A. Patel, MD, Gregory D. Schroeder, MD, Eric M. Massicotte, MD, MSc, MBA, Jetan H. Bhadiwala, MD, Michael G. Fehlings, MD, PhD, Jefferson R. Wilson, MD, PhD



Maintaining range of motion after cervical discectomy does not prevent adjacent segment degeneration..... 1816

Xiaoyu Yang, MD, MSc, Roland Donk, MD, PhD, Mark P. Arts, MD, PhD, Hisse Arnts, MD, Joris Walraevens, PhD, Zhiwei Zhai, MSc, Bart Depreitere, MD, PhD, Ronald H.M.A. Bartels, MD, PhD, Carmen L.A. Vleggeert-Lankamp, MD, PhD

Predictors of walking ability after surgery for lumbar spinal canal stenosis: a prospective study 1824

Hiroto Takenaka, PT, MA, Hideshi Sugiura, MD, PhD, Mitsuhiro Kamiya, MD, PhD, Kasuri Nishihama, PT, MS, Atsuki Ito, PT, Junya Suzuki, PT, MS, Morio Kawamura, MD, PhD, Shuntaro Hanamura, MD, PhD, Hirokatsu Hanamura, MD, PhD

Comparison of whole body sagittal alignment during directed vs natural, relaxed standing postures in young, healthy adults..... 1832

Hwee Weng Dennis Hey, MBBS, MRCS, MMed, MCI, FRCSEd, FAMS, Kimberly-Anne Tan, MBBS, BSc, Brian Zhaojie Chin, BMed, Gabriel Liu, MBBCh, MSc, FRCS, FRCSEd, Hee-Kit Wong, MBBS, MMed, FRCS, MCh, FAMS

Physiological variations in the sagittal spine alignment in an asymptomatic elderly population 1840

Tito Bassani, PhD, Fabio Galbusera, PhD, Andrea Luca, MD, Alessio Lovi, MD, Enrico Gallazzi, MD, Marco Brayda-Bruno, MD

Creating value in spine surgery: using patient reported outcomes to compare the short-term impact of different orthopedic surgical procedures..... 1850

David S. Jevotovsky, BA, Caroline P. Thirukumaran, MBBS, MHA, PhD, Paul T. Rubery, MD

REVIEW ARTICLE

Spinal tuberculosis: a comprehensive review for the modern spine surgeon 1858

Krishn Khanna, MD, Sanjeev Sabharwal, MD, MPH

BASIC SCIENCE

Biomechanical evaluation of calcium phosphate-based nanocomposite versus polymethylmethacrylate cement for percutaneous kyphoplasty 1871

Qifeng Lu, PhD, Chun Liu, MS, Dingsong Wang, MS, Huiling Liu, MS, Huilin Yang, PhD, Lei Yang, PhD

Does implantation site influence bone ingrowth into 3D-printed porous implants? 1885

William R. Walsh, BA Biol, BA Chem, PhD, Matthew H. Pelletier, PhD, Tian Wang, PhD, Vedran Lovric, PhD, Per Morberg, MD, PhD, Ralph J. Mobbs, MBBS, FRACS

LETTERS TO THE EDITOR

Letter to the editor concerning “Multiple confounders influence the association between low-grade systemic inflammation and musculoskeletal pain. A call for a prudent interpretation of the literature” by Schipholt et al..... 1899

David M Klyne, PhD, MSc, DPhy, BAppSc, Paul W Hodges, PhD MedDr DSc BPhy(Hons)

Confounding and mediation to reveal the true association between systemic inflammation and musculoskeletal pain 1901

Ivo J. Lutke Schipholt, PT, MSc, Gwendolyn G.M. Scholten-Peeters, PT, PhD, Hettie J. Bontkes, MSc, Michel W. Coppieters, PT, PhD

CT evaluation of occipitocervical joint violation by C1 lateral mass screw 1902

Jun-Song Yang, MD, Hao Chen, MD, Liang Yan, MD, Peng Liu, MD, Tuan-Jiang Liu, MD, Da-Geng Huang, MD, Ding-Jun Hao, MD

Re: "CT evaluation of occipitocervical joint violation by C1 lateral mass screw" by Jun-Song Yang, M.D;
Hao Chen; Liang Yan, M.D; Peng Liu, M.D; Tuan-Jiang Liu, M.D; Da-Geng Huang, M.D;
Ding-Jun Hao, M.D 1903
Jin Sup Yeom, MD, PhD, Jacob M. Buchowski, MD, MS

Meetings Calendar 1904

Financial Conflict of Interest Disclosure Key		
Level A. \$100 to \$1000	Level D. \$25,001 to \$50,000	Level G. \$500,001 to \$1 M
Level B. \$1,001 to \$10,000	Level E. \$50,001 to \$100,000	Level H. \$1,000,001 to \$2.5 M
Level C. \$10,001 to \$25,000	Level F. \$100,001 to \$500,000	Level I. Greater than \$2.5 M

All Volume Indexes from Volume 1, Number 1 to the present are available ONLINE at the journal's full-text website at www.TheSpineJournalOnline.com. Author Instructions are also available at www.TheSpineJournalOnline.com/authorinfo.

© 2018 Elsevier Inc. All rights reserved.

Publisher: The Spine Journal (ISSN: 1529-9430) is published monthly by Elsevier, 360 Park Avenue South, New York, NY 10010-1710. Periodicals postage paid at New York, NY and at additional mailing offices.

POSTMASTER: Send address changes to The Spine Journal, Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043.

Photocopying: Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

Permission may be sought directly from Elsevier Rights & Permission Department, PO Box 800, Oxford O × 5 1DX, UK; phone: (+44) 1865 843 830, fax: (+44) 1865 853 333. Requests may also be completed online via the Elsevier site (<http://www.elsevier.com/authors/obtaining-permission-to-re-use-elsevier-material>).

In the USA, users may clear permissions and make payment through the Copyright Clearance Center, Inc. 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (978) 750-8400, fax: (978) 750-4744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 171 436 5931, fax: (+44) 171 436 3986. Other countries may have a local reprographic rights agency for payments.

Derivative Works: Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the publisher is required for resale or distribution outside the institution. Permission of the publisher is required for all other derivative works, including compilations and translations.

Electronic Storage or Usage: Permission of the publisher is required to store or use electronically and material contained in this journal, including any article or part of an article. Contact the publisher at the address indicated. Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher. Address permissions requests to: Elsevier Rights & Permission Department, at the mail, fax and e-mail addresses noted above.

Notice: No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or

ideas contained in the material herein. Advertising material included in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made or it by its manufacturer.

Customer Service (orders, claims, online, change of address): Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043. Tel: 1-800-654-2452 (U.S. and Canada); 314-447-8871(outside U.S. and Canada). Fax: 314-447-8029. E-mail: journalscustomerservice-usa@elsevier.com (for print support); journalsupport-usa@elsevier.com (for online support).

For advertising orders and inquiries: North and South America: Aretha Gaskin, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3681; fax: (212) 633-3820. For classified advertising, contact Adam Moorad, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3122; fax: (212) 633-3820. International: Advertising Department, Elsevier, The Boulevard, Langford Lane Kidlington, Oxford O × 5 1GB, United Kingdom, Tel.: (+44) (0) 1865 843565, fax: (+44) (0) 1865 843 967; e-mail: media@elsevier.co.uk. Japan: Advertising Department, Elsevier Japan, Tel.: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047.

Disclaimer Notice: Statements and opinions expressed in the articles and communications herein are those of the author(s) and are not necessarily those of the Editor(s), North American Spine Society (NASS) or Publisher, or indicative of NASS views, policy or editorial concurrence. The Editor(s), the NASS, and the Publisher assume no responsibility for any injury and/or damage to persons or property as a matter of products liability, negligence, or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein. No suggested test or procedure should be carried out unless, in the reader's judgement, its risk is justified. Because of the rapid advances in the medical sciences, medical practitioners should obtain independent verification of diagnoses and drug dosages. Discussions, views, and recommendations as to medical procedures, choice of drugs, and drug dosages are the responsibility of the authors. Consumers should consult with their own doctors about their individual health status before making any health decisions.

Although all advertising material is expected to conform to ethical (medical) standards, the appearance of advertising in The Spine Journal does not constitute a guarantee or endorsement by the journal and/or the North American Spine Society of the quality or value of such product or to the claims made for it by its manufacturer. The fact that a product, service, or company is advertised in The Spine Journal shall not be referred to by the manufacturer in collateral advertising.

This paper meets the requirements of ANSI Standard Z39.48-1992 (Permanence of Paper).