

THE SPINE JOURNAL

TABLE OF CONTENTS

Volume 19, Number 12
December 2019

CLINICAL STUDIES

Impact of resident involvement on cervical and lumbar spine surgery outcomes 1905
*Kim Phan, BHSc, Philippe Phan, MD, PhD, FRCS(C), Alexandra Stratton, MD, MSc, FRCS(C),
Stephen Kingwell, MD, FRCS(C), Mohamad Hoda, PhD, Eugene Wai, MD, MSc, FRCS(C)*

Paraspinal Muscle Ladybird Homeobox 1 (LBX1) in adolescent idiopathic scoliosis: a
cross-sectional study 1911
*William Jennings, BHSc, MSc, Maggie Hou, BHSc candidate, Devin Perterson, MD, FRCPC,
Paul Missiuna, MD, FRCPC, Lehana Thabane, PhD, Mark Tarnopolsky, MD, PhD,
M. Constantine Samaan, MD, MRCPI, FRCPC, MSc*

REVIEW ARTICLE

Brace treatment in adolescent idiopathic scoliosis: risk factors for failure—a literature review 1917
*Ron El Hawary, MD, Daphna Zaaroor-Regev, PhD, Yizhar Floman, MD, Baron S. Lonner, MD,
Yasser Ibrahim Alkhalife, MBBS, SB, Randal R. Betz, MD*

CLINICAL STUDIES

The learning curve for performing three-column osteotomies in adult spinal deformity patients:
one surgeon's experience with 197 cases 1926
*Micheal Raad, MD, Varun Puvanesarajah, MD, Andrew Harris, BS, Mostafa H. El Dafrawy, MD,
Morsi Khashan, MD, Amit Jain, MD, Hamid Hassanzadeh, MD, Khaled M. Kebaish, MD*

Trends in spinal deformity surgery in Marfan syndrome 1934
*Etko Kurucan, BA, David N. Bernstein, MBA, MA, Meiling Ying, MA, Yue Li, PhD,
Emmanuel N. Menga, MD, Paul D. Sponseller, MD, Addisu Mesfin, MD*

Epidemiologic and survival trends in adult primary bone tumors of the spine 1941
*David L. Kerr, MD, Brian L. Dial, MD, Alexander L. Lazarides, MD, Anthony A. Catanzano, MD,
Whitney O. Lane, MD, Dan G. Blazer III, MD, FACS, Brian E. Brigman, MD, PhD,
Sergio Mendoza-Lattes, MD, William C. Eward, MD, DVM, Melissa E. Erickson, MD*

Development of machine learning algorithms for prediction of mortality in spinal epidural
abscess 1950
*Aditya V. Karhade, BE, Akash A. Shah, MD, Christopher M. Bono, MD, Marco L. Ferrone, MD,
Sandra B. Nelson, MD, Andrew J. Schoenfeld, MD, MSc, Mitchel B. Harris, MD,
Joseph H. Schwab, MD, MS*



Fusion technique does not affect short-term patient-reported outcomes for lumbar degenerative disease	1960
<i>Srikanth N. Divi, MD, Gregory D. Schroeder, MD, Dhruv K.C. Goyal, BA, Kristen E. Radcliff, MD, Matthew S. Galetta, BA, Alan S. Hilibrand, MD, D. Greg Anderson, MD, Mark F. Kurd, MD, Jeffrey A. Rihn, MD, Ian D. Kaye, MD, Barrett R. Woods, MD, Alexander R. Vaccaro, MD, PhD, MBA, Christopher K. Kepler, MD, MBA</i>	
Impact of occupational characteristics on return to work for employed patients after elective lumbar spine surgery	1969
<i>Inamullah Khan, MD, Mohamad Bydon, MD, Kristin R. Archer, PhD, DPT, Ahilan Sivaganesan, MD, Anthony M. Asher, BS, Muhammad Ali Alvi, MD, Panagiotis Kerezoudis, MD, John J. Knightly, MD, Kevin T. Foley, MD, Erica F. Bisson, MD, Christopher Shaffrey, MD, Anthony L. Asher, MD, Dan M. Spengler, MD, Clinton J. Devin, MD</i>	
Negative impact of spinal epidural lipomatosis on the surgical outcome of posterior lumbar spinous-splitting decompression surgery: a multicenter retrospective study.....	1977
<i>Nobuyuki Fujita, MD, Shinichi Ishihara, MD, Takehiro Michikawa, MD, Satoshi Suzuki, MD, Osahiko Tsuji, MD, Narihito Nagoshi, MD, Eijiro Okada, MD, Mitsuru Yagi, MD, Takashi Tsuji, MD, Hitoshi Kono, MD, Masaya Nakamura, MD, Morio Matsumoto, MD, Kota Watanabe, MD</i>	
Association between cervical degeneration and self-perceived nonrecovery after whiplash injury	1986
<i>Eric Rydman, MD, Piotr Kasina, MD, PhD, Sari Ponzer, MD, PhD, Hans Järnbert-Pettersson, PhD</i>	
Effects of transverse connector on reduction and fixation of atlantoaxial dislocation and basilar invagination using posterior C1–C2 screw-rod technique	1995
<i>Hua-wei Wang, MD, Yi-heng Yin, MD, Teng Li, MD, Xin-guang Yu, MD, PhD, Guang-yu Qiao, MD</i>	
Hidden blood loss following 2- to 3-level posterior lumbar fusion	2003
<i>Yoji Ogura, MD, PhD, John R. Dimar II, MD, Jeffrey L. Gum, MD, Charles H. Crawford, III, MD, Mladen Djurasovic, MD, Steven D. Glassman, MD, Leah Y. Carreon, MD, MSc</i>	
Reoperation rate after anterior cervical discectomy and fusion using standalone cages in degenerative disease: a study of 2,078 cases	2007
<i>Mootaz Shousha, MD, Mohamed Alhashash, MD, Hassan Allouch, MD, Heinrich Boehm, MD</i>	
BASIC SCIENCE	
Material properties of human lumbar intervertebral discs across strain rates	2013
<i>Nicolas Newell, PhD, Diagarajen Carpanen, PhD, Grigorios Grigoriadis, PhD, J. Paige Little, PhD, Spyros D. Masouros, PhD</i>	
Effect of curcumin on the inflammatory reaction and functional recovery after spinal cord injury in a hyperglycemic rat model.....	2025
<i>Young-Seok Lee, MD, PhD, Dae-Chul Cho, MD, PhD, Chi Heon Kim, MD, PhD, Inbo Han, MD, PhD, Eun Young Gil, MS, Kyoung-Tae Kim, MD, PhD</i>	
LETTERS TO THE EDITOR	
In response to: Impaction durability of porous PEEK and titanium-coated PEEK interbody fusion devices.....	2040
<i>Alexander Rosinski, MS, Cristian Balcescu, MD, Jeremi Leasure, MSE, Dimitriy Kondrashov, MD</i>	
Authors' reply to Letter to the Editor regarding: Impaction durability of porous PEEK and titanium-coated PEEK interbody fusion devices	2042
<i>F. Brennan Torstrick, PhD, Brett S. Klosterhoff, MD, Christopher S.D. Lee, PhD, Ken Gall, PhD, David L. Safranski, PhD</i>	

5TH ANNUAL

Safety

IN SPINE SURGERY SUMMIT

Transforming Patient Care and Optimizing Outcomes

FRIDAY
MARCH 13
2020



**NEW
YORK
CITY**
**NEW
YORK**

An **ESSENTIAL** program for:

- Spine surgeons
- Surgical spine team members
- Hospital execs responsible for patient safety

- **New** Faculty, Lectures, and Insights Each Year
- **Surgeon Views** of “Failed” Technology
- **How Do We Innovate** without Compromising Safety?
- **Technical Tips** to Keep You Out of Trouble

CHAIR:

Michael G. Vitale, MD, MPH

CO-CHAIRS:

John M. Flynn, MD

Roger Härtl, MD

Lawrence G. Lenke, MD

Rajiv K. Sethi, MD

SafetyInSpineSurgery.org

JOINTLY PROVIDED BY:



BROADWATER
LLC

NEW! Experiential Training Pre-Course on March 12

- Dynamic, interactive, & practical
- Get prepared and inspired for personal & structural change
- 3.5 hours CME

Lifewings
Better Teams. Better Systems. Better Care.

Cerebrospinal fluid leak after fracture of the sacrum or coccyx.....	2044
<i>Patrick M. Foye, MD, Rustambir Singh, MD, Vidur Tangri, MD</i>	
Severe displaced fracture of the coccyx or sacrococcygeal junction causes trauma to the thecal sac Reply to "Letter to editor: Cerebrospinal fluid leak after fracture of the sacrum or coccyx."	2045
<i>Derek T Cawley, MMedSc, MCh, FRCS Orth</i>	
Meetings Calendar	2046

Financial Conflict of Interest Disclosure Key

Level A. \$100 to \$1000	Level D. \$25,001 to \$50,000	Level G. \$500,001 to \$1 M
Level B. \$1,001 to \$10,000	Level E. \$50,001 to \$100,000	Level H. \$1,000,001 to \$2.5 M
Level C. \$10,001 to \$25,000	Level F. \$100,001 to \$500,000	Level I. Greater than \$2.5 M

All Volume Indexes from Volume 1, Number 1 to the present are available ONLINE at the journal's full-text website at www.TheSpineJournalOnline.com. Author Instructions are also available at www.TheSpineJournalOnline.com/authorinfo.

© 2018 Elsevier Inc. All rights reserved.

Publisher: The Spine Journal (ISSN: 1529-9430) is published monthly by Elsevier, 360 Park Avenue South, New York, NY 10010-1710. Periodicals postage paid at New York, NY and at additional mailing offices.

POSTMASTER: Send address changes to The Spine Journal, Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043.

Photocopying: Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

Permission may be sought directly from Elsevier Rights & Permission Department, PO Box 800, Oxford O x 5 1DX, UK; phone: (+44) 1865 843 830, fax: (+44) 1865 853 333. Requests may also be completed online via the Elsevier site (<http://www.elsevier.com/authors/obtaining-permission-to-re-use-elsevier-material>).

In the USA, users may clear permissions and make payment through the Copyright Clearance Center, Inc. 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (978) 750-8400, fax: (978) 750-4744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 171 436 5931, fax: (+44) 171 436 3986. Other countries may have a local reprographic rights agency for payments.

Derivative Works: Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the publisher is required for resale or distribution outside the institution. Permission of the publisher is required for all other derivative works, including compilations and translations.

Electronic Storage or Usage: Permission of the publisher is required to store or use electronically and material contained in this journal, including any article or part of an article. Contact the publisher at the address indicated. Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher. Address permissions requests to: Elsevier Rights & Permission Department, at the mail, fax and e-mail addresses noted above.

Notice: No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or

ideas contained in the material herein. Advertising material included in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made or it by its manufacturer.

Customer Service (orders, claims, online, change of address): Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043. Tel: 1-800-654-2452 (U.S. and Canada); 314-447-8871(outside U.S. and Canada). Fax: 314-447-8029. E-mail: journalscustomerservice-usa@elsevier.com (for print support); journalsonlinesupport-usa@elsevier.com (for online support).

For advertising orders and inquiries: North and South America: Aretha Gaskin, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3681; fax: (212) 633-3820. For classified advertising, contact Adam Moorad, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3122; fax: (212) 633-3820. International: Advertising Department, Elsevier, The Boulevard, Langford Lane Kidlington, Oxford O x 5 1GB, United Kingdom, Tel.: (+44) (0) 1865 843565, fax: (+44) (0) 1865 843 967; e-mail: media@elsevier.co.uk. Japan: Advertising Department, Elsevier Japan, Tel.: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047.

Disclaimer Notice: Statements and opinions expressed in the articles and communications herein are those of the author(s) and are not necessarily those of the Editor(s), North American Spine Society (NASS) or Publisher, or indicative of NASS views, policy or editorial concurrence. The Editor(s), the NASS, and the Publisher assume no responsibility for any injury and/or damage to persons or property as a matter of products liability, negligence, or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein. No suggested test or procedure should be carried out unless, in the reader's judgement, its risk is justified. Because of the rapid advances in the medical sciences, medical practitioners should obtain independent verification of diagnoses and drug dosages. Discussions, views, and recommendations as to medical procedures, choice of drugs, and drug dosages are the responsibility of the authors. Consumers should consult with their own doctors about their individual health status before making any health decisions.

Although all advertising material is expected to conform to ethical (medical) standards, the appearance of advertising in The Spine Journal does not constitute a guarantee or endorsement by the journal and/or the North American Spine Society of the quality or value of such product or to the claims made for it by its manufacturer. The fact that a product, service, or company is advertised in The Spine Journal shall not be referred to by the manufacturer in collateral advertising.

This paper meets the requirements of ANSI Standard Z39.48-1992 (Permanence of Paper).