

CONTENTS

Cited in: Chemical Abstracts, Excerpta Medica (EMBASE), Current Contents (Clinical Medicine; Life Sciences), Index Medicus (MEDLINE), Current Awareness in Biological Sciences (CABS), Full text available on ScienceDirect®

Reviews

Critical review and quality-assessment of cost analyses in radiotherapy: How reliable are the data? N. Defourny, C. Monten, C. Grau, Y. Lievens, L. Perrier (Belgium, Denmark, France)	14
Single vs multiple fraction palliative radiation therapy for bone metastases: Cumulative meta-analysis R. Chow, P. Hoskin, S.E. Schild, S. Raman, J. Im, D. Zhang, S. Chan, N. Chiu, L. Chiu, H. Lam, E. Chow, M. Lock (Canada, United Kingdom, USA)	56

Guidelines

Recommended ESTRO Core Curriculum for Radiation Oncology/Radiotherapy 4th edition K. Benstead, P.C. Lara, D. Andreopoulos, J.-E. Bibault, A. Dix, Y.G. Eller, P. Franco, M. Guilianni, J. Jaal, A. Juretic, E. Kozma, G. Lumsden, M. Maddalo, S. Magrini, I. Mjaaland, R. Pfeffer, O.M.T. de Sousa de Sa Pinto, M. Spalek, M.-C. Vozenin, C. Verfaillie, V. Van Egten, J.G. Eriksen (UK, Spain, Cyprus, France, Switzerland, Italy, Canada, Estonia, Croatia, Albania, Norway, Israel, Portugal, Poland, Belgium, Denmark)	1
ESTRO ACROP consensus guideline on the use of image guided radiation therapy for localized prostate cancer P. Ghadjar, C. Fiorino, P. Munck af Rosenschöld, M. Pinkawa, T. Zilli, U.A. van der Heide (Germany, Italy, Sweden, Switzerland, The Netherlands)	5

Clinical Trials

Cost-effectiveness analysis of neoadjuvant chemoradiotherapy followed by surgery versus surgery alone for locally advanced esophageal squamous cell carcinoma based on the NEOCRTEC5010 trial M. Zhan, H. Zheng, Y. Yang, T. Xu, Q. Li (China)	27
Risk factors for vertebral compression fracture after spine stereotactic body radiation therapy: Long-term results of a prospective phase 2 study F. Mantel, R.A. Sweeney, R.J. Klement, M.A. Hawkins, J. Belderbos, M. Ahmed, A. Toussaint, B. Polat, M. Flentje, M. Guckenberger (Germany, United Kingdom, the Netherlands, Switzerland)	62
Validation study of the association between genetic variant of IL4 and severe radiation pneumonitis in lung cancer patients treated with radiation therapy Y. Tang, L. Yang, W. Qin, M. Yi, B. Liu, X. Yuan (China)	86
Gleason pattern 5 is associated with an increased risk for metastasis following androgen deprivation therapy and radiation: An analysis of RTOG 9202 and 9902 D.A. Hamstra, S.L. Pugh, H. Lepor, S.A. Rosenthal, K.J. Pienta, L. Gomella, C. Peters, D.P. D'Souza, K.L. Zeitzer, C.U. Jones, W.A. Hall, E. Horwitz, T.M. Pisansky, L. Souhami, A.C. Hartford, M. Dominello, F. Feng, H.M. Sandler (USA, Canada)	137
MRI assisted focal boost integrated with HDR monotherapy study in low and intermediate risk prostate cancer (MARS): Results from a phase II clinical trial Y. Alayed, L. D'Alimonte, J. Helou, A. Ravi, G. Morton, H.T. Chung, M. Haider, M. McGuffin, L. Zhang, A. Loblaw (Canada, Saudi Arabia)	144
Intrapulmonary percussive ventilation leading to 20-minutes breath-hold potentially useful for radiation treatments N. Audag, G. Van Ooteghem, G. Liistro, A. Salini, X. Geets, G. Reyckler (Belgium)	292

Health Economics and Society Affairs

Radiotherapy underutilisation and its impact on local control and survival in New South Wales, Australia R. Merie, G. Gabriel, J. Shafiq, S. Vinod, M. Barton, G.P. Delaney (Australia)	41
Access to radiotherapy and its association with cancer outcomes in a high-income country: Addressing the inequity in Canada J. Chan, A. Polo, E. Zubizarreta, J.-M. Bourque, T.P. Hanna, M. Gaudet, K. Dennis, M. Brundage, B. Slotman, M. Abdel-Wahab (Canada, Austria, The Netherlands, United Kingdom)	48

Gastrointestinal Cancers

NTCP model for postoperative complications and one-year mortality after trimodality treatment in oesophageal cancer M. Thomas, G. Defraene, M. Lambrecht, W. Deng, J. Moons, P. Nafteux, S.H. Lin, K. Haustermans (Belgium, USA)	33
Combined transarterial chemoembolization and radiotherapy as a first-line treatment for hepatocellular carcinoma with macroscopic vascular invasion: Necessity to subclassify Barcelona Clinic Liver Cancer stage C Y.J. Kim, J. Jung, J.H. Joo, S.Y. Kim, J.H. Kim, Y.-S. Lim, H.C. Lee, J.H. Kim, S.M. Yoon (Republic of Korea)	95
A mid-treatment break and reassessment maintains tumor control and reduces toxicity in patients with hepatocellular carcinoma treated with stereotactic body radiation therapy W.C. Jackson, K. Suresh, C. Maurino, M. Feng, K.C. Cuneo, R.K. Ten Haken, T.S. Lawrence, M.J. Schipper, D. Owen (United States)	101
PSMA-PET guided dose-escalated volumetric arc therapy (VMAT) for newly diagnosed lymph node positive prostate cancer: Efficacy and toxicity outcomes at two years T.P. Shakespeare, E. Eggert, M. Wood, J. Westhuyzen, K. Turnbull, N. Rutherford, N. Aherne (Australia)	188

Genitourinary Cancers

Long-term survival and complications following bladder-preserving brachytherapy in patients with cT1-T2 bladder cancer C.S. Voskuilen, J. Bosschieter, E. van Werkhoven, K. Hendricksen, A.N. Vis, T. Witteveen, B.R. Pieters, M. Burger, A. Bex, H.G. van der Poel, L.M. Moonen, S. Horenblas, J.A. Nieuwenhuijzen, B.W.G. van Rhijn (The Netherlands, Germany, United Kingdom)	130
Results of 15 Gy HDR-BT boost plus EBRT in intermediate-risk prostate cancer: Analysis of over 500 patients K. Martell, L.C. Mendez, H.T. Chung, C.L. Tseng, Y. Alayed, P. Cheung, S. Liu, D. Vesprini, W. Chu, M. Wronski, E. Szumacher, A. Ravi, A. Loblaw, G. Morton (Canada, Saudi Arabia)	149

Salvage brachytherapy for locally-recurrent prostate cancer after radiation therapy: A comparison of efficacy and toxicity outcomes with high-dose rate and low-dose rate brachytherapy I. Henríquez López, C. González-San Segundo, J.O. Vegas, C. Gutierrez, A. Hervas, M.Á. Cabeza Rodríguez, J. Valero Albarrán, S. Rodríguez Villalba, A. Álvarez Gonzalez, G. Sancho Pardo, A. Zapatero, P.C. Álvaro (Spain)	156
High efficacy of hypofractionated proton therapy with 4 fractions of 5 Gy as a boost to 50 Gy photon therapy for localized prostate cancer S. Johansson, U. Isacson, F. Sandin, I. Turesson (Sweden)	164
Patterns of recurrence after prostate bed radiotherapy D.H. Brand, J.I. Parker, D.P. Dearnaley, R. Eeles, R. Huddart, V. Khoo, J. Murray, Y.-E. Suh, A.C. Tree, N. van As, C. Parker (UK)	174
Validation of T2- and diffusion-weighted magnetic resonance imaging for mapping intra-prostatic tumour prior to focal boost dose-escalation using intensity-modulated radiotherapy (IMRT) E.J. Alexander, J.R. Murray, V.A. Morgan, S.L. Giles, S.F. Riches, S. Hazell, K. Thomas, S.A. Sohaib, A. Thompson, A. Gao, D.P. Dearnaley, N.M. DeSouza (UK)	181
Validation of different PSMA-PET/CT-based contouring techniques for intraprostatic tumor definition using histopathology as standard of reference C. Zamboglou, T.F. Fassbender, L. Steffan, F. Schiller, T. Fechter, M. Carles, S. Kiefer, H.C. Rischke, K. Reichel, N.-S. Schmidt-Hegemann, H. Ilhan, A.F. Chirindel, G. Nicolas, C. Henkenberens, T. Derlin, P. Bronsert, P. Mavroidis, R.C. Chen, P.T. Meyer, J. Ruf, A.L. Grosu (Germany, Switzerland)	208
[⁶⁸ Ga-]PSMA-11 PET/CT and multiparametric MRI for gross tumor volume delineation in a slice by slice analysis with whole mount histopathology as a reference standard – Implications for focal radiotherapy planning in primary prostate cancer A.S. Bettermann, C. Zamboglou, S. Kiefer, C.A. Jilg, S. Spohn, J. Kranz-Rudolph, T.F. Fassbender, P. Bronsert, N.H. Nicolay, C. Gratzke, M. Bock, J. Ruf, M. Benndorf, A.L. Grosu (Germany)	214
Head and Neck Cancers	
The impact of target dosimetry on patients' locoregional recurrence in nasopharyngeal carcinoma: A propensity score-matched analysis J. Wang, G. Qing, X. Ou, W. Hu, C. Hu, Z. Zhang (China)	67
Dosimetric parameters predictive of nasolacrimal duct obstruction after carbon-ion radiotherapy for head and neck carcinoma N. Kubo, Y. Kubota, H. Kawamura, T. Oike, M. Sakai, T. Kumazawa, Y. Miyasaka, S. Okazaki, D. Kobayashi, H. Sato, T. Mizukami, A. Musha, K. Shirai, J.-i. Saitoh, S. Yokoo, K. Chikamatsu, T. Ohno, T. Nakano (Japan)	72
Radiomic signature: A novel magnetic resonance imaging-based prognostic biomarker in patients with skull base chordoma W. Wei, K. Wang, Z. Liu, K. Tian, L. Wang, J. Du, J. Ma, S. Wang, L. Li, R. Zhao, L. Cui, Z. Wu, J. Tian (China)	239
Intrathoracic Cancers	
Quantitative imaging: Erring patterns in manual delineation of PET-imaged lung lesions F. Yang, L. Young, Y. Yang (USA, PR China)	78
Physics	
A model-based patient selection tool to identify who may be at risk of exceeding dose tolerances during pancreatic SBRT A. Magallon-Baro, P.V. Granton, M.T.W. Milder, M. Loi, A.G. Zolnay, J.J. Nuyttens, M.S. Hoogeman (The Netherlands)	116
Synthetic MRI-aided multi-organ segmentation on male pelvic CT using cycle consistent deep attention network X. Dong, Y. Lei, S. Tian, T. Wang, P. Patel, W.J. Curran, A.B. Jani, T. Liu, X. Yang (United States)	192
End-to-end empirical validation of dose accumulation in MRI-guided adaptive radiotherapy for prostate cancer using an anthropomorphic deformable pelvis phantom O. Bohoudi, F.J. Lagerwaard, A.M.E. Bruynzeel, N.I. Niebuhr, W. Johnen, S. Senan, B.J. Slotman, A. Pfaffenberger, M.A. Palacios (The Netherlands, Germany)	200
RBE-weighted dose in carbon ion therapy for ACC patients: Impact of the RBE model translation on treatment outcomes S. Molinelli, M. Bonora, G. Magro, S. Casale, J.E. Dale, P. Fossati, A. Hasegawa, A. Mirandola, S. Ronchi, S. Russo, L. Preda, F. Valvo, R. Orecchia, M. Ciocca, B. Vischioni (Italy, Norway, Austria, Japan)	227
RBE-weighted doses in target volumes of chordoma and chondrosarcoma patients treated with carbon ion radiotherapy: Comparison of local effect models I and IV C. Gillmann, O. Jäkel, C.P. Karger (Germany)	234
Practical robustness evaluation in radiotherapy – A photon and proton-proof alternative to PTV-based plan evaluation E.W. Korevaar, S.J.M. Habraken, D. Scandurra, R.G.J. Kierkels, M. Unipan, M.G.C. Eenink, R.J.H.M. Steenbakkers, S.G. Peeters, J.D. Zindler, M. Hoogeman, J.A. Langendijk (The Netherlands)	267
Multi-institutional evaluation of MVCT guided patient registration and dosimetric precision in total marrow irradiation: A global health initiative by the international consortium of total marrow irradiation D. Zuro, S. Vagge, S. Broggi, S. Agostinelli, Y. Takahashi, J. Brooks, P. Leszczynska, A. Liu, C. Zucchetti, S. Saldi, C. Han, M. Cattaneo, S. Giebel, M.A. Mahe, J.F. Sanchez, P. Alaei, C. Anna, K. Dusenbery, A. Pierini, G. Storme, C. Aristei, J.Y.C. Wong, S. Hui (USA, Italy, Japan, Poland, France, Belgium)	275
Mechanically-assisted and non-invasive ventilation for radiation therapy: A safe technique to regularize and modulate internal tumour motion G. Van Ooteghem, D. Dasnoy-Sumell, J.A. Lee, X. Geets (Belgium)	283
The feasibility, safety and optimization of multiple prolonged breath-holds for radiotherapy M.J. Parkes, S. Green, W. Kilby, J. Cashmore, Q. Ghafoor, T.H. Clutton-Brock (United Kingdom, United States)	296

Is adaptive treatment planning in multi-catheter interstitial breast brachytherapy necessary? K. Kallis, M. Ziegler, M. Lotter, S. Kreppner, V. Strnad, R. Fietkau, C. Bert (Germany)	304
Estimation of inter-fractional variations in interstitial multi-catheter breast brachytherapy using a hybrid treatment delivery system K. Kallis, N. Abu-Hossin, S. Kreppner, M. Lotter, V. Strnad, R. Fietkau, C. Bert (Germany)	312
Biology	
Evofosfamide sensitizes esophageal carcinomas to radiation without increasing normal tissue toxicity L. Spiegelberg, S.J. van Hoof, R. Biemans, N.G. Lieuwes, D. Marcus, R. Niemans, J. Theys, A. Yaromina, P. Lambin, F. Verhaegen, L.J. Dubois (the Netherlands)	247
Low doses of ionizing radiation activate endothelial cells and induce angiogenesis in peritumoral tissues F. Gil Marques, E. Poli, J. Malaquias, T. Carvalho, A. Portêlo, A. Ramires, F. Aldeia, R.M. Ribeiro, E. Vitorino, I. Diegues, L. Costa, J. Coutinho, F. Pina, M. Mareel, S. Constantino Rosa Santos (Portugal, Belgium)	256
DNA damage enhancement by radiotherapy-activated hafnium oxide nanoparticles improves cGAS-STING pathway activation in human colorectal cancer cells J. Marill, N. Mohamed Anesary, S. Paris (France)	262
Data Science	
How to evaluate agreement between quantitative measurements A. Kopp-Schneider, T. Hielscher	321
Personalized Radiation Oncology	
⁶⁸ Ga-DOTATATE PET/CT parameters predict response to peptide receptor radionuclide therapy in neuroendocrine tumours U. Sharma, W.M. Wang, S. Yusuf, J. Evans, R. Ramaswami, F. Wernig, A. Frilling, F. Mauri, A. Al-Nahhas, E.O. Aboagye, T.D. Barwick (UK)	108
Gynaecological Cancer	
Vienna-II ring applicator for distal parametrial/pelvic wall disease in cervical cancer brachytherapy: An experience from two institutions: Clinical feasibility and outcome U. Mahantshetty, A. Sturdza, P. Naga CH, D. Berger, I. Fortin, L. Motisi, M.P. Schmid, D. Aravindakshan, Y. Ghadi, J.V. Swamidas, S. Chopra, L. Gurram, N. Nesvacil, C. Kirisits, R. Pötter (India, Austria, Canada, Germany)	123
Other	
Evaluating the application of Pareto navigation guided automated radiotherapy treatment planning to prostate cancer P.A. Wheeler, M. Chu, R. Holmes, O.W. Woodley, C.S. Jones, R. Maggs, J. Staffurth, N. Palaniappan, E. Spezi, D.G. Lewis, S. Campbell, J. Fitzgibbon, A.E. Millin (United Kingdom)	220
Letters to the Editor	
Should risk-adapted delineation considered de-escalation of therapy? The ESTRO-ACROP radiation therapy guidelines after implant-based immediate reconstruction for early stage breast cancer O. Kaidar-Person, B.V. Offersen, P. Poortmans (Israel, Denmark, France)	327
ESTRO ACROP consensus guideline for target volume delineation in the setting of postmastectomy radiation therapy after implant-based immediate reconstruction for early stage breast cancer R.W. Mutter (United States)	329
Comment on Long-term risks of secondary cancer for various whole and partial breast irradiation techniques H. Ghaznavi (Iran)	331
Erratum	
Erratum to “Consolidative thoracic radiotherapy in stage IV small cell lung cancer: Selection of patients amongst European IASLC and ESTRO experts” [Radiother. Oncol. 135 (2019) 74–77] P.M. Putora, M. Glatzer, D. De Ruysscher, C. Faivre-Finn, J. Belderbos, B. Besse, F. Blackhall, R. Califano, F. Cappuzzo, F. de Marinis, R. Dziaduszek, E. Felip, M. Früh, P. Garrido, C. Le Pechoux, F. McDonald, U. Nestle, S. Novello, M. O’ Brien, L. Paz Ares, S. Peeters, C. Pöttgen, S. Ramella, M. Reck, E.G.C. Troost, P. Van Houtte, V. Westeel, J. Widder, F. Mornex, B.J. Slotman (Switzerland, The Netherlands, UK, France, Italy, Poland, Spain, Germany, Belgium, Austria)	332