

**Clinical Report**

- 181 Management of peripheral giant cell granuloma around complete-arch fixed implant-supported prosthesis: A case series**  
Avinash S. Bidra, BDS, MS, Mitchell J. Persenaire, DMD, MDSc, and Easwar Natarajan, BDS, MDSc

**Dental Techniques**

- 189 Complete digital workflow in prosthesis prototype fabrication for complete-arch implant rehabilitation: A technique**  
Panos Papaspyridakos, DDS, MS, PhD, Yo-wei Chen, DDS, MS, Ilenia Gonzalez-Gusmao, DDS, and Wael Att, DDS, Dr med dent, PhD
- 193 Combination of cone beam computed tomography and CAD-CAM techniques for maintaining natural emergence profile in immediate extraction and/or implant placement and restoration of a central incisor: A dental technique**  
Renaud Noharet, DDS, PhD and Eric Van Dooren, DDS

**Systematic Reviews**

- 198 Annual review of selected scientific literature: A report of the Committee on Scientific Investigation of the American Academy of Restorative Dentistry**  
David R. Cagna, DMD, MS, Terence E. Donovan, DDS, James R. McKee, DDS, Frederick Eichmiller, DDS, James E. Metz, DDS, Jean-Pierre Albouy, DDS, PhD, Riccardo Marzola, DDS, Kevin R. Murphy, DDS, MS, and Matthias Troeltzsch, MD, DMD
- 270 Fabrication of dental implants by the additive manufacturing method: A systematic review**  
Thaísa T. Oliveira, DDS and Andréa C. Reis, PhD

- 275 Evaluation of maxillary anterior teeth width: A systematic review**  
Peixi Liao, BDS, Yuwei Fan, MS, PhD, and Dan Nathanson, DDS, MSD

**Clinical Research**

- 282 Reliability of a three-dimensional facial camera for dental and medical applications: A pilot study**  
Shiming Liu, DMD, Murali Srinivasan, Dr med dent, BDS, MDS, MBA, MAS, Roland Mörzinger, MSc, Marcel Lancelle, PhD, Thabo Beeler, PhD, Markus Gross, Prof PhD, Barbara Solenthaler, PhD, Vincent Fehmer, MDT, and Irena Sailer, Prof Dr med dent
- 288 Dynamic changes of peri-implant soft tissue after interim restoration removal during a digital intraoral scan**  
Junying Li, DDS, MS, Zhaozhao Chen, DDS, MS, Meijie Wang, DDS, Hom-Lay Wang, DDS, MS, PhD, and Haiyang Yu, DDS, PhD
- 295 Influence on peri-implant bone loss of different fixed partial dentures retained on 2 implants**  
M. Fernanda Solá-Ruíz, DDS, MD, PhD, Begoña Martí-Martí, DDS, Cristina Rech-Ortega, DDS, PhD, Lucía Fernández-Estevan, DDS, PhD, and Rubén Agustín-Panadero, DDS, PhD
- 301 Retrospective cohort analysis of maxillary overdentures retained by unsplinted implants**  
Evanthia Anadioti, MS, W. Day Gates III, MS, Julie Elpers, MS, Ingeborg J. De Kok, MS, and Lyndon F. Cooper, PhD

**Research: Implant Prosthodontics**

- 309 Accuracy, reproducibility, and dimensional stability of additively manufactured surgical templates**  
Li Chen, BDS, PhD, Wei-Shao Lin, DDS, Waldemar D. Polido, DDS, MS, PhD, George J. Eckert, MAS, and Dean Morton, BDS, MS
- 315 Fatigue survival and failure resistance of titanium versus zirconia implant abutments with various connection designs**  
Nazmiye Sen, DDS, PhD and Yesim Olcer Us, DDS, PhD



**On the Cover**  
*Mesa Arch, Canyonlands National Park, Utah.*

**Research: Removable Prosthodontics**

- 316 Adaptation of removable partial denture frameworks fabricated by selective laser melting**  
Hu Chen, DDS, Hong Li, PhD, Yijiao Zhao, MS, Xinyue Zhang, MS, Yong Wang, MS, and Peijun Lyu, DDS, PhD

**Research: Ceramics**

- 325 Discoloration and translucency changes of CAD-CAM materials after exposure to beverages**  
Çağatay Barutçugil, DDS, PhD, Dilber Bilgili, DDS, Kubilay Barutçugil, DDS, PhD, Ayşe Dündar, DDS, PhD, Ulviye Şebnem Büyükkaplan, DDS, PhD, and Burak Yılmaz, DDS, PhD

**Research: Resins**

- 332 Influence of resin-coating agents on the roughness and color of composite resins**  
Fabio A. P. Rizzante, DDS, MSc, PhD, Juliana S. F. Bombonatti, DDS, MSc, PhD, Layla Vasconcelos, DDS, MSc, Thiago S. Porto, DDS, MSc, PhD, Sorin Teich, DMD, MBA, and Rafael F. L. Mondelli, DDS, MSc, PhD

**Maxillofacial Prosthetics**

- 333 Accuracy of capturing oncology facial defects with multimodal image fusion versus laser scanning**  
Rachael Y. Jablonski, BDS, MFDS RCS (Edin), Cecilie A. Osnes, BA (Hons), MSc, Balvinder S. Khambay, BDS, PhD, FDS RCS(Eng), MOrth RCS(Edin), FDS(Ortho) RCS(Eng), Brian R. Nattress, BChD, PhD, FDS RCS(Edin), MRD RCS(Edin), FDTFEd, and Andrew J. Keeling, BSc, BDS, MFGDP, PhD

**Tips from Our Readers**

- 339 Fabricating an inexpensive leaf gauge deprogrammer from panoramic radiographic film**  
Amit M. Gaikwad, BDS, MDS and Shraddha Tamore, BDS, MDS

**About JPD**

- A5 The Essentials**  
**341 News and Notes**

**Noteworthy Abstracts of the Current Literature**

- 197 Real-time in-depth imaging of gap formation in bulk-fill resin composites**  
**281 Randomized controlled clinical trial comparing cemented versus screw-retained single crowns on customized zirconia abutments: 3-year results**  
**287 The progressive wear and abrasiveness of novel graded glass/zirconia materials relative to their dental ceramic counterparts**  
**331 New multi-layered zirconias: Composition, microstructure and translucency**

**Jim Janakievski, Cover Artist**

Jim Janakievski received his DDS from the University of Toronto. After several years in general practice, he completed his post-graduate training at the University of Washington where he received a certificate in periodontology with a MSD degree and a fellowship in prosthodontics. Jim maintains a private practice limited to periodontics and implant dentistry in Tacoma, Washington. Outside of dental practice, Jim enjoys traveling to discover and experience interesting places in the world. His photographs tell a story with simple composition and unique perspective.



Statements and opinions in the articles and communications herein are those of the author(s) and not necessarily those of the Editor(s), publisher, or The Editorial Council. The Editor(s), publisher, and The Editorial Council disclaim any responsibility or liability for such material and do not guarantee, warrant, or endorse any product or service advertised in this publication, nor do they guarantee any claim made by the manufacturer of such product or service.