

Clinical Report

717 CAD-CAM–fabricated interim fixed complete-arch implant-supported restorations based on the existing dentition

Jingjing Shao, MDS, Hai Qing, DDS, PhD, MDS, Zhimin Zhu, PhD, MDS, and Lei Li, PhD, MDS

Dental Techniques

724 Virtual facebow technique using standardized background images

Alexandru Petre, DMD, PhD, Sergiu Drafta, DMD, PhD, Cosmin Stefanescu, DMD, and Luminita Oancea, DMD, PhD

729 A technique for verifying the accuracy of the virtual mounting of digital scans against the actual occlusal contacts

Jae-Min Seo, DDS, MSD, PhD, Won-suk Oh, DDS, MS, and Jung-Jin Lee, DDS, MSD, PhD

733 Passively fitting implant-supported complete-arch interim restoration

Xiaoqiang Liu, DDS, PhD, Man Li, BD, Jianzhang Liu, DDS, PhD, and Jianguo Tan, DDS, PhD

737 Alignment of intraoral scans and registration of maxillo-mandibular relationships for the edentulous maxillary arch

Lucio Lo Russo, DDS, PhD, Domenico Ciavarella, DDS, PhD, Angelo Salamini, Eng, and Laura Guida, DDS

741 Facially generated and additively manufactured baseplate and occlusion rim for treatment planning a complete-arch rehabilitation: A dental technique

Wenceslao Piedra Cascón, DDS, MS, Juan Ruiz de Gopegui, DDS, MS, and Marta Revilla-León, DDS, MSD

746 Adhesive residue on the CAD-CAM surgical guide sleeve: A technical report

Phillip Roe, DDS, MS, Kitichai Rungcharassaeng, DDS, MS, Joseph Y. Kan, DDS, MS, and Armand Putra, BDS, MSD

749 Fabricating a reduction guide for parallel guiding planes with computer-aided design and computer-aided manufacturing technology

Ju-Hyoung Lee, DDS

Systematic Reviews

754 Effect of cement type on the clinical performance and complications of zirconia and lithium disilicate tooth-supported crowns: A systematic review. Report of the Committee on Research in Fixed Prosthodontics of the American Academy of Fixed Prosthodontics

Georgios Maroulakos, DDS, MS, Geoffrey A. Thompson, DDS, MS, and Elias D. Kontogiorgos, DDS, PhD

766 Optimal number of implants for complete-arch implant-supported prostheses with a follow-up of at least 5 years: A systematic review and meta-analysis

Jéssica Marcela de Luna Gomes, DDS, MS, PhD, Cleidiel Aparecido Araújo Lemos, DDS, MS, PhD, Joel Ferreira Santiago Junior, DDS, MS, PhD, Sandra Lúcia Dantas de Moraes, DDS, MS, PhD, Marcelo Coelho Goiato, DDS, MS, PhD, and Eduardo Piza Pellizzer, DDS, MS, PhD



On the Cover

Great egret. Magee Marsh, Ohio.

775 Zirconia abutments in the anterior region: A systematic review of mechanical and esthetic outcomes

Adrien Naveau, DDS, PhD,
Christophe Rignon-Bret, DDS, PhD, and
Claudine Wulfman, DDS, PhD

Clinical Research

782 Ten-year survival of pressed, acid-etched e.max lithium disilicate monolithic and bilayered complete-coverage restorations: Performance and outcomes as a function of tooth position and age

Kenneth A. Malament, DDS, MScD,
Zuhair S. Natto, BDS, MSc, DrPH, Van Thompson, PhD, DDS,
Dianne Rekow, PhD, DDS, Steven Eckert, DDS, MSD, and
Hans-Peter Weber, DMD, Dr med dent

791 The effect of age and prosthodontic status on the clinical and electromyographic assessment of the interocclusal rest space

Javier Montero, DDS, MS and Abraham Dib, DDS, MS

Research: CAD-CAM

797 Dimensional accuracy of microcomputed tomography-scanned half-arch impressions

Mayuri Kerr, BDS, MS, Neil Park, DMD,
David Leeson, BEng (Hons), MSc, and Sergey Nikolskiy, MS

803 Feasibility of using an intraoral scanner for a complete-arch digital scan

Gun-Hong Park, MSD, KeunBaDa Son, and
Kyu-Bok Lee, DDS, PhD

811 Accuracy of 4 digital scanning systems on prepared teeth digitally isolated from a complete dental arch

Priscilla Medina-Sotomayor, PhD,
Agustín Pascual-Moscardo, DMD, and
Isabel Camps A, DMD

Research: Fixed Prosthodontics

821 Influence of interim cements on the optical properties of interim restorations

Ayla Macyelle de Oliveira Correia, DDS, MS,
Alessandra Buhler Borges, DDS, MS, PhD,
Taciana Marco Ferraz Caneppele, DDS, MS, PhD, and
Carlos Rocha Gomes Torres, DDS, PhD

828 Fracture resistance of cingulum rest seats in CAD-CAM tooth-colored crowns for removable partial denture abutments

Joshua A. Manchester, DDS, MSD,
Kwok-Hung Chung, DDS, MS, PhD, James S. Brudvik, DDS,
Van Ramos, Jr, DDS, and Yen-Wei Chen, DDS, MSD

Research: Implant Prosthodontics

836 Accuracy of computer-guided implant placement in anterior regions

Yiqin Fang, DDS, Xueyin An, DDS,
Seung-Mi Jeong, DDS, PhD, and Byung-Ho Choi, DDS, PhD

Research: Removable Prosthodontics

843 Effects of nonaldehyde immersion disinfection on the mechanical properties of flexible denture materials

Alex Leo Sequeira, BDS, MDS, Aparna I. Narayan, BDS, MDS,
and Vinu Thomas George, BDS, MDS

Research: Metal-Ceramics

848 Effects of the rare earth element lanthanum on the metal-ceramic bond strength of dental casting Co-Cr alloys

Yanan Zhou, BE, Ning Li, PhD, Hongmei Wang, DDS,
Jiazhen Yan, PhD, Wenbo Liu, PhD, and Sheng Xu, DDS

Maxillofacial Prosthetics

858 Integration of digital technology in the workflow for an osseointegrated implant-retained nasal prosthesis: A clinical report

Lindsay McHutchion, BSc, MS, Carolyn Kincade, RDT, BTEch,
and Johan Wolfaardt, BDS, MDent, PhD

Tips from Our Readers

863 Virtual smile design tip: From 2D to 3D design with free software

Antoine Galibourg, DDS, MS, MEng and
Christian Brenes, DDS, MS

Online Only Articles

865 A 3D finite element analysis of glass fiber reinforcement designs on the stress of an implant-supported overdenture

Guilherme Berger, DDS, MS, PhD,
Luiz Felipe de Oliveira Pereira, DDS,
Evelise Machado de Souza, DDS, MS, PhD, and
Rodrigo Nunes Rached, DDS, MS, PhD

866 Effect of grinding and polishing on the roughness and fracture resistance of cemented CAD-CAM monolithic materials submitted to mechanical aging

Francesco Saverio Ludovichetti, DDS,
Flávia Zardo Trindade, DDS, MSc, PhD,
Gelson Luis Adabo, DDS, MSc, PhD, Luca Pezzato, Eng, PhD,
and Renata Garcia Fonseca, DDS, MSc, PhD

- 867 Bond strength of ceramics heat-pressed onto three dental alloys**
Chun-Chuan Yang, CDT, MS, Yu-Ching Liu, CDT, MS, and Min Yan, DDS, PhD
- 868 Effect of acidic drinks on shade matching, surface topography, and mechanical properties of conventional and bulk-fill composite resins**
Marcela G. Borges, DDS, MS, Carlos J. Soares, DDS, MS, PhD, Thaís S. Maia, DDS, MS, Aline A. Bicalho, DDS, MS, PhD, Tarsis P. Barbosa, DDS, MS, Henara L. Costa, DDS, MS, PhD, and Murilo S. Menezes, DDS, MS, PhD

About JPD

- A6 The Essentials**
- 869 News and Notes**

Noteworthy Abstracts of the Current Literature

- 753 Assessing the osteogenic potential of zirconia and titanium surfaces with an advanced in vitro model**
- 765 Strength-limiting damage in lithium silicate glass-ceramics associated with CAD-CAM**
- 835 Influence of glass ceramic coating on composite zirconia bonding and its characterization**
- 847 Influence of residual thermal stresses on the edge chipping resistance of PFM and veneered zirconia structures: Experimental and FEA study**

Bob Rashid, Cover Artist

Dr Bob Rashid received his DDS degree from the University of Washington and his Masters of Applied Statistics (MAS) degree from The Ohio State University. He has taught restorative dentistry and dental photography for over 33 years, along with evidence-based dentistry. He is currently teaching part-time as Emeritus Professor-Clinical. He has always had a love of nature and a recent fascination with the smaller birds migrating through Ohio. Visits to Magee Marsh on Lake Erie and to a local bald eagle nest in Columbus have given him a chance to use his photographic experience to help him better identify the birds he sees.



Statements and opinions in the articles and communications herein are those of the author(s) and not necessarily those of the Editor(s), publisher, or The Editorial Council. The Editor(s), publisher, and The Editorial Council disclaim any responsibility or liability for such material and do not guarantee, warrant, or endorse any product or service advertised in this publication, nor do they guarantee any claim made by the manufacturer of such product or service.