

Clinical Report

- 343 Treatment and esthetic management of traumatized maxillary central incisors with endodontic therapy and the inside/outside bleaching technique: A clinical report**
Michael L. Myers, DMD, Mario F. Romero, DDS, Lisiane F. Susin, DDS, and Courtney S. Babb, DMD

Dental Techniques

- 348 Digital custom implant impression technique for capturing the acquired emergence profile**
Russell Crockett, DMD, Jenna Benko, DMD, Denny Chao, DMD, and Kumar C. Shah, BDS, MS
- 351 Use of an open-source CAD software program and additive manufacturing technology to design and fabricate a definitive cast for retrofitting a crown to an existing removable partial denture**
Fang-Yu Su, DDS, Jen-Chih Tsai, DDS, Dean Morton, BDS, MS, and Wei-Shao Lin, DDS

Systematic Review

- 355 Preclinical application of recombinant human bone morphogenetic protein 2 on bone substitutes for vertical bone augmentation: A systematic review and meta-analysis**
Fei Teng, MDS, Dedong Yu, DDS, Lingfei Wei, MDS, Naichuan Su, MDS, and Yuelian Liu, PhD

Clinical Research

- 364 Digital scanning for implant-supported fixed complete-arch dental prostheses for patients with epidermolysis bullosa: A case series evaluation**
Rubén Agustín-Panadero, DDS, PhD, Blanca Serra-Pastor, DDS, David Peñarrocha-Oltra, DDS, PhD, Alberto Ferreira, DDS, PhD, and Miguel Peñarrocha-Diago, DDS, PhD



On the Cover

Hoh Rainforest, Olympic National Park, Forks, Washington.

- 371 Implementation of a surgical safety checklist for dental implant surgeries in a prosthodontics residency program**
David P. Remiszewski, DMD and Avinash S. Bidra, BDS, MS

Research: Implant Prosthodontics

- 376 Mechanical analysis of a dental implant system under 3 contact conditions and with 2 mechanical factors**
Hung-Chih Chang, MS, Hung-Yuan Li, PhD, Yen-Nien Chen, PhD, Chih-Han Chang, PhD, and Chau-Hsiang Wang, DDS, MDS, PhD
- 383 Comparative evaluation of BioHPP and titanium as a framework veneered with composite resin for implant-supported fixed dental prostheses**
Hang-ying Jin, MDS, Min-hua Teng, PhD, Zhen-jun Wang, MDS, Xin Li, MDS, Jia-yue Liang, MDS, Wen-xue Wang, MDS, Shuai Jiang, MDS, and Bao-dong Zhao, MDS

- 389 Architecture and design of a robotic mastication simulator for interactive load testing of dental implants and the mandible**
Ahmad Mahmood Tahir, PhD, Michal Jilich, PhD, Duc Cuong Trinh, PhD, Giorgio Cannata, MS, Fabrizio Barberis, PhD, and Matteo Zoppi, PhD

Research: Removable Prosthodontics

- 390 Evaluation of removable partial denture frameworks fabricated using 3 different techniques**
Irving Tregerman, DDS, Walter Renne, DMD, Abigail Kelly, MS, and Dalton Wilson, DDS

Research: Ceramics

- 396 Impact of high-speed sintering on translucency, phase content, grain sizes, and flexural strength of 3Y-TZP and 4Y-TZP zirconia materials**
Jan Ulrich Jansen, MSc, Nina Lümekemann, MSc, Inge Letz, DDT, Regina Pfefferle, BSc, Beatrice Sener, MTA, PD Dr Dipl Ing (FH), and Bogna Stawarczyk, MSc

404 Effect of masticatory simulation on the translucency of different types of dental zirconia
Islam Abd Alraheem, DDS, MS, Terry E. Donovan, DDS, Brandon Rodgers, BS, Lee Boushell, DDS, MS, and Taiseer A. Sulaiman, BDS, PhD

410 Effect of zirconia surface treatment on its wettability by liquid ceramics
Beata Śmielak, DDS, PhD, Leszek Klimek, PhD, Rafał Wojciechowski, PhD, and Marcin Bąkała, PhD

411 Alteration of the intaglio surface of lithium disilicate glass-ceramic
Catherine M. Gorman, MSc, PhD, Daithi de Faoite, BE, PhD, David Flannery, BDentTech, Marta Ratajczak, BDentTech, Tomás Kelly, BE, and Kenneth T. Stanton, BSc, MSc, PhD

Maxillofacial Prosthetics

412 An alternative impression technique for capturing anatomic undercuts to rehabilitate a patient with a total maxillectomy: A clinical report
Ruth Aponte-Wesson, DDS, MS, Ali Amir Khadivi, DDS, BMSc, Richard Cardoso, DDS, MS, and Mark S. Chambers, DMD, MS

Tips from Our Readers

417 A technique for facilitating open-tray implant impressions
Stefan Wolfart, Prof. Dr med dent and Burak Yilmaz, DDS, PhD

Letters to the Editor

420 Comments regarding: Kim KA, Oh WS, Lee JJ. Recording an accurate maxillomandibular relationship by adding vertical stops to the occlusal rims. J Prosthet Dent 2019;121:242-245.
Himanshi Aggarwal, MDS, Arvind Tripathi, MDS, MNAMS, and Ashutosh Gupta, MDS

420 Response to the letter to the Editor regarding "Recording an accurate maxillomandibular relationship by adding vertical stops to the occlusal rims"
Jung-jin Lee, DDS, PhD

About JPD

A5 The Essentials

422 News and Notes

Noteworthy Abstracts of the Current Literature

363 Remake rates for single-unit crowns in clinical practice: Findings from The National Dental Practice-Based Research Network

395 Microstructural development during heat treatment of a commercially available dental-grade lithium disilicate glass-ceramic

403 Do thermal treatments affect the mechanical behavior of porcelain-veneered zirconia? A systematic review and meta-analysis

416 Comparison of various implant provisional resin materials for cytotoxicity and attachment to human gingival fibroblasts

Jim Janakievski, Cover Artist

Jim Janakievski received his DDS from the University of Toronto. After several years in general practice, he completed his post-graduate training at the University of Washington where he received a certificate in periodontology with a MSD degree and a fellowship in prosthodontics. Jim maintains a private practice limited to periodontics and implant dentistry in Tacoma, Washington. Outside of dental practice, Jim enjoys traveling to discover and experience interesting places in the world. His photographs tell a story with simple composition and unique perspective.



Statements and opinions in the articles and communications herein are those of the author(s) and not necessarily those of the Editor(s), publisher, or The Editorial Council. The Editor(s), publisher, and The Editorial Council disclaim any responsibility or liability for such material and do not guarantee, warrant, or endorse any product or service advertised in this publication, nor do they guarantee any claim made by the manufacturer of such product or service.