



## Correction to: NR2A- and NR2B-NMDA receptors and drebrin within postsynaptic spines of the hippocampus correlate with hunger-evoked exercise

Yi-Wen Chen<sup>1</sup> · Hannah Actor-Engel<sup>1</sup> · Ang Doma Sherpa<sup>1</sup> · Lauren Klingensmith<sup>1</sup> · Tara G. Chowdhury<sup>1,2</sup> · Chiye Aoki<sup>1</sup>

Published online: 31 January 2020  
© Springer-Verlag GmbH Germany, part of Springer Nature 2020

**Correction to:** *Brain Struct Funct* (2017) 222:2271–2294.  
<https://doi.org/10.1007/s00429-016-1341-7>

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The title of Fig. 6 in the original article was incorrectly published as "normalized cytoplasmic NR2A".

The correct title should read as follows "normalized post-synaptic NR2B".

---

The original article can be found online at <https://doi.org/10.1007/s00429-016-1341-7>.

---

✉ Chiye Aoki  
ca3@nyu.edu

<sup>1</sup> Center for Neural Science, New York University, 4 Washington Place Room 809, New York, NY 10003, USA

<sup>2</sup> Department of Neuroscience, University of Pittsburgh, Pittsburgh, USA