



Correction to: Diagnostic performance of dual-energy CT and subtraction CT for renal lesion detection and characterization

Ali Pourvaziri¹ · Anushri Parakh¹ · Amirkasra Mojtahed¹ · Avinash Kambadakone¹ · Dushyant Vasudeo Sahani²

Published online: 11 July 2019
© European Society of Radiology 2019

Correction to: European Radiology

<https://doi.org/10.1007/s00330-019-06224-6>

The original version of this article, published on 27 May 2019, unfortunately contained a mistake. The following correction has therefore been made in the original:

The names of Avinash Kambadakone and Dushyant Vasudeo Sahani were presented incorrectly. The corrected author list is given above. The original article has been corrected.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s00330-019-06224-6>

✉ Dushyant Vasudeo Sahani
dsahani@uw.edu

¹ Department of Radiology, Division of Abdominal Imaging and Intervention, Massachusetts General Hospital, Harvard Medical School, 55 Fruit St, White 270, Boston, MA 02114, USA

² Department of Radiology, University of Washington, Box 357115, Seattle, WA 98195-7115, USA