

118. Garibyan L, Cornelissen L, Sipprell W, et al. Transient alterations of cutaneous sensory nerve function by noninvasive cryolipolysis. *J Invest Dermatol*. 2015;135(11):2623-2631.
119. Jalian HR, Avram MM, Garibyan L, Mihm MC, Anderson RR. Paradoxical adipose hyperplasia after cryolipolysis. *JAMA Dermatol*. 2014;150(3):317-319.
120. Light D, Arvanitis GM, Abramson D, Glasberg SB. Effect of weight loss after bariatric surgery on skin and the extracellular matrix. *Plast Reconstr Surg*. 2010;125(1):343-351.
121. Choo S, Marti G, Nastai M, Mallalieu J, Shermak MA. Biomechanical properties of skin in massive weight loss patients. *Obes Surg*. 2010;20(10):1422-1428.
122. Prist IH, Salles AG, de Lima TM, Modolin MLA, Gemperli R, Souza HP. Extracellular matrix remodeling derangement in ex-obese patients. *Mol Cell Biochem*. 2017;425(1-2):1-7.
123. Orpheu SC, Coltro PS, Scopel G, et al. Collagen and elastic content of abdominal skin after surgical weight loss. *Obes Surg*. 2010;20(4):480-486.
124. Klassen AF, Cano SJ, Scott A, Johnson J, Pusic AL. Satisfaction and quality-of-life issues in body contouring surgery patients: a qualitative study. *Obes Surg*. 2012;22(10):1527-1534.
125. Biorserud C, Nielsen C, Staalesen T, Elander A, Olbers T, Olsen MF. Sahlgrenska Excess Skin Questionnaire (SEQ): a reliable questionnaire to assess the experience of excessive skin after weight loss. *J Plast Surg Hand Surg*. 2013;47(1):50-59.
126. Kitzinger HB, Abayev S, Pittermann A, et al. The prevalence of body contouring surgery after gastric bypass surgery. *Obes Surg*. 2012;22(1):8-12.
127. Hasanbegovic E, Sorensen JA. Complications following body contouring surgery after massive weight loss: a meta-analysis. *J Plast Reconstr Aesthet Surg*. 2014;67(3):295-301.

Answers to CME examination

Identification No. JB1119

November 2019 issue of the Journal of the American Academy of Dermatology.

Rosen J, Darwin E, Tuchayi SM, Garibyan L, Yosipovitch G. *J Am Acad Dermatol* 2019;81:1059-69.

1. a
2. c