

4. Molad Y, Stark P, Prokocimer M, Joshua H, Pinkhas J, Sidi Y. Hemophagocytosis by small cell lung carcinoma. *Am J Hematol*. 1991;36(2):154-156.
5. Goel S, Polski JM, Imran H. Sensitivity and specificity of bone marrow hemophagocytosis in hemophagocytic lymphohistiocytosis. *Ann Clin Lab Sci*. 2012;42(1):21-25.
6. Henter JL, Home A, Arico M, et al. HLH-2004: Diagnostic and therapeutic guidelines for hemophagocytic lymphohistiocytosis. *Pediatr Blood Cancer*. 2007;48(2):124-131.
7. Ho C, Yao X, Tian L, Li FY, Podoltsev N, Xu ML. Marrow assessment for hemophagocytic lymphohistiocytosis demonstrates poor correlation with disease probability. *Am J Clin Pathol*. 2014;141(1):62-71.
8. Suster S, Hilsenbeck S, Rywlin AM. Reactive histiocytic hyperplasia with hemophagocytosis in hematopoietic organs: a reevaluation of the benign hemophagocytic proliferations. *Hum Pathol*. 1988;19(6):705-712.
9. Chandra H, Chandra S, Kaushik R, Bhat N, Shrivastava V. Hemophagocytosis on bone marrow aspirate cytology: single center experience in North Himalayan region of India. *Ann Med Health Sci Res*. 2014;4(5):692-696.
10. Marton PF. Erythrophagocytosis in the human bone marrow as disclosed by iliac bone biopsies. *Scand J Haematol*. 1975;14(3):153-159.
11. Risdall RJ, McKenna RW, Nesbit ME, et al. Virus-associated hemophagocytic syndrome: a benign histiocytic proliferation distinct from malignant histiocytosis. *Cancer*. 1979;44(3):993-1002.
12. Gars E, Purington N, Scott G, et al. Bone marrow histomorphological criteria can accurately diagnose hemophagocytic lymphohistiocytosis. *Haematologica*. 2018;103(10):1635-1641.
13. Hayden A, Park S, Giustini D, Lee AY, Chen LY. Hemophagocytic syndromes (HPSs) including hemophagocytic lymphohistiocytosis (HLH) in adults: a systematic scoping review. *Blood Rev*. 2016;30(6):411-420.
14. Chen LYC, Hayden A, Mattman A. Extreme hyperferitinemia, soluble interleukin-2 receptor, and haemophagocytic lymphohistiocytosis. *Br J Haematol*. 2019;185(3):605-606.
15. Lin M, Park S, Hayden A, et al. Clinical utility of soluble interleukin-2 receptor in hemophagocytic syndromes: a systematic scoping review. *Ann Hematol*. 2017;96(8):1241-1251.
16. Hayden A, Lin M, Park S, et al. Soluble interleukin-2 receptor is a sensitive diagnostic test in adult HLH. *Blood Adv*. 2017;1(26):2529-2534.
17. Fardet L, Galicier L, Lambotte O, et al. Development and validation of the HScore, a score for the diagnosis of reactive hemophagocytic syndrome. *Arthritis Rheumatol*. 2014;66(9):2613-2620.
18. de Back DZ, Kostova EB, van Kraaij M, van den Berg TK, van Bruggen R. Of macrophages and red blood cells; a complex love story. *Front Physiol*. 2014;5:9.
19. Hess JR. Red cell changes during storage. *Transfus Apher Sci*. 2010;43(1):51-59.
20. Luten M, Roerdinkholder-Stoelwinder B, Schaap NP, de Grip WJ, Bos HJ, Bosman GJ. Survival of red blood cells after transfusion: a comparison between red cells concentrates of different storage periods. *Transfusion*. 2008;48(7):1478-1485.
21. Gottlieb Y, Topaz O, Cohen LA, et al. Physiologically aged red blood cells undergo erythrophagocytosis in vivo but not in vitro. *Haematologica*. 2012;97(7):994-1002.
22. Youssef LA, Rebbaa A, Pampou S, et al. Increased erythrophagocytosis induces ferroptosis in red pulp macrophages in a mouse model of transfusion. *Blood*. 2018;131(23):2581-2593.
23. Bosman GJ, Cluitmans JC, Groenen YA, Werre JM, Willekens FL, Novotný VM. Susceptibility to hyperosmotic stress-induced phosphatidylserine exposure increases during red blood cell storage. *Transfusion*. 2011;51(5):1072-1078.
24. Peters AL, Beuger B, Mock DM, et al. Clearance of stored red blood cells is not increased compared with fresh red blood cells in a human endotoxemia model. *Transfusion*. 2016;56(6):1362-1369.
25. Hod EA, Zhang N, Sokol SA, et al. Transfusion of red blood cells after prolonged storage produces harmful effects that are mediated by iron and inflammation. *Blood*. 2010;115(21):4284-4292.
26. Wang E, Boswell E, Siddiqi I, et al. Pseudo-Pelger-Huët anomaly induced by medications: a clinicopathologic study in comparison with myelodysplastic syndrome-related pseudo-Pelger-Huët anomaly. *Am J Clin Pathol*. 2011;135(2):291-303.

## CORRECTION

Correction to 'Respiratory Depression Following Ambulatory Urogynecologic Procedures: A Retrospective Analysis' [*Mayo Clinic Proceedings: Innovations, Quality & Outcomes* 3 (2019) 169–175/106]

Bhargavi Gali, MD; Sarah R. Gritzner, RN; Amy J. Henderson, RN; Mary E. Warner, MD; Sinokuthaba L. Sibanda, RN; Juraj Sprung, MD, PhD; and Toby N. Weingarten, MD

From the Department of Anesthesiology and Perioperative Medicine (B.G., M.E.W., J.S., T.N.W.), Mayo Clinic College of Medicine and Science, Mayo Clinic School of Health Sciences (S.R.G., A.J.H., S.L.S. [students]), Mayo Clinic, Rochester, MN.

In the Original Article titled "Respiratory Depression Following Ambulatory Urogynecologic Procedures: A Retrospective Analysis," published in the June issue of *Mayo Clinic Proceedings: Innovations, Quality & Outcomes* (*Mayo Clin Proc Inn Qual Out* 2019;3(2):169-175), Sinokuthaba Sibanda's name was spelled wrong in the acknowledgement.

In addition, Sarah R. Gritzner and Amy J. Henderson's affiliation was listed incorrectly. Their affiliation should be Mayo Clinic College of Medicine and Science, Mayo Clinic School of Health Sciences, Rochester, MN.

<https://doi.org/10.1016/j.mayocpiqo.2019.08.002>