



Corrigendum

Corrigendum to “Accelerometer-measured sedentary time and physical activity – A 15 year follow-up of mortality in a Swedish population-based cohort” [J. Sci. Med. Sport 21 (2018) 702–707]



Ing-Mari Dohrn^{a,*}, Michael Sjöström^b, Lydia Kwak^c, Pekka Oja^d, Maria Hagströmer^{a,e}

^a Department of Neurobiology, Care Sciences and Society (NVS), Karolinska Institutet, Sweden

^b Department of Biosciences and Nutrition (BioNut), Karolinska Institutet, Sweden

^c Institute of Environmental Medicine (IMM), Karolinska Institutet, Sweden

^d UKK Institute, Finland

^e Functional Area Occupational Therapy and Physiotherapy, Karolinska University Hospital, Sweden

The authors regret the introduction of errors in Table 1, and this should appear as follows.

Table 1
Baseline characteristics of participants.

Characteristics	All, n = 852	Women, n = 476	Men, n = 375
	Mean (SD) or number of persons (%)		
Age, years	52.7 (10.2)	52.5 (10.1)	53.1 (10.5)
Body mass index [*] , kg/m ²	25.6 (3.6)	25.3 (3.9)	25.9 (3.0)
Smoker [*]	217 (26%)	139 (29%)	78 (21%)
History of chronic disease			
Hypertension	118 (14%)	73 (16%)	45 (12%)
Heart disease [*]	29 (3.5%)	7 (2%)	22 (6%)
Diabetes	21 (2.5%)	10 (2%)	11 (3%)
Cancer	23 (3%)	15 (3%)	8 (2%)
Education[*]			
<High school	259 (30%)	135 (28%)	124 (33%)
High school	325 (38%)	175 (37%)	150 (40%)
University degree	263 (31%)	164 (34%)	99 (27%)
Physical activity			
Sedentary time [*] , min/day	491.7 (90.9)	486.1 (87.1)	498.8 (95.1)
Light intensity PA, min/day	344.4 (93.2)	348.1 (87.9)	339.6 (99.5)
MVPA, min/day	31.4 (31.2)	29.7 (33.9)	33.6 (27.3)
Active \geq 150 min MVPA/week	483 (57%)	261 (55%)	222 (59%)
Total accelerometer counts/day (thousands)	312.6 (213.8)	308.5 (242.3)	317.9 (171.3)
Average accelerometer counts/min	355.2 (201.9)	351.3 (219.7)	360.3 (176.8)
Accelerometer wear time, h/day	14.5 (1.3)	14.4 (1.3)	14.6 (1.5)
Deaths			
All-cause [*]	79 (9%)	32 (7%)	47 (13%)
Cardiovascular disease	24 (30%)	6 (18%)	18 (38%)
Cancer	27 (34%)	13 (41%)	14 (30%)
Other	28 (35%)	13 (41%)	15 (32%)

Abbreviations: MVPA, Moderate-to-vigorous intensity physical activity; PA, physical activity; SD, standard deviation.

^{*} Difference between men and women, $p < 0.05$.

The authors would like to apologise for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.jsams.2017.10.035>.

* Corresponding author.

E-mail address: ing-mari.dohrn@ki.se (I.-M. Dohrn).

<https://doi.org/10.1016/j.jsams.2018.11.010>

1440-2440/© 2018 Sports Medicine Australia. Published by Elsevier Ltd. All rights reserved.