



Contents lists available at [ScienceDirect](#)

Sleep Medicine

journal homepage: www.elsevier.com/locate/sleep



Corrigendum

Corrigendum to “Adherence to continuous positive airway pressure improves attention/psychomotor function and sleepiness: a bias-reduction method with further assessment of APPLES” [Sleep Medicine 37 (2017) 130–134]



Tyson H. Holmes ^{a, *}, Clete A. Kushida ^b

^a Human Immune Monitoring Center (HIMC), Institute for Immunity, Transplantation and Infection, Stanford University School of Medicine, 299 Campus Drive, Fairchild Science Building, Stanford, CA, 94305, USA

^b Stanford Sleep Medicine Center, Department of Psychiatry and Behavioral Sciences, Stanford University School of Medicine, 450 Broadway Street, MC 5704, Pavilion C, 2nd Floor, Redwood City, CA, 94063-5704, USA

The authors regret that we failed to specify the statistical software used for this research, which was SAS[®] (SAS[®] Institute, Cary, North Carolina, USA), R (www.r-project.org), and Mathematica[®] (Wolfram Research, Inc., Champaign, Illinois, USA). The authors apologize for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.sleep.2017.06.022>.

* Corresponding author. Fax: +1 650 725 0160.

E-mail addresses: tholmes@stanford.edu (T.H. Holmes), clete@stanford.edu (C.A. Kushida).

<https://doi.org/10.1016/j.sleep.2019.02.010>

1389-9457/© 2019 Elsevier B.V. All rights reserved.