



Contents lists available at [ScienceDirect](#)

European Journal of Obstetrics & Gynecology and Reproductive Biology

journal homepage: www.elsevier.com/locate/ejogrb



Corrigendum

Corrigendum to “Chlamydia trachomatis screening in preterm labor: A systematic review and meta-analysis” [Eur. J. Obstet. Gynecol. Reprod. Biol. 240 (September) (2019) 242–247]



Tomi T. Kanninen^a, Johanna Quist-Nelson^b, Giovanni Sisti^c, Vincenzo Berghella^{b,*}

^a Department of Obstetrics and Gynecology, Richmond University Medical Center, Staten Island, NY, USA

^b Department of Obstetrics and Gynecology, Sidney Kimmel Medical College of Thomas Jefferson University, Philadelphia, PA, USA

^c Department of Obstetrics and Gynecology, Lincoln Medical and Mental Health Center, Bronx, NY, USA

The authors regret the following corrections in the results section. The confidence interval for GBS reported as “1.06 to 4.33” should be “0.36 to 12.09” and odds ratio for UTIs reported as “1.20” should be “3.20”. The authors would like to apologise for any inconvenience caused.

DOI of original article: <http://dx.doi.org/10.1016/j.ejogrb.2019.06.032>

* Corresponding author.

E-mail address: vincenzo.berghella@jefferson.edu (V. Berghella).

<http://dx.doi.org/10.1016/j.ejogrb.2019.09.030>

0301-2115/© 2019 Elsevier B.V. All rights reserved.