

Contents

Articles from the Special Issue on “Diabetes and Ramadan Fasting”; Edited by Mohamed Hassanein and Abdul Jabbar	
<i>N. Elbarbary, A. Deeb, A. Habeb and S.A. Beshyah</i> Management of diabetes during Ramadan fasting in children and adolescents: A survey of physicians’ perceptions and practices in the Arab Society for Paediatric Endocrinology and Diabetes (ASPED) countries	274
<i>P.R. Myers, N. Shoqirat, D.H. Allen and L.A. Dardas</i> Patients with diabetes observing Ramadan: The experience of Muslims in the United States	282
<i>M. Hassanein, E. Abdelgadir, A. Bashier, F. Rashid, M.A. Saeed, A. Khalifa, F. Eltayb, S. Abuelkheir, M. Abdellatif, F. Sayyah, S. Khalifa and F. Alawadi</i> The role of optimum diabetes care in form of Ramadan focused diabetes education, flash glucose monitoring system and pre-Ramadan dose adjustments in the safety of Ramadan fasting in high risk patients with diabetes	288
<i>A.S. Beshyah and S.A. Beshyah</i> The incidence of diabetic ketoacidosis during Ramadan fasting: A 10-year single-centre retrospective study	296
<i>A.M.K. Bashier, A.K.B. Hussain, F. Alawadi, F. Alsayyah, M. Alsaeed, F. Rashid, E. Abdelgadir, F. Bachet, S. Abuelkheir, M. Elsayed and M. Hassanein</i> Impact of optimum diabetes care on the safety of fasting in Ramadan in adult patients with type 2 diabetes mellitus on insulin therapy	301
<i>M. Hassanein, F. Rashid, M. Elsayed, A. Basheir, M. Al Saeed, E. Abdelgadir, S. Abuelkheir, A. Khalifa, F. Al Sayyah, F. Bachet, S. Jacob and F. Alawadi</i> Assessment of risk of fasting during Ramadan under optimal diabetes care, in high-risk patients with diabetes and coronary heart disease through the use of FreeStyle Libre flash continuous glucose monitor (FSL-CGMS)	308
<i>S.A. Beshyah, M. Hassanein, M.Y. Ahmedani, S. Shaikh, E.M. Ba-Essa, M.H. Megallaa, B. Afandi, F. Ibrahim and T. Al-Muzaffar</i> Diabetic hypoglycaemia during Ramadan fasting: A trans-national observational real-world study	315
<i>R. Malek, S. Hannat, A. Nechadi, F.Z. Mekideche and M. Kaabeche</i> Diabetes and Ramadan: A multicenter study in Algerian population	322
<i>M.M. Hassanein, R. Sahay, K. Hafidh, K. Djallah, H. Li, S. Azar, N. Shehadeh and W. Hanif</i> Safety of lixisenatide versus sulfonylurea added to basal insulin treatment in people with type 2 diabetes mellitus who elect to fast during Ramadan (LixiRam): An international, randomized, open-label trial	331
Reviews	
<i>S. Griggs, N.S. Redeker and M. Grey</i> Sleep characteristics in young adults with type 1 diabetes	17
<i>R. Haider, L. Sudini, C.K. Chow and N.W. Cheung</i> Mobile phone text messaging in improving glycaemic control for patients with type 2 diabetes mellitus: A systematic review and meta-analysis	27
Research Articles	
<i>J.A. D’Elia, C. Mulla, J. Liu and L.A. Weinrauch</i> Variations in glucose/C-peptide ratio in patients with type 2 diabetes associated with renal function	1
<i>B. Sinha and S. Ghosal</i> Meta-analyses of the effects of DPP-4 inhibitors, SGLT2 inhibitors and GLP1 receptor analogues on cardiovascular death, myocardial infarction, stroke and hospitalization for heart failure	8
<i>M.M. Gonzales, R.A. Durazo-Arvizu, S. Sachdeva, T.G. Unterman, M.J. O’Brien, L.C. Gallo, G.A. Talavera, R.C. Kaplan, J. Cai, N. Schneiderman, R.A. Espinoza Giacinto, H.M. González, M.L. Daviglius and M. Lamar</i> Associations of insulin resistance with cognition in individuals without diagnosed diabetes: Results from the Hispanic Community Health Study/Study of Latinos	38
<i>B.L. Wubishet, M.L. Harris, P.M. Forder, S.H. Acharya and J.E. Byles</i> Predictors of 15-year survival among Australian women with diabetes from age 76–81	48



<i>H.M. El-Ashmawy, F.O. Selim, T.A.M. Hosny and H.N. Almassry</i> Association of low serum Meteorin like (Metrnl) concentrations with worsening of glucose tolerance, impaired endothelial function and atherosclerosis	57
<i>Z. Hangping, Q. Xiaona, Z. Qi, L. Qingchun, Y. Na, J. Lijin, L. Siying, Z. Shuo, Z. Xiaoming, L. Xiaoxia, X. Qian, D. Jaimovich, L. Yiming and L. Bin</i> The impact on glycemic control through progressive resistance training with bioDensity™ in Chinese elderly patients with type 2 diabetes. The PReTTy2 (Progressive Resistance Training in Type 2 Diabetes) Trial	64
<i>Y. Gao, Z.-g. Yang, Y. Ren, X. Liu, L. Jiang, L.-j. Xie, B.-y. Hu, M.-t. Shen, H.-y. Xu, Z.-l. Li, C.-c. Xia, Y.-m. Li, L.-l. Deng, M.-y. Deng, X.-y. Zhou and Y.-k. Guo</i> Evaluation of myocardial fibrosis in diabetes with cardiac magnetic resonance T1-mapping: Correlation with the high-level hemoglobin A1c	72
<i>T. Wang, X. Li, L. Fan, B. Chen, J. Liu, Y. Tao and X. Wang</i> Negative pressure wound therapy promoted wound healing by suppressing inflammation via down-regulating MAPK-JNK signaling pathway in diabetic foot patients	81
<i>B. Cleal, I. Willaing, H. Stuckey and M. Peyrot</i> Work matters: Diabetes and worklife in the second diabetes attitudes, wishes and needs (DAWN2) study	90
<i>C. Mavrogianni, C.-P. Lambrinou, O. Androutsos, J. Lindström, J. Kivelä, G. Cardon, N. Huys, K. Tsochev, V. Iotova, N. Chakarova, I. Rurik, L.A. Moreno, S. Liatis, K. Makrilakis, Y. Manios, on behalf of the Feel4Diabetes-study group</i> Evaluation of the Finnish Diabetes Risk Score as a screening tool for undiagnosed type 2 diabetes and dysglycaemia among early middle-aged adults in a large-scale European cohort. The Feel4Diabetes-study	99
<i>N. Hermanns, D. Ehrmann, M. Schipfer, J. Kröger, T. Haak and B. Kulzer</i> The impact of a structured education and treatment programme (FLASH) for people with diabetes using a flash sensor-based glucose monitoring system: Results of a randomized controlled trial	111
<i>J.J. Wong, K.K. Hood and J.Y. Breland</i> Correlates of health care use among White and minority men and women with diabetes: An NHANES study	122
<i>P.F. Rønn, M.E. Jørgensen, L.S. Smith, P. Bjerregaard, I.K. Dahl-Petersen, C.V.L. Larsen, N. Grarup and G.S. Andersen</i> Associations between birth weight and glucose intolerance in adulthood among Greenlandic Inuit	129
<i>N. Vakilzadeh, A. Zanchi, B. Milani, J.-B. Ledoux, P. Braconnier, M. Burnier and M. Pruijm</i> Acute hyperglycemia increases renal tissue oxygenation as measured by BOLD-MRI in healthy overweight volunteers	138
<i>M. Krnić, I. Marolt, M. Skelin, N. Grulović and D. Rahelić</i> An observational, multicentre study on different insulin glargine U100 titration algorithms used in patients with type 2 diabetes in daily medical practice in Adriatic countries: The ADRESA study	144
<i>A.M. Kiviniemi, T.V. Kenttä, S. Lepojärvi, J.S. Perkiömäki, O.-P. Piira, O. Ukkola, H.V. Huikuri, M.J. Junttila and M.P. Tulppo</i> Recovery of rate-pressure product and cardiac mortality in coronary artery disease patients with type 2 diabetes	150
<i>W. Yang, C. Ersoy, G. Wang, S. Ye, J. Liu, H. Miao, A. Asirvatham, S. Werther, P. Kadu and F. Chow</i> Efficacy and safety of three-times-daily versus twice-daily biphasic insulin aspart 30 in patients with type 2 diabetes mellitus inadequately controlled with basal insulin combined with oral antidiabetic drugs	158
<i>X. Xu, L. Lin, P. Chen, Y. Yu, S. Chen, X. Chen and Z. Shao</i> Treatment with liraglutide, a glucagon-like peptide-1 analogue, improves effectively the skin lesions of psoriasis patients with type 2 diabetes: A prospective cohort study	167
<i>M. Pikkemaat, T. Andersson, O. Melander, J. Chalmers, K. Rådholm and K. Bengtsson Boström</i> C-peptide predicts all-cause and cardiovascular death in a cohort of individuals with newly diagnosed type 2 diabetes. The Skaraborg diabetes register	174
<i>M. Kamradt, D. Ose, J. Krisam, C. Jacke, H.-J. Salize, W. Besier, M. Mayer, J. Szecsenyi and M. Wensing</i> Meeting the needs of multimorbid patients with Type 2 diabetes mellitus – A randomized controlled trial to assess the impact of a care management intervention aiming to improve self-care	184
<i>Y. Hu, T.-t. Li, W. Zhou, T.-t. Lu, F.-f. Li, B. Ding, B.-l. Liu, X.-j. Xie and J.-h. Ma</i> Lipoprotein-associated phospholipase A2 is a risk factor for diabetic kidney disease	194
<i>L. Mañé, J.A. Flores-Le Roux, N. Gómez, J.J. Chillarón, G. Llauradó, L. Gortazar, A. Payà, J. Pedro-Botet and D. Benaiges</i> Association of first-trimester HbA1c levels with adverse pregnancy outcomes in different ethnic groups	202
<i>M. Craven, Z. Simons and M. de Groot</i> Diabetes distress among healthcare providers: A qualitative study	211
<i>Y. Shen, W. Li, J. Leng, S. Zhang, H. Liu, W. Li, L. Wang, H. Tian, J. Chen, L. Qi, X. Yang, Z. Yu, J. Tuomilehto and G. Hu</i> High risk of metabolic syndrome after delivery in pregnancies complicated by gestational diabetes	219
<i>R. Elise, G.-C. Lisa, S. Charles, B.-S. Elysaabeth, G. Frédérique, T. Antoine, C. Nicolas and H. Marie</i> Variation of carbohydrate intake in diabetic children on carbohydrate counting	227

<i>F.C. Sasso, P.C. Pafundi, A. Gelso, V. Bono, C. Costagliola, R. Marfella, C. Sardu, L. Rinaldi, R. Galiero, C. Acierno, C. de Sio, A. Caturano, T. Salvatore, L.E. Adinolfi, on behalf of NO BLIND Study Group</i>	High HDL cholesterol: A risk factor for diabetic retinopathy? Findings from NO BLIND study	236
<i>C.-Y. Lee, Y.-H. Kuan, Y.-F. Tsai, C.-J. Tai, T.-H. Tsai and K.-H. Huang</i>	Correlation between diabetes mellitus and periodontitis in Taiwan: A nationwide cohort study	245
<i>E. Holmes-Truscott, S.E. Skovlund, C. Hendrieckx, F. Pouwer, M. Peyrot and J. Speight</i>	Assessing the perceived impact of diabetes on quality of life: Psychometric validation of the DAWN2 Impact of Diabetes Profile in the second Diabetes MILES – Australia (MILES-2) survey	253
<i>S. Prikken, K. Raymaekers, L. Oris, J. Rassart, I. Weets, P. Moons and K. Luyckx</i>	A triadic perspective on control perceptions in youth with type 1 diabetes and their parents: Associations with treatment adherence and glycemic control	264
International Diabetes Federation		
<i>E. Boyko</i>	IDF plans dynamic 2019 congress	342