



Contents lists available at ScienceDirect

Journal of Dentistry

journal homepage: www.elsevier.com/locate/jdent



Corrigendum

Corrigendum to “Using autofluorescence to detect bacterial contamination in root fractures” [J. Dent. 86 (2019) 27–32]



Hye-min Ku^a, Young Ryul Oh^b, Eun-Song Lee^a, Euseong Kim^c, Baek-Il Kim^{a,*}

^a Department of Preventive Dentistry & Public Oral Health, BK 21 PLUS Project, Yonsei University College of Dentistry, Seoul, South Korea

^b Microscope Center, Department of Conservative Dentistry and Oral Science Research Center, Yonsei University College of Dentistry, Seoul, South Korea

^c Microscope Center, Department of Conservative Dentistry and Oral Science Research Center, College of Dentistry, Department of Electrical & Electronic Engineering, College of Engineering, Yonsei University, Seoul, South Korea

The authors regret that the spelling of the author names ‘Euseong Kim’ and ‘Baek-Il Kim’ were incorrect in the original version of the article. The author names were listed as ‘Euseoung Kim’ and ‘Baek Il

Kim’ which is incorrect. The authors would like to apologise for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.jdent.2019.05.024>

* Corresponding author at: Department of Preventive Dentistry & Public Oral Health, BK 21 PLUS Project, Yonsei University College of Dentistry, 50-1 Yonsei-ro, Seodaemun-Gu, Seoul, 120-749, South Korea.

E-mail address: drkbi@yuhs.ac (B.-I. Kim).

<https://doi.org/10.1016/j.jdent.2019.103179>