



Correction to: Comparative study using fractional carbon dioxide laser versus glycolic acid peel in treatment of pseudo-acanthosis nigricans

N. S. Zaki¹ · R. F. Hilal¹ · R. M. Essam²

Published online: 24 January 2019
© Springer-Verlag London Ltd., part of Springer Nature 2019

Correction to: Lasers in Medical Science (2018) 33:1485–1491
<https://doi.org/10.1007/s10103-018-2505-x>

Unfortunately, there are two mistakes in the published article. The first mistake is found in the Results section, Clinical improvement subsection. The last sentence “There was no statistical difference between both sides ($P = 0.008$).” should be corrected to “There was statistical difference between both sides ($P = 0.008$).”

The second mistake is found in the sixth paragraph of the Discussion section. The sentence “By comparing clinical improvement between both sides which was 43% on the glycolic acid side and 18% on the fractional CO₂ side, there was no statistical significance.” should be corrected to “By comparing clinical improvement between both sides which was 43% on the glycolic acid side and 18% on the fractional CO₂ side, there was statistical significance.”

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s10103-018-2505-x>

✉ R. F. Hilal
rana.hilal@kasralainy.edu.eg

¹ Department of Dermatology, Kasr Al Ainy Teaching Hospital, Cairo University, Al-Saray Street, El Manial, Cairo 11956, Egypt

² Student Hospital, Cairo, Egypt