



Contents lists available at ScienceDirect

Orthopaedics & Traumatology: Surgery & Research

journal homepage: www.elsevier.com

CONTENTS

Indexed in: Current Contents/Clinical Medicine, Embase, Pubmed/Medline, Science Citation Index, SCOPUS®

Editorial

- Interprosthetic femoral fracture: Crime or punishment?
M. Ehlinger, M. Soenen, N. Bahlouli and P. Bonneville 577

Interprosthetic fractures

- Interprosthetic femoral fractures: Morbidity and mortality in a retrospective, multicenter study
P. Bonneville, P.-S. Marcheix, X. Nicolau, M. Arboucalot, M. Lebaron, C. Chantelot, D. Mainard, M. Ehlinger and members of the Getraum 579
- Outcome of surgical treatment of inter prosthetic fractures: A case series
T. Jennison and R. Yarlagadda 587
- Total femur replacement in non-oncologic indications: Functional and radiological outcomes from a French survey with a mean 6 years' follow-up
S. Putman, H. Migaud, D. Saragaglia, J.-Y. Jenny, F. Dujardin, A.-G. Hue, F. Fiorenza, O. Méric, P. Bonneville and French Hip and Knee Society (SFHG) 591

Knee

- Are modern knee outcomes scores appropriate for evaluating patellofemoral degeneration in osteoarthritis? Evaluation of the ceiling and floor effects in knee outcomes scores
J. Bourlez, F. Canovas, C. Duflos and L. Dagneaux 599
- Kinematically aligned total knee arthroplasty reproduces more native rollback and laxity than mechanically aligned total knee arthroplasty: A matched pair cadaveric study
I.J. Koh, C.C. Lin, N.A. Patel, C.E. Chalmers, M. Maniglio, S.B. Han, M.H. McGarry and T.Q. Lee 605
- Total knee replacement on more than 20° valgus: A case control study
S. Putman, M. Ehlinger, B. Tillie, B. Puliero, N. Ramdane, F. Remy, G. Pasquier, the French Hip and Knee Society (Société Française de la hanche et du genou) 613
- No definite advantage of a portable accelerometer-based navigation system over conventional technique in total knee arthroplasty: A systematic review and meta-analysis
T. Shigemura, Y. Murata, Y. Yamamoto, N. Mizuki, Y. Toki and Y. Wada 619
- Unilateral versus bilateral total knee arthroplasty: A registry study on survival and risk factors
B. Boyer, B. Bordini, D. Caputo, T. Neri, S. Stea and A. Toni 627
- Negative Influence of femoral nerve block on quadriceps strength recovery following total knee replacement: A prospective randomized trial
M. Angers, É.L. Belzile, J. Vachon, P. Beauchamp-Chalifour and S. Pelet 633

Have the frequency of and reasons for revision total knee arthroplasty changed since 2000? Comparison of two cohorts from the same hospital: 255 cases (2013–2016) and 68 cases (1991–1998) <i>J. Pietrzak, H. Common, H. Migaud, G. Pasquier, J. Girard and S. Putman</i>	639
Haematogenous prosthetic knee infections: Prospective cohort study of 58 patients <i>T. Stévignon, A. Mouton, V. Meyssonier, Y. Kerroumi, A. Yazigi, T. Aubert, L. Lhotellier, V. Le Strat, D. Passeron, W. Graff, V. Zeller, B. Heym and S. Marmor</i>	647
Morphological changes in the femoral and tibial bone tunnels after anatomic single-bundle anterior cruciate ligament reconstruction using a calcium phosphate-hybridized tendon graft in 2 years of follow-up <i>H. Mutsuzaki, T. Kinugasa, K. Ikeda and M. Sakane</i>	653
Lateral extra-articular reconstruction length changes during weightbearing knee flexion and pivot shift: A simulation study <i>Y. Blache, B. Kouevidjin, J. de Guise, R. Dumas, A. Saithna, B. Sonnery-Cottet and M. Thaunat</i>	661
Clinical and radiographic results of partial versus total meniscectomy in patients with symptomatic discoid lateral meniscus: A systematic review and meta-analysis <i>D.-H. Lee, D.D. D'Lima and S.H. Lee</i>	669
Analysis of the trends in arthroscopic meniscectomy and meniscus repair procedures in France from 2005 to 2017 <i>C. Jacquet, N. Pujol, V. Pauly, P. Beaufiles and M. Ollivier</i>	677
Autologous living chondrocytes contained in the meniscal matrix play an important role in in vivo meniscus regeneration induced by in situ meniscus fragment implantation <i>Y. Kawaguchi, E. Kondo, N. Iwasaki, Y. Tanaka, T. Yagi and K. Yasuda</i>	683
The 45 degrees arthroscope: A forgotten scope in knee surgery <i>P.P. Mariani</i>	691
Spine	
Anterior cervical spine surgical site infection and pharyngoesophageal perforation. Ten-year incidence in 1475 patients <i>R. Gamain, R. Coulomb, K. Houzir, N. Molinari, P. Kouyoumdjian and N. Lonjon</i>	697
Hangman's fracture: Management strategy and healing rate in a prospective multi-centre observational study of 34 patients <i>S. Prost, C. Barrey, B. Blondel, S. Fuentes, L. Barresi, B. Nicot, V. Challier, M. Lleu, J. Godard, P. Kouyoumdjian, N. Lonjon, P. Marinho, E. Freitas, S. Schuller, J. Allia, J. Berthiller, Y.P. Charles and French Society for Spine Surgery (SFCR)</i>	703
A novel technique using a pedicle screw and bucking bar for the treatment of hangman's fracture <i>G. Wang, D. Jiang, Q. Wang, S. Xu, J. Yang and C. Yang</i>	709
Immediate and late discal lesions on MRI in Magerl A thoracolumbar fracture: Analysis of 76 cases <i>N. Barut, L. Marie-Hardy, R. Bonaccorsi, M. Khalifé and H. Pascal-Moussellard</i>	713
Effectiveness of closed reduction and percutaneous fixation of isolated sacral fractures. Functional outcomes and sagittal alignment after 3.6 years in 20 patients <i>S. Ruatti, M. Boudissa, G. Kerschbaumer, M. Milaire and J. Tonetti</i>	719
Pediatrics	
Optimizing the vertical position of the brace thoracic pad: Apical rib or apical vertebra? <i>J.A. Karam, R. Eid, G. Kreichati, R. Abiad, K. Kharrat and I.B. Ghanem</i>	727
Induced membrane technique for clavicle reconstruction in paediatric patients: Report of four cases <i>B. Haddad, S. Zribi, E. Haraux, F. Deroussen, R. Gouron and C. Klein</i>	733

Should Kirschner wires for fixation of lateral humeral condyle fractures in children be buried or left exposed? A systematic review <i>R. Raghavan, A. Jones and A.J. Dwyer</i>	739
Anterior cruciate ligament tears in children: Management and growth disturbances. A survey of French Arthroscopy Society members <i>G. Gracia, C. Thévenin-Lemoine, P. Laumonerie, J. Sales de Gauzy, F. Accadbled and the French Arthroscopy Society</i>	747
Distal femoral hemiepiphyodesis with screws and suture versus 8-plate for the treatment of genu valgum in children <i>G. Martínez, A. Gündel, P. Ruiz, I. Cañete and F. Hodgson</i>	751
Bone healing is achievable despite extensive wound dehiscence and wide plate and screws exposure in children <i>E. Melhem, W. Bayoud and I. Ghanem</i>	757
Miscellaneous	
Dental assessment prior to orthopedic surgery: A systematic review <i>S. Barrere, N. Reina, O.A. Peters, L. Rapp, J.-N. Vergnes and D. Maret</i>	761
Assessment of resection margins in bone sarcoma treated by neoadjuvant chemotherapy: Literature review and guidelines of the bone group (GROUPOS) of the French sarcoma group and bone tumor study group (GSF-GETO/RESOS) <i>A. Gomez-Brouchet, E. Mascard, A. Siegfried, G. de Pinieux, N. Gaspar, C. Bouvier, S. Aubert, P. Marec-Bérard, S. Piperno-Neumann, B. Marie, F. Larousserie, C. Galant, F. Fiorenza, P. Anract, J. Sales de Gauzy, F. Gouin and the GROUPOS (GSF-GETO RESOS)</i>	773
Resection margins obtained with patient-specific instruments for resecting primary pelvic bone sarcomas: A case-control study <i>R. Evrard, T. Schubert, L. Paul and P.-L. Docquier</i>	781
Letters to the Editor	
What level of evidence is provided by comparative retrospective studies? <i>F. Solla, A. Tran and V. Rampal</i>	789
Reply to the letter set to the OTSR editorial board by Federico Solla, Antoine Tran, and Virginie Rampal. Level of evidence criteria: Distinguishing level 3 from level 4 therapeutic studies <i>H. Migaud, E. Chazard, R. Seringe and P. Beaufils</i>	791
Comments on “Cementless distal fixation modular stem without reconstruction of femoral calcar for unstable intertrochanteric fracture in patients aged 75 years or more” of Zha GC, Liu J, Wang Y, Feng S, Chen XY, Guo KJ, Sun JY. Published in <i>Orthop Traumatol Surg Res.</i> 2019;105(1):35–39 <i>S. Dubey, V. Tirkha, A. Kumar and S. Mittal</i>	795
Reply to the Letter of S. Mittal <i>G.-C. Zha</i>	797