

Contents lists available at [ScienceDirect](https://www.sciencedirect.com)

Orthopaedics & Traumatology: Surgery & Research

journal homepage: www.elsevier.com

CONTENTS

Indexed in: Current Contents/Clinical Medicine, Embase, Pubmed/Medline, Science Citation Index, SCOPUS®

Editorial

- Mechanical alignment: The end of an era!
C. Rivière, J.M. Vigdorichik and P.-A. Vendittoli 1223

Hip

- Progression and projection for hip surgery in France, 2008-2070: Epidemiologic study with trend and projection analysis
R. Erivan, G. Villatte, J. Dartus, N. Reina, S. Descamps and S. Boisgard 1227
- Enhanced recovery short-stay hip and knee joint replacement program improves patients outcomes while reducing hospital costs
P.-A. Vendittoli, K. Pellei, F. Desmeules, V. Massé, C. Loubert, M. Lavigne, J. Fafard and L.-P. Fortier 1237
- Does performing outpatient total hip arthroplasty contribute to early complications and readmissions? Retrospective case-control study of 50 patients
C. Crampet, H. Common, E. Bajeux, A. Bourgoïn, H. Thomazeau, J.-L. Polard and the Orthopedics, Traumatology Society of Western France 1245
- What are the influencing factors on hip and knee arthroplasty survival? Prospective cohort study on 63619 arthroplasties
B. Boyer, B. Bordini, D. Caputo, T. Neri, S. Stea and A. Toni 1251
- Anatomy of the lateral circumflex femoral artery: Does the direct anterior approach to the hip jeopardize vascularization of the proximal femur?
C. Hartog, C. Metzler, C. Meier, F. Kalberer and P. Wahl 1257
- Early morbidity and mortality after one-stage bilateral THA: Anterior versus posterior approach
G. Micicoi, R. Bernard de Domsure, L. Tran, M. Carles, P. Boileau, N. Bronsard and C. Trojani 1265
- Comparative study of stem anteversion using a cementless tapered wedge stem in dysplastic hips between the posterolateral and anterolateral approaches
N. Taniguchi, T. Jinno, D. Koga, S. Ochiai, A. Okawa and H. Haro 1271
- Patient satisfaction in different approaches for total hip arthroplasty
A. den Daas, E.A. Reitsma, B.A.S. Knobben, B.L.E.F. Ten Have and M.P. Somford 1277
- Texture analysis of trabecular bone around RM-Pressfit cementless acetabulum in a series of 46 patients during a 5 year period
A. Coupry, L. Rony, F. Ducellier, L. Hubert and D. Chappard 1283

Long-term survival of hybrid total hip arthroplasty with the uncemented CLS cup, cemented Müller cobalt-chromium stem, and 28-mm Metasul™ bearings: Retrospective review of 115 hips after a minimum of 17.8 years <i>R. Erivan, G. Villatte, T. Lecointe, A. Mulliez, S. Descamps and S. Boisgard</i>	1289
Patients with musculoskeletal dysplasia undergoing total joint arthroplasty are at increased risk of surgical site infection <i>H. Patel, K.H. Cichos, A.S. Moon, G. McGwin Jr, B.A. Ponce and E.S. Ghanem</i>	1297
Risk factors for dislocation after revision total hip arthroplasty with a dual-mobility cup. Matched case-control study (16 cases vs. 48 controls) <i>D. Hutten, Y. Fournier, T. Gicquel, P. Bertho, F. Basselot and M. Hamadouche</i>	1303
Isolated acetabular revision with femoral stem retention using computed tomography-based navigation <i>Y. Kubota, N. Kaku, H. Tagomori, M. Kataoka and H. Tsumura</i>	1311
Clinical and dynamometric results of hip abductor system repair by trochanteric hydroxyapatite plate with modular implant after resection of proximal femoral tumors <i>V. Crenn, S. Briand, P. Rosset, J.-C. Mattei, A. Fouasson-Chailloux, L.-R. Le Nail, D. Waast, M. Ropars and F. Gouin</i>	1319
Effect of topical tranexamic acid in total hip arthroplasty patients who receive continuous aspirin for prevention of cardiovascular or cerebrovascular events: A prospective randomized study <i>J. Qiu, X. Sun, W. Zhang, X. Ke, G. Yang and L. Zhang</i>	1327
Arthroscopically assisted treatment for nonconcentric reduction of hip posterior dislocation caused by acetabular labrum rim fracture: Medium-term clinical and radiological outcomes <i>D. Zhao, H. Chen, B. Zhao, D. Shen, Z. Jiang, Y. Zhang and J. Zhang</i>	1333
Surgical hip dislocation is more powerful than arthroscopy for achieving high degrees of acetabular correction in pincer type impingement <i>S.S. Ahmad, M. Heilgemeir, H. Anwander and M. Beck</i>	1339
Knee	
Variability in long-term pain and function trajectories after total knee replacement: A cohort study <i>V. Wylde, C. Penfold, A. Rose and A.W. Blom</i>	1345
Rotating-hinge knee prosthesis as a viable option in primary surgery: Literature review & meta-analysis <i>A. Abdulkarim, A. Keane, S.Y. Hu, L. Glen and D.J. Murphy</i>	1351
Compared outcomes 16 and 25 years after lateral wedge augmentation trochleoplasty: Rate of recurrent dislocation and progression to osteoarthritis <i>E. Bauduin, S. Putman, H. Migaud, F. Remy, E. Debuyzer and G. Pasquier</i>	1361
Morphologic MRI changes of the anterior cruciate ligament are associated with an increase in the medial tibial plateau bony slope after medial opening wedge high tibial osteotomy in a non-injured ACL population <i>O.-J. Kwon, J.-M. Kim, S.-I. Bin, B.-S. Lee, G.-W. Yoon and Y.-H. Kwon</i>	1369
Role of constraining staple on tibial slope in open wedge osteotomy: A comparative study <i>F. Lavoie, C. Gastineau, A. Denis and F. Al-Shafka</i>	1377
Functional and anatomical outcomes of single-stage arthroscopic bimeniscal replacement <i>F. Baldairon, C. Toanen and N. Pujol</i>	1383
Factors associated with bilateral discoid lateral meniscus tear in patients with symptomatic discoid lateral meniscus tear using MRI and X-ray <i>S.H. Kim, C.I. Bae, K.-I. Kim, J.W. Lee and S.H. Lee</i>	1389

Tear gap and severity of osteoarthritis are associated with meniscal extrusion in degenerative medial meniscus posterior root tears <i>J.-Y. Kim, S.-I. Bin, J.-M. Kim, B.-S. Lee, S.-M. Oh and M.-H. Park</i>	1395
Incidence and risk factors for cyclops syndrome after anterior cruciate ligament reconstruction: A systematic literature review <i>T. Noailles, A. Chalopin, M. Boissard, R. Lopes, N. Bouguennec and A. Hardy</i>	1401
Ankle	
Impact of two- and three-dimensional computed tomography use on intraobserver and interobserver reliabilities of pilon fracture classification and treatment recommendation <i>S.-E. Byun, W. Choi, Y. Choi, T.-K. Ahn, H.K. Kim, S. Yoon, J. Lee and D.-S. Choi</i>	1407
Miscellaneous	
Selective neurotomy of the sciatic nerve branches to the hamstring muscles: An anatomical study <i>M. Bretonnier, J.-M. Lemée, J.-E. Berton, X. Morandi and C. Haegelen</i>	1413
Differences in muscle attachment proportion within the most common location of medial tibial stress syndrome in vivo <i>M. Nakamura, S. Ohya, T. Aoki, D. Suzuki, R. Hirabayashi, T. Kikumoto, E. Nakamura, W. Ito, T. Takabayashi and M. Edama</i>	1419