



Correction to: Prevalent vertebral fractures and minor vertebral deformities analyzed by vertebral fracture assessment (VFA) increases the risk of incident fractures in postmenopausal women: the FRODOS study

E. Kanterewicz¹ · E. Puigoriol² · J.R. Rodríguez Cros¹ · P. Peris³

Published online: 17 July 2019

© International Osteoporosis Foundation and National Osteoporosis Foundation 2019

Correction to: Osteoporosis International

<https://doi.org/10.1007/s00198-019-04962-3>

Figure 1 as published in the original version of this article was unfortunately incomplete.

The publisher apologizes for this error, which was introduced inadvertently by the Publisher during the publication process. The correct figure is given below.

The online version of the original article can be found at <https://doi.org/10.1007/s00198-019-04962-3>

✉ E. Kanterewicz
ekanterewicz@chv.cat

E. Puigoriol
epuigoriol@chv.cat

J.R. Rodríguez Cros
jrodriguez@chv.cat

P. Peris
pperis@clinic.cat

¹ Department of Rheumatology, Hospital Universitari de Vic. TR2Lab Group, Universitat de Vic-UCC, C/ Francesc Pla el Vigatà, n° 1, 08500 Vic, Spain

² Department of Clinical Epidemiology. Hospital Universitari de Vic., TR2Lab Group, Universitat de Vic-UCC, Barcelona, Spain

³ Department of Rheumatology, Hospital Clinic i Provincial, Barcelona, Spain

Fig. 1 Flowchart of the study

