



Contents lists available at ScienceDirect

Pregnancy Hypertension

journal homepage: www.elsevier.com/locate/preghy

Corrigendum

Corrigendum to “The feasibility and acceptability of self-testing for proteinuria during pregnancy: A mixed methods approach” [Pregn. Hypertens. 12 (2018) 161–168]



Katherine L. Tucker^a, Liza Bowen^b, Carole Crawford^a, Philippa Mallon^a, Lisa Hinton^a, Mei-Man Lee^a, Jason Oke^a, Kathryn S. Taylor^a, Carl Heneghan^a, Clare Bankhead^a, Lucy Mackillop^c, Tim James^c, Pippa Oakeshott^b, Lucy C. Chappell^{d,*}, Richard J. McManus^a

^a Nuffield Department of Primary Care Health Sciences, University of Oxford, OX2 6GG, UK

^b Population Health Research Institute, St Georges, University of London, London SW17 0RE, UK

^c Oxford University Hospitals NHS Trust, Women's Centre, John Radcliffe Hospital, Oxford OX3 9DU, UK

^d Women's Health Academic Centre, King's College London, London SE1 7EH, UK

The authors regret the omission of the following

In the Acknowledgements:

“Lucy Mackillop was supported by the NIHR Oxford Biomedical Research Centre.”

In the Affiliations:

“NIHR Oxford Biomedical Research Centre, Oxford University Hospitals NHS Foundation Trust.”

The authors would like to apologise for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.preghy.2017.11.009>

* Corresponding author.

E-mail address: lucy.chappell@kcl.ac.uk (L.C. Chappell).

<https://doi.org/10.1016/j.preghy.2019.02.005>

Available online 26 February 2019

2210-7789/ © 2019 The Author(s). Published by Elsevier B.V. on behalf of International Society for the Study of Hypertension in Pregnancy. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).