



Correction to: Facilitating endoscopic submucosal dissection: double balloon endolumenal platform significantly improves dissection time compared with conventional technique (with video)

Sam Sharma^{1,6} · Kota Momose¹ · Hisashi Hara¹ · James East² · Kazuki Sumiyama³ · Kiyokazu Nakajima⁴ · Gerd Silberhumer⁵ · Jeffrey Milsom¹

Published online: 24 January 2019

© The Author(s) 2019

Correction to: Surgical Endoscopy
<https://doi.org/10.1007/s00464-018-6336-4>

Gerd Silberhumer's name was misspelled in the original publication; it is correct as displayed here.

The original article can be found online at <https://doi.org/10.1007/s00464-018-6336-4>.

✉ Sam Sharma
sksharma14@gmail.com

¹ Weill Cornell Medicine, New York Presbyterian Hospital, 1300 York Ave, New York, NY 10065, USA

² Oxford Radcliffe Hospital, Oxford OX3 9DU, UK

³ Jikei University School of Medicine, Tokyo, Japan

⁴ Osaka University, Osaka, Japan

⁵ Medical University Vienna, AKH-Wien, Vienna, Austria

⁶ MINT, 641 Lexington Ave, Fl 25, New York, NY 10065, USA