

THE SPINE JOURNAL

TABLE OF CONTENTS

Volume 19, Number 1
January 2019

EDITORIAL

Blood magazines1
Christopher M. Bono, MD

2018 PRESIDENTIAL ADDRESS

Show me the evidence: Dealing with bias in the medical literature
NASS 2018 presidential address2
Daniel K. Resnick, MD, MS, 2018 NASS President

2018 OUTSTANDING PAPER AWARD WINNER: SURGICAL SCIENCE

Alterations in 90-day morbidity, mortality, and readmission rates following spine surgery in Medicare
Accountable Care Organizations (2009–2014)8
*Andrew J. Schoenfeld, MD, MSc, Daniel J. Sturgeon, MS, Justin A. Blucher, MS,
Adil H. Haider, MD, MPH, James D. Kang, MD*

2018 OUTSTANDING PAPER AWARD WINNER: BASIC SCIENCE

Digital biomarkers of spine and musculoskeletal disease from accelerometers: Defining phenotypes of
free-living physical activity in knee osteoarthritis and lumbar spinal stenosis15
*Christy Tomkins-Lane, PhD, Justin Norden, MPhil, Aman Sinha, MPhil,
Richard Hu, MD, Matthew Smuck, MD*

CLINICAL STUDIES

Patient-reported outcomes following surgery for degenerative spondylolisthesis: comparison of a
universal and multitier health care system24
*Tamir Ailon, MD, MPH, Jin Tee, MD, Neil Manson, MD, Hamilton Hall, MD, Ken Thomas,
MD, Y. Raja Rampersaud, MD, Albert Yee, MD, Nicolas Dea, MD, MSc, Andrew Glennie, MD,
Chris Bailey, MD, Sean Christie, MD, Michael H. Weber, MD, Andrew Nataraj, MD, MSc,
Jerome Paquet, MD, Mike Johnson, MD, Jonathan Norton, MD, Henry Ahn, MD,
Greg McIntosh, BHK, Charles G. Fisher, MD, MSc*

Responsiveness of the Patient-Reported Outcomes Measurement Information System (PROMIS), Neck
Disability Index (NDI) and Oswestry Disability Index (ODI) instruments in patients with spinal
disorders34
*Man Hung, PhD, Charles L. Saltzman, MD, Maren W. Voss, ScD, Jerry Bounsanga, BS,
Richard Kendall, DO, Ryan Spiker, MD, Brandon Lawrence, MD, Darrel Brodke, MD*



Lumbar spinal stenosis: comparison of surgical practice variation and clinical outcome in three national spine registries.....	41
<i>Greger Lønne, MD, PhD, Peter Fritzell, MD, PhD, Olle Hägg, MD, PhD, Dennis Nordvall, MStat, Paul Gerdhem, MD, PhD, Tobias Lagerbäck, MD, Mikkel Andersen, MD, Søren Eiskjaer, MD, Martin Gehrchen, MD, PhD, Wilco Jacobs, MSc, PhD, Miranda L. van Hooff, MSc, PhD, Tore K. Solberg, MD, PhD</i>	
Validity and responsiveness of PROMIS in adult spinal deformity: The need for a self-image domain	50
<i>Micheal Raad, MD, Amit Jain, MD, Mitchell Huang, BA, Richard L. Skolasky, ScD, Daniel M. Sciubba, MD, Khaled M. Kebaish, MD, Brian J. Neuman, MD</i>	
Outcome and safety analysis of 3D-printed patient-specific pedicle screw jigs for complex spinal deformities: a comparative study	56
<i>Bhavuk Garg, MS, FACS, MRCS (Glasgow), FIMSA, FICS, MAMS, FHTS, Manish Gupta, PhD, Menaka Singh, MTech, Dinesh Kalyanasundaram, PhD</i>	
Are patient-reported outcome measures biased by method of follow-up? Evaluating paper-based and digital follow-up after lumbar fusion surgery	65
<i>Marc L. Schröder, MD, PhD, Marlies P. de Wispelaere, MSc, Victor E. Staartjes, BMed</i>	
Minimum clinically important difference of the health-related quality of life scales in adult spinal deformity calculated by latent class analysis: is it appropriate to use the same values for surgical and nonsurgical patients?	71
<i>Selcen Yuksel, PhD, Selim Ayhan, MD, Vugar Nabiyev, MD, Montse Domingo-Sabat, PhD, Alba Vila-Casademunt, PhD, Ibrahim Obeid, MD, Francisco Sanchez Perez-Grueso, MD, Emre Acaroglu, MD, European Spine Study Group (ESSG)</i>	
Does solid fusion eliminate rod fracture after pedicle subtraction osteotomy in ankylosing spondylitis-related thoracolumbar kyphosis?.....	79
<i>Shi-zhou Zhao, MD, Bang-ping Qian, MD, Mu Qiao, MD, Jun Jiang, MD, Yong Qiu, MD</i>	
Surgical treatment for severe and rigid scoliosis: a case-matched study between idiopathic scoliosis and syringomyelia-associated scoliosis	87
<i>Zhongyang Li, MD, Fei Lei, MD, Peng Xiu, MD, Xi Yang, MD, Lei Wang, MD, Ganjun Feng, MD, Limin Liu, MD, Yueming Song, PhD, Chunguang Zhou, PhD</i>	
Responsiveness of the Japanese Orthopaedic Association Back Pain Evaluation Questionnaire in lumbar surgery and its threshold for indicating clinically important differences	95
<i>Takahito Fujimori, MD, Toshitada Miwa, MD, Takenori Oda, MD</i>	
Frailty status as a predictor of 3-month cognitive and functional recovery following spinal surgery: a prospective pilot study.....	104
<i>Robert J. Rothrock, MD, Jeremy M. Steinberger, MD, Henry Badgery, MBBS, Andrew C. Hecht, MD, Samuel K. Cho, MD, John M. Caridi, MD, Stacie Deiner, MS, MD</i>	
Reoperation rates and risk factors for revision 4 years after dynamic stabilization of the lumbar spine ...	113
<i>Anna C. Rienmüller, MD, Sandro M. Krieg, MD, MBA, Franziska A. Schmidt, MD, Elias L. Meyer, BSc, Bernhard Meyer, MD</i>	
Patient-reported allergies predict postoperative outcomes and psychosomatic markers after spine surgery	121
<i>David D. Xiong, BS, Wenda Ye, BS, Roy Xiao, BA, Jacob A. Miller, MD, Thomas E. Mroz, MD, Michael P. Steinmetz, MD, Sean J. Nagel, MD, Andre G. Machado, MD, PhD</i>	
Long-term outcome of treatment of vertebral body hemangiomas with direct ethanol injection and short-segment stabilization.....	131
<i>Sarat P. Chandra, MCh, Pankaj Singh, MCh, Rajender Kumar, MCh, Deepak Agarwal, MCh, Vivek Tandon, MCh, Sharad S. Kale, MCh, Chitra Sarkar, MD</i>	

INSERT ADVERT

Complications and reoperations after surgery for 647 patients with spine metastatic disease.....	144
<i>Nuno Rui Paulino Pereira, MD, Paul T. Ogink, MD, Olivier Q. Groot, BSc,</i>	
<i>Marco L. Ferrone, MD, Francis J. Hornicek, MD, C.N. van Dijk, MD, PhD,</i>	
<i>J.A.M. Bramer, MD, PhD, Joseph H. Schwab, MD, MS</i>	
The use of a novel tablet application to quantify dysfunction in cervical spondylotic myelopathy patients	157
<i>Brett D. Rosenthal, MD, Tyler J. Jenkins, MD, Arjun Ranade, BS, Surabhi Bhatt, BS,</i>	
<i>Wellington K. Hsu, MD, Alpesh A. Patel, MD, FACS</i>	
Induced lumbosacral radicular symptom referral patterns: a descriptive study	163
<i>Michael B. Furman, MD, MS, Stephen C. Johnson, MD, MS</i>	

BASIC SCIENCE

Therapeutic effects of cell therapy with neonatal human dermal fibroblasts and rabbit dermal fibroblasts on disc degeneration and inflammation	171
<i>Peng Shi, DDS, PhD, Ana Chee, PhD, Weijun Liu, MD, Po-Hsin Chou, MD, PhD, Jun Zhu, MD,</i>	
<i>Howard S. An, MD</i>	

SPECIAL FEATURE: TOPICS IN CLINICAL PRACTICE

Predictive factors of positive online patient ratings of spine surgeons.....	182
<i>Saisanjana Kalagara, ScB, Adam E.M. Eltorai, MSc, J. Mason DePasse, MD, Alan H. Daniels, MD</i>	
Meetings Calendar	186

Financial Conflict of Interest Disclosure Key

Level A. \$100 to \$1000	Level D. \$25,001 to \$50,000	Level G. \$500,001 to \$1 M
Level B. \$1,001 to \$10,000	Level E. \$50,001 to \$100,000	Level H. \$1,000,001 to \$2.5 M
Level C. \$10,001 to \$25,000	Level F. \$100,001 to \$500,000	Level I. Greater than \$2.5 M

All Volume Indexes from Volume 1, Number 1 to the present are available ONLINE at the journal's full-text website at www.TheSpineJournalOnline.com. Author Instructions are also available at www.TheSpineJournalOnline.com/authorinfo.

© 2018 Elsevier Inc. All rights reserved.

Publisher: The Spine Journal (ISSN: 1529-9430) is published monthly by Elsevier, 360 Park Avenue South, New York, NY 10010-1710. Periodicals postage paid at New York, NY and at additional mailing offices.

POSTMASTER: Send address changes to The Spine Journal, Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043.

Photocopying: Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

Permission may be sought directly from Elsevier Rights & Permission Department, PO Box 800, Oxford O × 5 1DX, UK; phone: (+44) 1865 843 830, fax: (+44) 1865 853 333. Requests may also be completed online via the Elsevier site (<http://www.elsevier.com/authors/obtaining-permission-to-re-use-elsevier-material>).

In the USA, users may clear permissions and make payment through the Copyright Clearance Center, Inc. 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (978) 750-8400, fax: (978) 750-4744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 171 436 5931, fax: (+44) 171 436 3986. Other countries may have a local reprographic rights agency for payments.

Derivative Works: Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the publisher is required for resale or distribution outside the institution. Permission of the publisher is required for all other derivative works, including compilations and translations.

Electronic Storage or Usage: Permission of the publisher is required to store or use electronically and material contained in this journal, including any article or part of an article. Contact the publisher at the address indicated. Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher. Address permissions requests to: Elsevier Rights & Permission Department, at the mail, fax and e-mail addresses noted above.

Notice: No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or

ideas contained in the material herein. Advertising material included in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made or it by its manufacturer.

Customer Service (orders, claims, online, change of address): Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043. Tel: 1-800-654-2452 (U.S. and Canada); 314-447-8871(outside U.S. and Canada). Fax: 314-447-8029. E-mail: journalscustomerservice-usa@elsevier.com (for print support); journalsonlinesupport-usa@elsevier.com (for online support).

For advertising orders and inquiries: North and South America: Aretha Gaskin, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3681; fax: (212) 633-3820. For classified advertising, contact Adam Moorad, Elsevier Inc., 360 Park Avenue South, New York, NY 10010; Tel.: (212) 633-3122; fax: (212) 633-3820. International: Advertising Department, Elsevier, The Boulevard, Langford Lane Kidlington, Oxford O × 5 1GB, United Kingdom, Tel.: (+44) (0) 1865 843565, fax: (+44) (0) 1865 843 967; e-mail: media@elsevier.co.uk. Japan: Advertising Department, Elsevier Japan, Tel.: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047.

Disclaimer Notice: Statements and opinions expressed in the articles and communications herein are those of the author(s) and are not necessarily those of the Editor(s), North American Spine Society (NASS) or Publisher, or indicative of NASS views, policy or editorial concurrence. The Editor(s), the NASS, and the Publisher assume no responsibility for any injury and/or damage to persons or property as a matter of products liability, negligence, or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein. No suggested test or procedure should be carried out unless, in the reader's judgement, its risk is justified. Because of the rapid advances in the medical sciences, medical practitioners should obtain independent verification of diagnoses and drug dosages. Discussions, views, and recommendations as to medical procedures, choice of drugs, and drug dosages are the responsibility of the authors. Consumers should consult with their own doctors about their individual health status before making any health decisions.

Although all advertising material is expected to conform to ethical (medical) standards, the appearance of advertising in The Spine Journal does not constitute a guarantee or endorsement by the journal and/or the North American Spine Society of the quality or value of such product or to the claims made for it by its manufacturer. The fact that a product, service, or company is advertised in The Spine Journal shall not be referred to by the manufacturer in collateral advertising.

This paper meets the requirements of ANSI Standard Z39.48-1992 (Permanence of Paper).