



Corrigendum



CORRIGENDUM TO “PROGNOSTIC VALUE OF SLOX-1 LEVEL IN ACUTE CORONARY SYNDROMES BASED ON THROMBOLYSIS IN MYOCARDIAL INFARCTION RISK SCORE AND CLINICAL OUTCOME” [J EMERG MED. 2018;55(3):390–8]

Sina Mashayekhi, MD,^{*} Mojtaba Ziaee, PHD,^{*} Alireza Garjani, PHD,[†] Parvin Sarbakhsh, PHD,[‡] and Samad Ghaffari, MD, FACC^{*}

^{*}Cardiovascular Research Center, Tabriz University of Medical Sciences, Tabriz, Iran, [†]Department of Pharmacology, Tabriz University of Medical Sciences, Tabriz, Iran, and [‡]Department of Statistics and Epidemiology, Tabriz University of Medical Sciences, Tabriz, Iran

The authors regret that Total BMI in table 1 expressed 57.2 ± 9.72 but correct data is 26.8 ± 3.51 .

Also, “NSTEMI” should be changed to “STEMI” in page 395 line 8 in the left column.

The correct sentence is this: Comparison of the AUC between sLOX-1 and the TIMI risk score in the NSTEMI group showed no significance prognostic values ($r = 0.074$), while the AUC between sLOX-1 and the TIMI risk score exhibited remarkable prognostic values in the STEMI group ($r = 0.020$).

The authors would like to apologise for any inconvenience caused.