



Green synthesis of silver nanoparticle using *Oscillatoria* sp. extract, its antibacterial, antibiofilm potential and cytotoxicity activity



Bukola Adebayo-Tayo^{a,*}, Adebayo Salaam^b, Adebola Ajibade^a

^a Department of Microbiology, Faculty of Science, University of Ibadan, Ibadan, Oyo state, Nigeria

^b Department of Botany, Faculty of Science, University of Ibadan, Ibadan, Oyo state, Nigeria

ARTICLE INFO

Keywords:

Chemical engineering
Chemistry
Biological sciences
Health sciences
Materials science
Oscillatoria sp
Nanoparticles
Characterization
Antibacterial
Antibiofilm
Cytotoxicity

ABSTRACT

Green route biosynthesis of silver nanoparticles (SNPs) using methanol extract of *Oscillatoria* sp. was investigated. The nanoparticles (OsSNPs) were characterized by UV-Vis spectrophotometry, FTIR, SEM, Thermogravimetry, EDX and DLS. The antibacterial, antibiofilm and in vitro cytotoxicity activity of the OsSNPs was determined. Surface Plasmon Resonance peak was at 500 nm. Functional groups such as hydroxyl; alcohol, phosphate, and amine among others were responsible for the capping and stabilization of proteins in the nanoparticles. The OsSNPs were spherical with size of 10 nm and are thermostable to an extent without totally losing its weight. EDX analysis revealed a strong signal of silver element. DLS shows the particle diameter average of 0.000 nm and 558.1 nm with a polydispersity index of 0.580. The OsSNPs had effective antibacterial activity against the test bacterial pathogens with zone of inhibition ranged from 1 - 21 mm. OsSNPs exhibited strong antibiofilm activity. However, the toxicity of the OsSNPs to *Artemia salina* (brine shrimp) was observed to be insignificant with the highest mortality at 4000 µg/mL and lethal dose (LC₅₀) of 2630.3 µg/mL. Greenly synthesized OsSNPs had effective antibacterial potency and low cytotoxicity which suggests its use in biomedical and pharmacological applications.

1. Introduction

Oscillatoria sp. is blue - green algae which belong to Phylum Cyanobacteria, Class Cyanophyceae, Order Oscillatoriales and Family Oscillatoraceae. They are either straight or slightly irregular or cylindrical sometimes coiled at both ends and are usually between 4 – 50 µm long. They are mostly present in shady area and cells can be blue-green, olive or almost black in colour [1]. Chronic bacterial infection is of great concern in clinical sector and it is related to the emergence of persistent bacteria [2] which use survival mode that is different from that of resistance which is known to either occur through horizontal gene transfer or genetic mutation [3]. Persistent bacteria are usually stimulated by the exposure to low concentration of silver nanoparticles which leads to the oxidative stress in such bacteria [4]. *Staphylococcus aureus* is an example of earlier reported persistent bacterium [5]. The emergence of persistent bacteria in health sector in recent years has led to the wide application of nanotechnology which uses nanoscientific ideas to design materials whose structural component size is usually less than 100 nm [6, 7]. It also involves imaging, measuring, modeling and deformation of matter at nanoscale level [8]. Nanoparticles serve as fundamental

building blocks of nanodevices which are used in various practical applications [9].

Nanotechnology is a science that deals with manipulation of materials within size range of 0.1–100 nm. Nanomaterials are known to possess unique properties such as electrical conductance, chemical reactivity, magnetism, optical effects and physical strength, which differentiate them from bulk materials. The unique properties possessed by nanomaterials are as a result of their small size [10]. Nanoparticles are the basic building blocks in Nano devices which are useful in various applications. Nanoparticles have unique characteristics such as large surface to volume ratio and definite quantum confinement effect among other biological, physical and chemical properties which give them an edge over bulk materials [11].

Production of nanoparticles can be achieved through physical, chemical and biological methods. Of these three methods, chemical method is the most common method which involves the use of toxic chemicals in the production of nanoparticles. Some of the physical and chemical methods include reduction, arc discharge, electrochemical and reduction processes. The desire of nanotechnology in the production of eco-friendly nanoparticles which is different from the previous ones has

* Corresponding author.

E-mail address: bukola.tayo@gmail.com (B. Adebayo-Tayo).

<https://doi.org/10.1016/j.heliyon.2019.e02502>

Received 22 June 2019; Received in revised form 13 August 2019; Accepted 17 September 2019

2405-8440/© 2019 The Author(s). Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

given rise to the biosynthesis of nanoparticles [12]. The wide use of synthesized nanoparticles in human activities create the need for a method which will not pose threat to the environment and humans as a result of their exposure to the nanoparticles, hence the biological method [13, 14].

The use of metallic nanoparticles in modern technologies is based on their unique characteristics such as surface Plasmon features, morphologies and interesting physicochemical properties among others [15]. Silver nanoparticles compare to other metallic nanoparticles as a result of their outstanding antimicrobial properties such as broad spectrum and surface Plasmon resonance are of great importance in modern nanoscience and nanotechnology [16, 17]. Unlike standard antimicrobial agents, low doses of silver nanoparticles are needed in the treatment of diseases [18]. The interaction of silver nanoparticles with microorganisms gives rise to the release of silver ions which are potential destroyers of microbial cells due to their ability to deactivate enzymes in microbial cell and membrane permeability disruption leading to lysis and apoptosis [19, 20]. Silver nanoparticles also possess antiinflammatory, antiplatelets and antiangiogenesis potentials among other thus making their application in medical field paramount [21]. The use of green algae in the production of silver nanoparticles have been reported to be efficient due to the composition of the microalgae as well as little or no toxic effect of the synthesized nanoparticles and outstanding features of the nanoparticles biosynthesized [22]. This work aims at biosynthesizing silver nanoparticles from methanol extract of the green alga; *Oscillatoria* sp. and characterizing the biosynthesized silver nanoparticles.

2. Materials and methods

All chemicals were analytical grade products purchased from Sigma–Aldrich (St.Louis, MO, USA).

2.1. Sample collection and extraction of the bioactive compound from the algae

The blue green algae (*Oscillatoria* sp.) sample was collected from the wall of the walkway of the Department of Theatre Art, University of Ibadan, Ibadan, Nigeria (Latitude 03° 43' 43" E and longitude 07° 26' 41" N) with sterile scalpel from where thick mass was visually observed and transported to the laboratory, Botany Department, University of Ibadan for further analysis. The scraped algal sample was washed under running tap water to remove sand particles adhering to the sample and thereafter rinsed with sterile distilled water. The washed algal biomass was dried at room temperature for one week, ground into powder using blender and stored at room temperature for further analysis.

The test pathogens; *S. aureus* ATCC29213, *E. coli* ATCC 11775, *E. coli* ATCC 35218, *P. aeruginosa* ATCC27853, *Citrobacter* sp., *S. typhi* ATCC 14028 and *Bacillus cereus* were obtained from the Department of Microbiology and Department of Pharmacy, University of Ibadan, Ibadan Oyo state. Brine shrimp eggs were obtained from the Biochemistry Department, University of Ibadan and the Sea water was obtained from the Atlantic Ocean in Lagos, Nigeria. The seawater was 29.4 °C, pH 8.2, Salinity 309 + 0.03PSU and Turbidity 15.5 NTU.

For the extraction of the bioactive compound in the algae samples, the algae were washed with distilled water to remove extraneous materials, dried properly and grind into a fine powder. Soxhlet extraction of 200 grams of the dried sample was done using 300 mL methanol as solvent. The marc was filtered and solvents were removed under reduced pressure in a rotary evaporator. Dark brown pastes obtained were weighed and stored in a refrigerator at 4 °C.

2.2. Biosynthesis of silver nanoparticles

The silver nanoparticles were biosynthesized by adding 10 mL of 1 g/mL of the methanol extract of *Oscillatoria* sp. into 90 mL of 0.1 mM of AgNO₃ solution [23]. The mixture was kept in the dark at room

temperature for 72 h. The samples were used for further analysis.

2.3. Characterization of the biosynthesized OsSNPs

Visual detection of the greenly synthesized OsSNPs was done by observing the mixture for a change in colour in comparison to the control samples. UV–Visible spectrophotometric analysis of the OsSNPs solutions were determined at room temperature using UV–Vis spectrophotometer (a Lambda 25-Perkin Elmer, Waltham, MA, USA) with a resolution of 0.5 nm. The absorbance of the sample was read at the wavelengths of 200–800 nm [24]. The chemical structure of the OsSNPs samples was analyzed using FTIR spectroscopy (Shimadzu). Two milligram of the dried samples was taken ground with KBr salt at 25 °C and pressed into a mold to form pellet. The spectra were recorded at a wave range of 500–4000 cm⁻¹ and at resolution of 4 cm⁻¹ [25].

The morphological structure of the OsSNPs was analyzed by Scanning Electron Microscopy (SEM). The dried samples were coated with gold using a coater (JEOL, Akishima-shi, Japan, and Model number JFC-1600). The images of SNPs were taken in a SEM (ZEISS EVO-MA 10, Oberkochen, Germany). X ray diffraction patterns (XRD) were obtained in a Siemens Kristalloflex diffractometer using nickel filtered CuKα radiation from 4 to 70° (2θ angle). Thermogravimetry (TG) analysis was carried out using dried OsSNPs in SDT 2960 device from TA Instruments. The nanoparticles were heated in open alumina pans from 40 to 600 °C, under an oxidant atmosphere (O₂), flux of 50 mL/min and a heating rate of 10 °C/min were used. The estimation of the silver content in OsSNPs was done using the residue at 600 °C.

The elemental composition of OsSNPs was determined using an Energy Dispersion X-ray (EDX). The dried OsSNPs powder was used for the analysis and the EDX analysis software was sourced from Oxford instruments analytical. All measurements were performed at accelerated voltage of 10 KV.

Particle size analyzer (Zetasizer Nano ZS, Malvern Instruments Limited, Worcestershire, United Kingdom) was used to determine the particle size distribution and surface charge of the OsSNPs. The analysis was done at 25 °C with 90° detection angle and 633 nm. Hydrodynamic diameter and polydispersity index were measured as a function of time. Prior to the analysis, the OsSNPs was suspended in sterile water and sonicated for 15 min.

2.4. Antibacterial potential of the OsSNPs

The antibacterial potential of the OsSNPs was evaluated using the Agar Well Diffusion method [26] using *S. aureus* ATCC29213, *E. coli* ATCC 11775, *E. coli* ATCC 35218, *P. aeruginosa* ATCC27853, *Citrobacter* sp., *S. typhi* ATCC 14028 and *Bacillus cereus* as the test pathogens. *Escherichia coli* ATCC 11775 is a reference type strain which was first isolated from urine sample of a Danish patient's in 1941 [27]. *Escherichia coli* ATCC 35218 is a strain recommended by NCCLS for used as a quality control organism for the assay of betalactam antibiotics, evaluation of Mueller Hinton agar and the quality control strain for susceptibility testing [28, 29]. The isolate was cultured overnight in peptone water. 18 hrs old culture of the isolate was seeded on Mueller - Hinton Agar (Lab M Ltd., UK) plates. Uniform wells were cut on the dried agar plate using a sterile cork - borer of diameter 7 mm. Each well was filled with 20 µL of the biosynthesized OsSNPs. AgNO₃ solution (1 mM) and the methanol extract of *Oscillatoria* sp. were put into respective wells as negative controls. The inoculated plates were incubated at 37 °C for 24 h. After incubation the plates were observed for zones of inhibition (ZOI) around the wells. ZOI diameters (mm) greater than 1 mm were considered positive [30].

2.5. Antibiofilm activity of OsSNPs

The antibiofilm activity of the biosynthesized SNPs was determined according to the method as described by [31] with slight modification.

The inoculum was added to 200 μ L of already prepared Tryptic Soy Broth (TSB) in a 96 well microtiter plate and incubation was done at 37°C for 48 h. The non-adherent bacterial cells were removed by discarding the mixture carefully and rinsing the microtiter plate with sterile water three times. The adherent cells were fixed with 95% ethanol for 5 min before rinsing with sterile water. Aliquot of 200 μ L crystal violet was added to the fixed cells for 15 min, rinsed with sterile water and air-dried. For biofilm inhibition, 150 μ L of TSB was added to microtiter wells and 50 μ L of OsSNPs were added. Same procedure was used for biofilm inhibition process. Quantification of the biofilm formation and inhibition were done at the absorbance of 560 nm (OD_{560}) using ELISA reader (BIOTEX model: ELx800, Biotex Instruments, USA). Percentage of biofilm inhibition was calculated as:

$$\% \text{ biofilm inhibition} = \frac{OD_{\text{control}} - OD_{\text{treatment}}}{OD_{\text{control}}} \times 100 \quad (1)$$

2.6. In vitro cytotoxicity assay of OsSNPs against brine shrimp

Brine shrimp lethality test for larvae nauplii was used to determine the toxicity of OsSNPs [32]. The Brine shrimp eggs hatching were done in a dish using the sea water. The active free floating phototropic nauplii were collected from bright illumination with pipette after 48 h and were used for the assay. The nauplii were dispensed into a sterile well plate contain 2 mL of sea water and suspension of yeast under illuminated condition. Different concentrations (100, 500, 1000, 2000, 3000 and 4000 μ g/mL) of silver nanoparticles was added into the each wells that contains 10 nauplii and incubated at room temperature in the dark for 24 h. Sea water without silver nanoparticles was used as control. Macroscopic count of the survivors' nauplii every 3 h for 24 h was done and percentage of mortality, LD_{50} for the tested concentration of OsSNPs were determined using probit analysis [33].

3. Results and discussion

The methanol extract of *Oscillatoria* sp. was able to bio-reduced the $AgNO_3$ to biosynthesized OsSNPs. The greenly biosynthesized nanoparticles was characterized.

3.1. Visual Observation of the nanoparticles biosynthesis

Formation of silver nanoparticles through reduction of silver nitrate into silver ion by the reducing agent is known to be associated with colour change (Fig. 1). The reaction mixture of $AgNO_3$ and the methanol extract of *Oscillatoria* sp. turned brown indicating formation of silver nanoparticles. The intensity of the colour increases after 24 h of incubation.



Fig. 1. Visual Observation of SNPs formation: (a) *Oscillatoria* sp. extract; (b) Silver nitrate solution and (c) SNPs.

Silver nanoparticles formation was identified visually by colour change. The immediate colour change as observed in formation of silver nanoparticles biosynthesized using *Oscillatoria* sp. extract was due to the excitation of Surface Plasmon Resonance (SPR) of nanoparticles in the reaction mixture. This was also reported by Rajeshkumar et al. [23] who observed colour change in the reaction mixture during silver nanoparticles formation biosynthesized from *Padina tetrastomatica*.

3.2. UV-vis spectrophotometry analysis

The biosynthesized OsSNPs were characterized at different incubation hours using UV-Vis Spectrophotometer. At different hours of incubation Surface Plasma Resonance (SPR) peak was observed at 500 nm and broad spectrum range was at 400–600 nm (Fig. 2). The results obtained from the UV-Vis spectra suggested the formation of silver nanoparticles.

3.3. Fourier transform infrared (FTIR)

The FTIR spectra of the biosynthesized OsSNPs showed 16 major bands each of which suggested the presence of different functional groups of compounds present (Fig. 2).

The UV-vis spectroscopy is a technique used to confirm the formation and stability of nanoparticles based on the optical properties of the nanoparticles and it also serves as an indirect method used to determine the reduction of silver nitrate to silver nanoparticles in the aqueous solution. The optical property of silver nanoparticles is dependent on size and shape [34]. The result obtained as shown by the UV-vis spectra of the biosynthesized silver nanoparticles was formed after 24 h of incubation, a drop in the surface Plasmon peak was observed at 48 h and maximum increase in the resonance was observed after 72 h of incubation. This shows that complete nanoparticles formation occurred after 72 h of incubation and it implies that nanoparticles formation is associated with incubation time. This is not in agreement with the work of Singh et al. [21] who reported consistent increase in the peak after 24, 48, 72, till 168 h of incubation while working on silver nanoparticles biosynthesized from *Acinetobacter calcoaceticus*. Mie's theory states that only a single surface plasmon resonance band is expected in the absorption spectra of spherical metal nanoparticles whereas anisotropic particles can give rise to two or more surface plasmon resonance bands, depending on the shape of the particles [35, 36]. From the UV-vis spectra of silver nanoparticles synthesized from *Oscillatoria* sp. methanol extract, a single SPR peak was observed which suggests that the biosynthesized silver nanoparticles are spherical in shape and this was confirmed by the scanning electron micrograph. Broadening of the surface plasmon resonance can be attributed to the electron surface scattering which can be enhanced for small aggregates [37]. Silver nanoparticles formed in such enhanced process are usually stable and their absorption spectra can be unaltered even after six months at room temperature [21].

The FTIR spectrum of the nanoparticles is shown in Fig. 3. The peak at




Fig. 2. UV-Vis spectra of silver nanoparticle biosynthesized at different hours of incubation.




Fig. 3. FTIR spectrum of the biosynthesized silver nanoparticles.

3427.95 cm^{-1} was more prominent than other peaks and it showed the presence of hydroxyl (OH) stretch of alcohol. The peak 1648.10 cm^{-1} suggested the presence of benzene. The peaks 1019.34 cm^{-1} and 952.97 cm^{-1} indicate the presence of hetero oxy compounds in which 1019.34 cm^{-1} is an aliphatic phosphate with P–O–C stretch while 952.97 cm^{-1} is an aromatic phosphate compound. However, the peak 902.37 cm^{-1} is also an aromatic phosphate compound but not a hetero oxy compound. Peak 709.72 cm^{-1} is a hydroxyl compound that was out of plane bend and peak 675.62 cm^{-1} indicates the presence of an aryl thioether compound with C–S stretch that is a sulphate ion.

3.4. Scanning electron microscopy (SEM)

Morphological identification of the biosynthesized silver nanoparticles was determined using scanning electron microscopy. The scanning electron micrograph confirmed the shape of the biosynthesized OsSNPs to be spherical and 10 nm in size (Fig. 4).

3.5. Thermogravimetry (TGA)

Thermal stability in relative to weight of the biosynthesized silver nanoparticles was assessed using Thermogravimetry (TGA). It was observed from the TGA curve that dominant weight loss of the SNPs of *Oscillatoria* sp. extract occurred in temperature region between $350\text{ }^{\circ}\text{C}$ and $450\text{ }^{\circ}\text{C}$ (Fig. 5). There was little weight loss below $350\text{ }^{\circ}\text{C}$ and above $450\text{ }^{\circ}\text{C}$.




Fig. 5. TGA thermograph of the biosynthesized silver nanoparticles.

3.6. Particle size and distribution of the OsSNPs

The DLS is used to determine the diameter of nanoparticles dispersed in liquid. It also determines the size of particles and their distribution in physiological solutions [38]. The size distribution histogram of dynamic light scattering (DLS) analysis of the OsSNPs shows the particle diameter




Fig. 4. a & b. SEM and 3D image of the biosynthesized silver nanoparticles.

average of 0.000 nm and 558.1 nm with a polydispersity index of 0.580 (Fig. 6).

3.7. Energy dispersive X-ray analysis of the OsSNPs

The weight percentage of silver was 0.0132 from the EDX spectrum of OsSNPs (Fig. 7). The EDX analysis revealed strong signals in the silver region and confirmed the formation of silver nanoparticles.

The micrograph showed that the biosynthesized silver nanoparticles are spherical in shape and the 3D-image revealed that the size of the nanoparticles is 10 nm. Raza et al. [38] reported the effect of size and shape of silver nanoparticles on the antibacterial activity of the silver nanoparticles and it was stated that small size spherical silver nanoparticles are more active against microorganisms than larger spherical silver nanoparticles likewise that spherical silver nanoparticles are more effective against microbes than triangular shaped silver nanoparticles.

The behavioural pattern of the silver nanoparticles biosynthesized from *Oscillatoria* sp. methanol extract when subjected to high temperature. It can be generally attributed to the evaporation of water and organic components. The thermograph showed the relative weight of the nanoparticles with respect to heat. The biosynthesized OsSNPs was able to withstand heat to a certain extent before the significant weight lost.

The DLS determines the size of particles and their distribution in physiological solutions [39]. Some distribution at lower range of particle size indicates that the synthesized particles are also in lower range of particle size. The size of biosynthesized SNPs obtained from DLS in this work is larger than SEM and this is in agreement with the report of Zhang et al. [40]. It was reported that the larger size of DLS than SEM is as a result of Brownian motion influence.

There were other peaks for other elements suggesting that they are mixed precipitates present in the methanol extract of *Oscillatoria* sp. This agrees with the work of Khan et al. [41] who also confirmed SNPs formation in plant extract and observed the presence of other elements in the plant (*Ziziphus nummularia*) extract used in biosynthesis of SNPs.

3.8. Antibacterial potential of the OsSNPs

The antibacterial activity of the biosynthesized OsSNPs was tested against seven clinical pathogenic bacteria. All the test pathogens were susceptible to the nanoparticle as shown Fig. 8. At 24 and 48 h *Bacillus cereus* and *Citrobacter* sp. had the highest susceptibility with zone of inhibition 16.0 mm and 18.0 mm respectively. At 72 h *Escherichia coli* ATCC 35218 had the highest susceptibility to OsSNPs with 20.00 mm zone of inhibition while *Bacillus cereus* was least susceptible to the OsSNPs with lowest zone of inhibition (6.00 mm). Reduction in the zone of inhibition after 48 h may be due to production of enzyme by *Escherichia coli* ATCC 35218. The isolated has been reported as a beta lactamase producing strains [29]. *Osc. sp.* extract had antibacterial activity against the pathogen, the antibacterial activity ranged from 13.0 – 24.0 mm. The

highest activity was against *P. aeruginosa*. The extract exhibited higher antibacterial activity against some of the pathogens compared to the nanoparticles and AgNO₃ solution AgNO₃ solution had antibacterial activity against the test pathogens. The antibacterial activity ranged from 6.0 – 12.0 mm, the highest activity was against *E. coli* 35218. Fig. 9 shows the antibacterial activity of the nanoparticles on the test pathogen on plates.

3.9. Antibiofilm activity of the OsSNPs

3.9.1. Visual observation of biofilm formation

The biofilm formation was assessed visually by observing formation of ring at the bottom of the test tube and at the meniscus level of the test tubes after staining with the crystal violet. 90 % of the test pathogens were biofilm formers (Table 1).

3.9.2. Antibiofilm potential of the OsSNPs

The antibiofilm activity of the biosynthesized silver nanoparticles shows reduction in the biofilm formation by all test pathogens that were used thus implied that the biosynthesized silver nanoparticles is active against bacterial biofilm. The highest inhibition was against *Pseudomonas aeruginosa* ATCC 27853 while the lowest inhibition was against *Citrobacter* sp. (Fig. 10).

The OsSNPs showed more activity than silver nitrate solution which was used as control. The mechanism of antibacterial activity of silver nanoparticles is not well understood but some mechanisms have been proposed which include the release of silver ions when silver nanoparticles come in contact with bacterial cell, these ions prevent DNA replication in such bacteria by deactivating the synthesis of enzymes that take part in DNA synthesis and ATP synthesis [15, 42]. Rai et al. [43] reported that silver nanoparticles can act as potential antimicrobial agents against different microorganisms. Raza et al. [44] reported that the antibacterial efficacy of silver nanoparticles is size and shape dependent while working on silver nanoparticles of different sizes and shapes. The antibacterial activity of silver nanoparticles from this research showed that *Escherichia coli* ATCC 25318 was more susceptible to the silver nanoparticles while *Bacillus* sp. was least susceptible to the biosynthesized silver nanoparticles. The result obtained from this research showed that the biosynthesized SNP is effective against all the selected microorganisms used in this experiment. Reduction in the zone of inhibition after 48 h may be due to production of enzyme by *Escherichia coli* ATCC 35218. The isolated has been reported as a beta lactamase producing strains [29].

The inhibition of biofilm formation by nanoparticles has been reported previously by Lee et al. [45], Seil and Webster, [46]. This research reports the biofilm inhibition of the biosynthesized silver nanoparticles with the highest inhibition observed in *Pseudomonas aeruginosa* ATCC 27853 and the least inhibition in *Citrobacter* sp. Lee et al. [45] in their research reported the inhibition of formation of biofilm of *Pseudomonas aeruginosa* by zinc oxide nanoparticles dose dependently. Vijayan et al. [47] also reported reduction in the formation of biofilm by silver nanoparticles. Here we report the reduction in biofilm formation of selected gram positive and gram negative bacteria by silver nanoparticles biosynthesized using methanol extract of *Oscillatoria* sp.

3.10. Cytotoxicity of OsSNPs

The *Artemia* cytotoxicity (Brine Shrimp Assay) is one of the reliable methods to screen the cytotoxicity of products [44]. It was observed that the increase in mortality rate is dose dependent (Fig. 11).

From the result, it was observed that the increase in mortality rate is dose dependent and this is in agreement with the work of Vijayan et al. [47] who also reported same thing while working on silver nanoparticles synthesized from the extract of seaweed *Turbinaria conoides*. Arulvasu et al. [48] in their work on the toxicity effect of silver nanoparticles in brine shrimp *Artemia* reported that *Artemia* possesses nonselective filter




Fig. 6. Particle size distribution of the biosynthesized SNPs by DLS.




Fig. 7. EDX micrograph of the biosynthesized SNPs.





Fig. 8. Antibacterial activity of the biosynthesized SNPs.

Fig. 9. The antibacterial activity of OsSNPs against *E. coli* ATCC 35218.

feeding behaviour which enables them to feed on all silver nanoparticles that are less than 50 μm in size. They also reported that the aggregation amount of silver nanoparticles in the gut of the *Artemia* is dependent on the concentration amount of nanoparticles and the amount of nanoparticles consumed by the *Artemia*. Silver nanoparticles biosynthesized in this work are less than 50 microns as confirmed by the SEM result thus suggesting the aggregation of the biosynthesized SNPs in the gut of the

Table 1

The assessment of biofilm formation by test pathogens.

Test pathogen	Biofilm Intensity
<i>S. aureus</i> ATCC 29213	++++
<i>E. coli</i> ATCC 35218	+++
<i>P. aeruginosa</i> ATCC27853	++
<i>Citrobacter</i> sp.	+++
<i>S. typhi</i> ATCC 14028	+
<i>E. coli</i> ATCC 11775	+
<i>Bacillus cereus</i>	-

Key: + = slightly formed, ++ = partially formed, +++ = formed, ++++ = strongly formed, - = not formed.

Artemia thereby leading to the mortality rate obtained in this work.

Methanol extract of *Oscillatoria* sp. contain some bioactive phytochemicals with some unique functional groups which act as capping and stabilizing agent for AgNO_3 bio-reduction for silver nanoparticles biosynthesis.

4. Conclusion

This present research has been able to biosynthesize silver nanoparticles in an eco-friendly manner using methanol extract of *Oscillatoria* sp. The nanoparticles were thermostable to an extent, spherical shape of 10 nm size and exhibited a strong antibacterial and antibiofilm activity




Fig. 10. Antibiofilm Activity of the biosynthesized SNPs.




Fig. 11. Mortality rate of *Artemia salina* treated with the biosynthesized SNPs.

against the test pathogens and low cytotoxicity against brim shrimp. This makes it a promising nanomaterial to be used in any nanoproducts as an antibacterial agent in the production of heat resistant nanoproducts and in the production of medical devices such as nanocatheters among others.

Declarations

Author contribution statement

Bukola Adebayo-Tayo: Conceived and designed the experiments, Analyzed and interpreted the data, Wrote the paper.

Adebayo Salaam: Conceived and designed the experiments, Contributed reagents, materials, Analysis tools or data.

Adebola Ajibade: Performed the experiments.

Funding statement

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Competing interest statement

The authors declare no conflict of interest.

Additional information

No additional information is available for this paper.

References

- [1] S. Kesarwani, R. Tandon, G.L. Tiwari, The genus *Oscillatoria* Vaucher (Cyanoprokaryota) from India, *J. Phycol. Soc. India* 45 (1) (2015) 18–29.
- [2] B.P. Conlo, S.E. Rowe, K. Lewis, Persister cells in biofilm associated infections, *Biofilm-Based Healthcare-Assoc. Infect.* 1–9 (2015). Sprng.
- [3] M. Salas-Orozco, N. Niño-Martínez, G. Martínez-Castañón, Mechanisms of resistance to silver nanoparticles in endodontic bacteria: a literature review, *J. Nanomater.* (2019) 1–11.
- [4] M. Ayrapetya, T.C. Williams, J.D. Oliver, Bridging the gap between viable but non-culturable and antibiotic persistent bacteria, *Trends Microbiol.* 23 (1) (2015) 7–13.
- [5] K. Lewi, Persister cells, *Annu. Rev. Microbiol.* 64 (1) (2010) 357–372.
- [6] M.L. Cohen, Nanotubes, nanoscience, and nanotechnology, *Math. Sci. Eng.* 15 (1–2) (2001) 1–11.
- [7] S. Rajabi, A. Ramazani, M. Hamidi, *Artemia salina* as a model organism in toxicity assessment of nanoparticles, *J. Pharm. Sci.* 2 (2015) 20.

- [8] H.S. Samanta, R. Da, C. Bhattachajee, Influence of nanoparticles for wastewater treatment: a short review, *Austin Chem. Eng.* 3 (3) (2016) 1036.
- [9] T. Takeshima, Y. Tada, N. Sakaguchi, DNA/Ag nanoparticles as antibacterial agents against gram-negative bacteria, *Nanomaterials* 5 (2015) 284–297.
- [10] A.P. Nikalje, Nanotechnology and its application in medicine, *Med. Chem.* 5 (2015) 81–89.
- [11] T. Takeshima, Y. Tada, N. Sakaguchi, F. Watari, B. Fugetsu, DNA/Ag nanoparticles as antibacterial agents against gram-negative bacteria, *Nanomaterials* 5 (2015) 284–297.
- [12] A. Massironi, A. Morelli, L. Grassi, Ulvan as novel reducing and stabilizing agent from renewable algal biomass: application to green synthesis of silver nanoparticles, *Carbohydr. Polym.* 203 (2019) 310–321.
- [13] T.N. Prasad, E.K. Elumalai, Biofabrication of Ag nanoparticles using *Moringa oleifera* leaf extract and their antimicrobial activity, *Asian Pac. J. Trop. Biomed.* 1 (6) (2011) 439–442.
- [14] B. Nair, T. Pradeep, Coalescence of nanoclusters and formation of submicron crystallites assisted by *Lactobacillus strains*, *Cryst. Grth. Des.* (4) (2002) 293–298.
- [15] S. Agnihotri, S. Mukherji, S. Mukherji, Size-controlled silver nanoparticles synthesized over the range 5 – 100 nm using the same protocol and their antibacterial efficacy, *Res. Adv.* 2014 (2014) 3974–3983.
- [16] G. Franci, A. Falang, S. Galdiero, Silver nanoparticles as potential antibacterial agents, *Mol* 20 (5) (2015) 8856–8874.
- [17] S. Jana, T. Pal, Synthesis, characterization and catalytic application of silver nanoshell coated functionalized polystyrene beads, *J. Nanosci. Nanotechnol.* 7 (2007) 2151–2156.
- [18] G. Sharma, N.D. Jasuja, R. Rajgovid, Synthesis, characterization and antimicrobial activity of *Abelia grandiflora* assisted AgNPs, *J. Microb. Biochem. Technol.* 6 (5) (2014) 274–278.
- [19] Q.L. Feng, J. Wu, G.Q. Chen, A mechanistic study of the antibacterial effect of silver ions on *Escherichia coli* and *Staphylococcus aureus*, *J. Biomed. Mater. Res.* 52 (2000) 662–668.
- [20] O. Choi, K.K. Deng, N.J. Kim, The inhibitory effects of silver nanoparticles, silver ions, and silver chloride colloids on microbial growth, *Water Res.* 42 (2008) 3066–3074.
- [21] R. Singh, P. Wagh, S. Wadhvani, Synthesis, optimization, and characterization of silver nanoparticles from *Acinetobacter calcoaceticus* and their enhanced antibacterial activity when combined with antibiotics, *Int. J. Nanomed.* 8 (2013) 4277–4290.
- [22] M.J. Firdhouse, P. Lalitha, Green synthesis of silver nanoparticles using the aqueous extract of *Portulaca oleracea* (L.), *Asian J. Pharmaceut. Clin. Res.* 6 (1) (2012) 92–94.
- [23] S. Rajeshkumar, C. Malarkodi, S. Venkat-Kumar, Synthesis and characterization of silver nanoparticles from marine Brown seaweed and its antifungal efficiency against clinical fungal pathogens, *Asian J. Pharmaceut. Clin. Res.* 10 (2) (2017) 190–193.
- [24] T. Ashokkumar, K. Vijayaraghavan, Brown seaweed-mediated biosynthesis of gold nanoparticles, *J. Environ. Biotech. Res.* 2 (1) (2016) 45–50.
- [25] R. Bhat, R. Deshpande, S.V. Ganachari, Photo-irradiated bio-synthesis of silver nanoparticles using edible mushroom *Pleurotus florida* and their antibacterial activity studies, *Bioinorgan. Chem. Appl.* 36 (2011) 168–171.
- [26] M. Shivashankar, B. Premkumari, N. Chandan, Biosynthesis, partial characterization and antimicrobial activities of silver nanoparticles from *Pleurotus* species, *Intl. J. Integr. Sci. Innov. Technol.* 2 (3) (2013) 13–23.
- [27] J.P. Meier-Kolthoff, R.L. Hahnke, J. Petersen, C. Scheuner, V. Michael, A. Fiebig, C. Rohde, M. Rohde, B. Fartmann, L.A. Goodwin, O. Chertkov, T.B.K. Reddy, A. Pati, N.N. Ivanova, V. Markowitz, N.C. Kypides, T. Woyke, M. Göker, H.P. Klenk, Complete genome sequence of DSM 30083^T, the type strain (U5/41^T) of *Escherichia coli*, and a proposal for delineating subspecies in microbial taxonomy, *Stand. Genomic. Sci.* 9 (2014) 2.
- [28] National Committee for Clinical Laboratory Standards, Methods for Dilution Antimicrobial Susceptibility Tests for Bacteria that Grow Aerobically, NCCLS publication no. M7-A4, National Committee for Clinical Laboratory Standards, Wayne, Pa, 1997.
- [29] National Committee for Clinical Laboratory Standards, Performance Standards for Antimicrobial Disk Susceptibility Tests, NCCLS publication no. M2-A6, National Committee for Clinical Laboratory Standards, Wayne, Pa, 1997.
- [30] S.S. Prabhu, R.K. Mohan, P. Sanhita, Production of bacteriocin and biosynthesis of silver nanoparticles by lactic acid bacteria isolated from yoghurt and its antibacterial activity, *Scrut. Int. Res. J. Microbiol. Biotechnol.* 1 (3) (2014) 7–14.
- [31] E. Alves, M. Faustino, M.G. Neves, J. Tome, A. Almeida, An insight on bacterial cellular targetsof photodynamic inactivation, *Future Med. Chem.* 6 (2014a) 141–164.
- [32] D.J. Finney, Probit Analysis, third ed., Cambridge University press, Camb Lond, 1971.
- [33] I.O. Sosa, C. Noguez, R.G. Barrera, Optical properties of metal nanoparticles with arbitrary shapes, *J. Phys. Chem.* 107 (26) (2003) 6269–6275.
- [34] R. He, X. Qian, J. Yin, Preparation of polychrome silver nanoparticles in different solvent, *J. Mater. Chem.* 1 (2002) 3783–3786.
- [35] J.L. McLaughlin, C. Chang, D.L. Smith, Simple bench-top bioassays (brine-shrimp and potato discs) for the discovery of plant antitumour compounds, in: A.D. Kinghorn, M.F. Balandrin (Eds.), Human Medicinal Agents from Plants, Am. Chem. Soc., Washington DC, 1993, pp. 112–137.
- [36] J.P. Novak, D.L. Feldheim, Assembly of phenylacetylene bridged silver and gold nanoparticle arrays, *J. Am. Chem. Soc.* 12 (2000) 3979–3980.
- [37] S. Link, M.A. El-Sayed, Optical properties and ultrafast dynamics of metallic nanocrystals, *Annu. Rev. Phys. Chem.* 54 (2003) 331–366.
- [38] M.A. Raza, Z. Kanwal, A. Rauf, Size- and shape-dependent antibacterial studies of silver nanoparticles synthesized by wet chemical routes, *Nanomaterials* 6 (2016) 74.
- [39] F.A. Khan, M. Zahoor, A. Jalal, Green synthesis of silver nanoparticles by using *Ziziphus nummularia* leaves aqueous extract and their biological activities, *J. Nanomater.* (2016) 1–8.
- [40] R.C. Murdock, L. Braydich-Stolle, A.M. Schrand, Characterization of nanomaterial dispersion in solution prior to in vitro exposure using dynamic light scattering technique, *Toxicol. Sci.* 101 (2008) 239–253.
- [41] X. Zhang, Z. Liu, W. Shen, Silver nanoparticles: synthesis, Characterization, Properties, applications, and therapeutic approaches, *Int. J. Mol. Sci.* 17 (9) (2016) 1534.
- [42] S. Pal, Y.K. Tak, J.M. Song, Does the antibacterial activity of silver nanoparticles depend on the shape of the nanoparticle? A study of the gram-negative bacterium *Escherichia coli*, *Appl. Environ. Microbiol.* 73 (2007) 1712–1720.
- [43] M. Rai, A. Yadav, A. Gade, Silver nanoparticles as a new generation of antimicrobials, *Biotechnol. Adv.* 27 (1) (2009) 76–83.
- [44] J.H. Lee, Y.G. Kim, M.H. Cho, ZnO nanoparticles inhibit *Pseudomonas aeruginosa* biofilm formation and virulence factor production, *Microbiol. Res.* 169 (2014) 888–896.
- [45] J.T. Seil, T.J. Webster, Reduced *Staphylococcus aureus* proliferation and biofilm formation on zinc oxide nanoparticle PVC composite surfaces, *Acta Biomater.* 7 (2011) 2579–2584.
- [46] F. Martinez-Gutierrez, L. Boegli, A. Agostinho, Anti-biofilm activity of silver nanoparticles against different microorganisms, *Biofouling* 29 (6) (2013) 651–660.
- [47] S.R. Vijayan, P. Santhiyagu, M. Singamuthu, Synthesis and characterization of silver and gold nanoparticles using aqueous extract of seaweed, *Turbinaria conoides*, and their antimicrofouling activity, *Sci. World J.* (2014) 1–10.
- [48] C. Arulvasu, S. Jennifer, D. Prabhu, Toxicity effect of silver nanoparticles in Brine Shrimp *Artemia*, *Sci. World J.* (2014) 1–10.