

RESEARCH AND EDUCATION

Optical parameters and hardness of two maxillofacial elastomers after immersion in different solutions of Brazilian green propolis extract



Nathália Bahia Miranda, DDS,^a José Alcides Almeida de Arruda, DDS,^b
Sandra Barbosa Moraes de Almeida, DDS, MSc,^c Emerson Gomes dos Santos, BStat, MSc, PhD,^d
Igor Studart Medeiros, DDS, MSc, PhD,^e and Amália Moreno, DDS, MSc, PhD^f

Rehabilitation with maxillofacial prostheses restores esthetics and function, protects remaining tissues, and improves the quality of life of wearers.¹⁻³ Maxillofacial prostheses are fabricated from room temperature or heat-polymerized elastomers. These materials are translucent, easy to manipulate and pigment,⁴⁻⁶ promote excellent esthetics,⁷ and have a lifetime of 6 months to 3 years⁸⁻¹⁰

The optical properties of maxillofacial elastomers determine the quantity and quality of transmitted, reflected, and absorbed light and are therefore essential for color perception.^{11,12} Transmittance is a measure of the fraction of incident light at a specified wavelength, and spectral reflectance is a fraction of incident light that is reflected at an interface

ABSTRACT

Statement of problem. Maxillofacial elastomers undergo physical and mechanical degradation with disinfecting solutions. Solutions of Brazilian green propolis extract may be suitable alternatives for infection control of maxillofacial prostheses. However, their effects on the properties of the material are unknown.

Purpose. The purpose of this in vitro study was to evaluate the effect of disinfection with solutions of Brazilian green propolis extract on the transmittance, translucency parameter, contrast ratio, and hardness of 2 maxillofacial elastomers (MDX4-4210 and MED-4014).

Material and methods. Fifty disk-shaped specimens (3×10 mm) of each elastomer were randomly and equally divided into 4 groups of disinfectant agents and 1 control group: 3 separate groups of 11% green propolis extracts including aqueous (PAQ), glycolic (PGL), and alcoholic (PAL), a 2% chlorhexidine gluconate (CHX) group, and the control group of distilled water. Specimens were subjected to disinfection by immersion 3 times a week for 60 days. Color differences (ΔE values) were calculated with CIELab and CIEDE2000 formulas. Optical parameters and Shore A hardness were determined at 2 time points: at baseline and after the period of specimen disinfection. Data were analyzed by parametric and nonparametric analysis of variance and by multiple-comparison tests ($\alpha=.05$).

Results. The ΔE values of specimens immersed in 11% PAL were not clinically acceptable for either elastomer. Regarding translucency parameter and contrast ratio, the immersion in 11% PAL and 11% PGL resulted in greater opacity and lower translucency of the material. Mean Shore A hardness values were not statistically significantly different at baseline or after 60 days of immersion in the solutions.

Conclusions. The solution of Brazilian green propolis extract tested showed changes in optical parameters. Elastomers immersed in 11% alcoholic green propolis extract showed clinically unacceptable color and translucency changes. All hardness values of the tested elastomers were clinically acceptable after immersion in all tested disinfectant groups. (J Prosthet Dent 2019;122:168-75)

The authors thank the Coordenação de Aperfeiçoamento de Pessoal de Nível Superior (CAPES, Finance Code 001). J.A.A.A. is a scholarship recipient.

^aGraduate student, Department of Oral Surgery, Pathology and Clinical Dentistry, School of Dentistry, Federal University of Minas Gerais (UFMG), Belo Horizonte, Brazil.

^bPostgraduate student, Department of Oral Surgery and Pathology, School of Dentistry, Federal University of Minas Gerais (UFMG), Belo Horizonte, Brazil.

^cPostgraduate student, Department of Biomaterials and Oral Biology, Dental School, University of São Paulo (USP), São Paulo, Brazil.

^dAdjunct Professor, Department of Business, Paulista School of Politics, Economics and Business, Federal University of São Paulo (UNIFESP), Osasco, Brazil.

^eAssociate Professor, Department of Biomaterials and Oral Biology, Dental School, University of São Paulo (USP), São Paulo, Brazil.

^fAdjunct Professor, Department of Oral Surgery, Pathology and Clinical Dentistry, School of Dentistry, Federal University of Minas Gerais (UFMG), Belo Horizonte, Brazil.

Clinical Implications

Based on the results of this initial study, the use of the Brazilian green propolis extract as a disinfectant for maxillofacial prostheses appears to be promising based on color and hardness measurements. Clinicians may consider the solution for disinfection by immersion for 15 minutes if 11% aqueous or glycolic green propolis extracts are used, depending on the elastomer of the maxillofacial prostheses.

such as porosity. Translucency parameter (TP) values are defined by the difference in color values obtained between the light reflected by a material positioned on black and white backgrounds.¹² Contrast ratio (CR) parameter values are related to the translucency of the material ranging from complete opacity to complete translucency and can be measured by spectral reflectance.¹²⁻¹⁴ Visual color perception by means of measuring devices permits the identification of these changes without the subjectivity of the human eye by using the CIELab and CIEDE2000 systems,^{4,14-19} expressed as numerical data, where L* (lightness) is value axis, a* is red-green axis, b* is yellow-blue axis, C* (chroma), and h (hue angle).

Preservation of the color, translucency, brightness, and resiliency of the prosthesis is important, but color changes may occur, for example, from prosthesis disinfection.^{9,10} Regular prosthesis disinfection is essential, and the prosthesis is constantly exposed to the environment.²⁰ Previous investigations^{9,21,22} have reported that the esthetic properties of a prosthesis are directly involved in its durability and in wearer satisfaction.

Chlorhexidine gluconate (CHX) solution has been used as a disinfectant,^{9,10} causing possible changes in the structure of the elastomer.²³ Phytotherapeutic agents have been investigated for the disinfection of prosthetic materials with reported antimicrobial efficacy, although with color changes.^{9,24} A solution of Brazilian green propolis extract may be an economical and available alternative disinfectant for maxillofacial prostheses.²⁵⁻²⁹ Propolis is a substance of varied color and consistency, consisting of resins and balsams (55%), wax (30%), volatile oils (10%), and pollen (5%), which constitute a complex and heterogeneous mixture.^{28,30,31} The main plant species pollinated by bees and native to Brazil is field rosemary, *Baccharis dracunculifolia*. However, studies on the effects of solutions of Brazilian green propolis extract on the physical and mechanical properties of maxillofacial elastomers are lacking.

The purpose of this in vitro study was to evaluate the transmittance color change (ΔE) values, L* and C* transmittance coordinates, spectral reflectance and color parameters, TP and CR values, and the hardness of

Table 1. Manufacturer and chemical composition of disinfectants and elastomers evaluated

Source	Material	Manufacturer	Chemical Composition
Elastomers	MDX4-4210, room temperature vulcanization (RTV)	Dow Corning Corp	Poly(dimethylsiloxane)
	MED-4014, high-temperature vulcanization (HTV)	NuSil Technology LLC	Not available
Disinfectants	11% Propolis aqueous extract	Bee Propolis Brasil	Deionized water and Brazilian green propolis
	11% Propolis glycolic extract	Bee Propolis Brasil	Propylene glycol and Brazilian green propolis
	11% Propolis alcoholic extract	Bee Propolis Brasil	Neutral grain alcohol and Brazilian green propolis
	2% Chlorhexidine solution	Maquira	2% Chlorhexidine gluconate, methylparaben, purified water

2 elastomers immersed in solutions of Brazilian green propolis extract as an alternative to periodic disinfection. The null hypothesis was that the 60-day period of immersion in the proposed solutions would not alter the optical parameters or hardness of the maxillofacial elastomers.

MATERIAL AND METHODS

Fifty disk-shaped specimens were fabricated from 2 maxillofacial silicone elastomers (Table 1) in a metal matrix (3 mm in thickness, 10 mm in diameter).¹⁹ The specimens were fabricated in a dental flask (VIPI STG; VIPI Ind Com Ltd) filled with Type IV stone (Durone IV; Dentsply Sirona). A smooth glass slide was embedded in the stone with its upper surface parallel to the margins of the flask. The metal matrix was positioned on the glass slide covered with a similar glass slide, and extra-hard laboratory silicone was used to hold the assembly (Zetalabor; Zhermack SpA). The stone of the flask was isolated by using a separating medium (Vaseline; Rioquímica), and a counter flask was positioned and filled with Type IV stone (Durone IV; Dentsply Sirona). The room temperature vulcanization (RTV) elastomer was manually mixed at a ratio of 10:1 (base:catalyst) by using a stainless-steel spatula (no. 36; SS White Duflex) and inserted into the internal surfaces of the matrix at room temperature (23 ± 2 °C) and at 50 \pm 10% relative humidity (Fig. 1). The flask was left to stand at room temperature and humidity for 72 hours for complete polymerization of the material.^{9,10} The high-temperature vulcanization (HTV) elastomer was mixed mechanically, and a polyurethane sheet (Al-513; Factor II, Inc) was positioned on the glass slides. Silicone was then inserted into the inner surfaces of the matrix, and the flask was placed in an oven (CE-210/100; CIENLAB Equipamentos Científicos Ltda-EPP) at a temperature of approximately 116 ± 3 °C for 10 minutes. The flask was left to stand at room temperature and humidity for 3 hours for complete polymerization of the material.




Figure 1. Specimen fabrication. A, Metal matrix embedded in silicone and dental stone for manipulation and insertion of maxillofacial elastomer into their circular internal surfaces. B, Detachment of specimens from metal matrix after complete polymerization.

The transmittance and reflectance of light (in percentage) of all specimens were measured by using a spectrophotometer (CM-3700D; Konica Minolta) with a perimeter of approximately 24 mm in the 360- to 740-nm wavelength range, with a D65 illuminant at a 2-degree angle.¹⁸ For each test, the specimens were measured at 2 time points, baseline and after 60 days of immersion in the solutions, with the aid of a device and by the same calibrated operator (A.M.).¹⁰

ΔE values for transmittance were calculated with CIELab (ΔE_{ab}^*) and CIEDE2000 (ΔE_{00}) formulas as established by the Commission Internationale de l'Éclairage³² and by previous studies.^{9,10,12,14,15,19,33} The CIELab (ΔE_{ab}^*) system calculated the color variation between 2 points in a 3D color space according to the following formula: $\Delta E_{ab}^* = \sqrt{(\Delta L^*)^2 + (\Delta a^*)^2 + (\Delta b^*)^2}$, where ΔL^* , Δa^* , and Δb^* are the differences in the respective coordinates for a pair of readings. Therefore, L^* , a^* , b^* coordinates are shown through ΔE values, and C^* and h are polar coordinates and can be defined from a^* and b^* : $C^* = \sqrt{(a^*)^2 + (b^*)^2}$; $\tan h = \left(\frac{b^*}{a^*}\right)$. The CIEDE2000 (ΔE_{00}) color differences were calculated according to the following formula: $\Delta E_{00} = \sqrt{\left(\frac{\Delta L}{k_L S_L}\right)^2 + \left(\frac{\Delta C}{k_C S_C}\right)^2 + \left(\frac{\Delta H}{k_H S_H}\right)^2} + R_T \left(\frac{\Delta C}{k_C S_C}\right) \left(\frac{\Delta H}{k_H S_H}\right)$, where R_T is a rotation function; S_L , S_C , and S_H are weighting functions that adjust the total color difference for variation in a perceived magnitude with variation in the location of color difference pair in L , a , b coordinates; and the parametric terms k_L , k_C , and k_H are correction terms for experimental conditions (under reference conditions, they are all set at 1).

Color coordinates for reflectance of light were recorded from specimens placed on black and white backgrounds to simulate the illumination of the facial

substrates. A coupling agent,¹⁴ glycerin solution (Glicerina bi-distilada; Farmax), was applied between the specimens and backgrounds only for reflectance measuring. TP and CR were calculated from the reflectance data after 60 days of immersion in the solutions based on the following formula according to previous studies: $TP = \sqrt{(L_B^* - L_W^*)^2 + (a_B^* - a_W^*)^2 + (b_B^* - b_W^*)^2}$ and $CR = \frac{Y_B}{Y_W}$, where $Y = \left(\frac{L+16}{116}\right)^3 \times Y_n$.^{12,34,35} The spectral reflectance Y (luminance from tristimulus color space/XYZ) was calculated from L^* values, and the specified white stimulus normally chosen was one with the appearance of a perfect reflecting diffuser, normalized by a common factor so that Y_n is equal to 100. ΔE values lower than 3.0/4.4 (light/dark specimens) for CIELab and values lower than 2.1/3.1 for CIEDE2000 were considered within the threshold of acceptability.¹⁹

The specimens were submitted to baseline hardness evaluation. A digital Shore A durometer (HH-336; Mitutoyo) was used to test the hardness of the specimens according to American Society for Testing and Materials specifications D2240.³⁶ Three readings were obtained for each specimen by the same calibrated operator (N.B.M.), and the average value was expressed as Shore units (range: 0 to 100).^{6,9} Hardness was considered to be clinically acceptable when specimens had a Shore A of 12 to 35.

Specimens of each elastomer were equally divided into 4 groups of disinfectant agents and 1 control group—3 groups of 11% green propolis extracts, namely aqueous (PAQ), glycolic (PGL), and alcoholic (PAL); a 2% CHX group; and distilled water as a control group (Table 1)—according to the randomization sequence created using computer-generated random numbers (Excel 2007; Microsoft Corp).

The specimens were disinfected 3 times a week for 60 days by immersion for 15 minutes in each solution. Immediately after treatment, all specimens were rinsed in

Table 2. ΔE, TP, and CR values of all specimens after 60 days of immersion in solutions

Elastomers Solutions	RTV				HTV			
	ΔE* _{ab}	ΔE ₀₀	TP	CR	ΔE* _{ab}	ΔE ₀₀	TP	CR
11% PAQ	2.90 ±0.49 ^c	2.25 ±0.29 ^c	50.62 ±1.87 ^b	0.11 ±0.01 ^c	1.59 ±0.59 ^c	1.05 ±0.41 ^c	46.01 ±2.1 ^a	0.18 ±0.02 ^{a,b}
11% PGL	12.80 ±0.82 ^b	8.29 ±0.43 ^b	48.57 ±0.75 ^c	0.14 ±0.01 ^b	3.34 ±0.81 ^b	2.40 ±0.50 ^b	45.95 ±3.01 ^a	0.19 ±0.03 ^a
11% PAL	19.47 ±0.89 ^a	11.56 ±0.45 ^a	48.48 ±0.84 ^c	0.16 ±0.01 ^a	6.80 ±1.53 ^a	4.44 ±0.77 ^a	47.10 ±2.86 ^a	0.19 ±0.03 ^a
H ₂ O	1.40 ±0.65 ^d	0.98 ±0.37 ^d	52.83 ±1.01 ^a	0.10 ±0.01 ^c	1.47 ±0.84 ^c	1.01 ±0.51 ^c	47.45 ±1.46 ^a	0.17 ±0.01 ^{b,c}
2% CHX	1.83 ±0.67 ^d	1.24 ±0.42 ^d	52.23 ±1.11 ^a	0.11 ±0.01 ^c	1.76 ±0.63 ^c	1.10 ±0.37 ^c	47.88 ±1.46 ^a	0.15 ±0.01 ^c

ΔE, color change; CHX, chlorhexidine gluconate; CR, contrast ratio; HTV, high-temperature vulcanization; PAL, alcoholic propolis extract; PAQ, aqueous propolis extract; PGL, glycolic propolis extract; RTV, room temperature vulcanization; TP, translucency parameter. Values are given as mean ±standard deviation. Different superscript letters indicate significant differences among solution groups for each optical parameter for both elastomers (*P*<.001, multiple testing procedure).

Table 3. Global test of ΔE values and TP and CR values of all elastomer specimens after 60 days of immersion in solutions

Elastomers	Statistical Test	ΔE* _{ab}				ΔE ₀₀				TP				CR			
		df1	df2	P	Statistical Test	df1	df2	P	Statistical Test	df1	df2	P	Statistical Test	df1	df2	P	
RTV																	
ANOVA type test <i>P</i> value	95.58	4.00	45	<.001	123.49	4.00	45	<.001	27.55	4.00	45	<.001	51.42	4.00	45	<.001	
McKeon approximation for Lawley-Hotelling test	95.58	4.00	45	<.001	123.49	4.00	45	<.001	27.55	4.00	45	<.001	51.42	4.00	45	<.001	
Muller approximation for Bartlett-Nanda-Pillai test	93.66	4.08	45	<.001	121.02	4.08	45	<.001	27.00	4.08	45	<.001	50.39	4.08	45	<.001	
Wilks Lambda	95.58	4.00	45	<.001	123.49	4.00	45	<.001	27.55	4.00	45	<.001	51.42	4.00	45	<.001	
HTV																	
ANOVA type test <i>P</i> value	33.12	4.00	45	<.001	33.93	4.00	45	<.001	2.57	4.00	45	.050	8.78	4.00	45	<.001	
McKeon approximation for Lawley-Hotelling test	33.12	4.00	45	<.001	33.93	4.00	45	<.001	2.57	4.00	45	.050	8.78	4.00	45	<.001	
Muller approximation for Bartlett-Nanda-Pillai test	33.49	4.08	45	<.001	33.25	4.08	45	<.001	2.52	4.08	45	.053	8.60	4.08	45	<.001	
Wilks Lambda	33.12	4.00	45	<.001	33.93	4.00	45	<.001	2.57	4.00	45	.050	8.78	4.00	45	<.001	

ΔE, color change; CR, contrast ratio; HTV, high-temperature vulcanization; RTV, room temperature vulcanization; TP, translucency parameter. *P*<.05 denotes statistically significant difference.

running water for 30 seconds and stored in the dark under constant temperature (23 ±2 °C) and relative humidity (50 ±10%). After the disinfection period of 60 days, new readings of optical parameters and hardness were obtained.

All color data were subjected to the Levene tests of homogeneity of variance (*α*=.05). The ΔE, TP, and CR values after immersion in the solutions and the color coordinates; L* and C* of mean transmittance values of the elastomers after immersion in the solutions; and the spectral reflectance curves (mean value for each wavelength) and their corresponding standard errors were submitted to nonparametric multivariate analysis of variance. Nonparametric analysis of variance was based on the permutation test, a multivariate analog of the Fisher F-ratio calculated directly from any symmetric distance or dissimilarity matrix.³⁷ The analysis was performed for each elastomer, considering the spectral ranges of 39 bands (variables).

The statistical analyses were performed by using a statistical software program (R v3.5.1; Free Software Foundation’s GNU project and the R Foundation).³⁸ The *npmv*³⁹ package provides the R functions “nonpartest” and “ssnonpartest.” The first is used for the global test (Wilks Lambda) and the second for a multiple-comparison procedure. Four types of nonparametric statistical

tests were considered: ANOVA, Wilks Lambda test, Lawley-Hotelling test, and Bartlett-Nanda-Pillai test present in the *npmv* package.^{40,41} For spectral reflectance, the statistical significance of nonparametric multivariate analysis of variance was computed by permutation of the group memberships and conducted with the “adonis” function from the *vegan*⁴² package because of restrictions of the *npmv* package when the number of variables is too large.³⁷

Hardness data were submitted to 2-way repeated-measure analysis of variance, appropriate as the measurement of the dependent variable was made at 2 time points and assuming that the condition of sphericity had been met.

RESULTS

All specimens showed significant ΔE values and TP and CR values after 60 days of immersion in the solutions (Table 2). Table 3 shows the global test and the multiple-comparison procedure for ΔE values, TP, and CR. The differences in mean values were statistically significant among the solutions for both elastomers, except the mean TP values for the HTV elastomer. In general, the ΔE values of 11% PAQ and 2% CHX for both elastomers and those of 11% PGL for the HTV elastomer may be




Figure 2. Specimens after 60 days of immersion in solutions. CHX, chlorhexidine gluconate; HTV, high-temperature vulcanization; PAL, alcoholic propolis extract; PAQ, aqueous propolis extract; PGL, glycolic propolis extract; RTV, room temperature vulcanization.

Table 4. Transmittance values of polar coordinates (C* and L*) of all elastomer specimens after 60 days of immersion in solutions

Elastomers	RTV		HTV	
	L*	C*	L*	C*
11% PAQ	91.04 ±0.40 ^b	10.32 ±0.27 ^c	83.60 ±1.36 ^a	14.78 ±0.67 ^c
11% PGL	88.22 ±1.09 ^c	19.01 ±0.99 ^b	80.92 ±1.60 ^b	17.96 ±2.54 ^b
11% PAL	85.85 ±0.66 ^d	25.67 ±0.64 ^a	81.07 ±2.93 ^{a,b}	20.44 ±0.93 ^a
H ₂ O	92.55 ±0.56 ^a	7.20 ±0.30 ^d	84.20 ±0.59 ^a	14.60 ±0.85 ^c
2% CHX	92.01 ±0.69 ^a	7.36 ±0.40 ^d	84.18 ±1.13 ^a	13.48 ±0.20 ^d

CHX, chlorhexidine gluconate; HTV, high-temperature vulcanization; PAL, alcoholic propolis extract; PAQ, aqueous propolis extract; PGL, glycolic propolis extract; RTV, room temperature vulcanization. Values are given as means ±standard deviation. Different superscript letters indicate significant differences among solution groups for each optical parameter for both elastomers ($P < .001$, multiple testing procedure).

clinically imperceptible or clinically acceptable (Fig. 2). TP values were significantly lower for the RTV elastomer immersed in 11% PAQ (50.62). However, TP values for RTV were significantly higher ($P < .001$) than that for H₂O (52.83) and 2% CHX (52.23). Regarding opacity, 11% PAL (0.14 for RTV and 0.16 for HTV) and 11% PGL (0.19 for RTV/HTV) affected the CR values compared with H₂O and 2% CHX (Tables 2 and 3).

The mean transmittance values for polar coordinates (C* and L*) after 60 days of immersion in the solutions are shown in Table 4. The transmittance L* and C* coordinate values of the elastomers were affected by solutions and the type of elastomer ($P < .001$). For the RTV elastomer, the propolis extract solutions had the lowest L* coordinate values and the highest C* coordinate values, with statistically significant differences, compared with H₂O and 2% CHX. The transmittance L* (83.60) and C* (14.78) coordinate values of 11% PAQ were similar to those of H₂O (84.20 for L* and 14.60 for C*) for the HTV elastomer compared with other solutions (Fig. 3; Tables 4 and 5).

The spectral reflectance curves (mean values for each wavelength) and their standard error for all specimens




Figure 3. Color distribution of mean transmittance values in polar coordinates (C* and L*) of elastomer specimens after 60 days of immersion in solutions. CHX, chlorhexidine gluconate; HTV, high-temperature vulcanization; PAL, alcoholic propolis extract; PAQ, aqueous propolis extract; PGL, glycolic propolis extract; RTV, room temperature vulcanization.

Table 5. Global test of transmittance values of polar coordinates (C* and L*) of all elastomer specimens after 60 days of immersion in solutions

Elastomers	L*				C*			
	Statistical Test	df1	df2	P	Statistical Test	df1	df2	P
ANOVA type test	91.39	4.00	45	<.001	119.33	4.00	45	<.001
P value								
McKeon approx. for Lawley-Hotelling test	91.39	4.00	45	<.001	119.33	4.00	45	<.001
Muller approx. for Bartlett-Nanda-Pillai test	89.56	4.08	45	<.001	116.94	4.08	45	<.001
Wilks Lambda	91.39	4.00	45	<.001	119.33	4.00	45	<.001
HTV								
ANOVA type test	7.42	4.00	45	<.001	33.49	4.00	45	<.001
P value								
McKeon approx. for Lawley-Hotelling test	7.42	4.00	45	<.001	33.49	4.00	45	<.001
Muller approx. for Bartlett-Nanda-Pillai test	7.27	4.08	45	<.001	32.82	4.08	45	<.001
Wilks Lambda	7.42	4.00	45	<.001	33.49	4.00	45	<.001

HTV, high-temperature vulcanization; RTV, room temperature vulcanization. $P < .05$ denotes statistically significant difference.

after 60 days of immersion in the solutions are shown in Figure 4, with significant differences being detected ($P < .001$) (Table 6). For the HTV elastomer, H₂O, 2% CHX, and 11% PAQ showed similar spectral reflectance curves. Tables 7 and 8 show the mean values and the results of ANOVA for Shore A hardness for the maxillofacial elastomers during the testing period. Solution and period variables did not affect the hardness of the elastomers. In general, the mean Shore A hardness was 30.18 to 30.39 at baseline and 30.15 to 30.78 after 60 days of immersion in the solutions for RTV elastomers and 15.28 to 15.55 at baseline and 15.35 to 15.74 after 60 days of immersion in the solutions for HTV elastomers.




Figure 4. A-D, Mean (horizontal lines) and standard error (vertical lines) values of spectral reflectance of specimens after 60 days of immersion in solutions. CHX, chlorhexidine gluconate; HTV, high-temperature vulcanization; PAL, alcoholic propolis extract; PAQ, aqueous propolis extract; PGL, glycolic propolis extract; RTV, room temperature vulcanization.

DISCUSSION

Changes in color coordinate values, reflectance optical parameters, and spectral reflectance behavior according to wavelength and in the hardness of the 2 maxillofacial elastomers submitted to a period of immersion in different solutions were found in the present study. The null hypothesis that 60 days of immersion in solutions of Brazilian 11% green propolis extract, the control H₂O solution, and 2% CHX would not affect the optical parameters and hardness of maxillofacial elastomers was partially rejected.

Propolis is known to contain oil- or water-soluble substances or substances soluble in both solvents.³¹ Most of the propolis components are soluble in oil, and

therefore, the method most commonly used for propolis extraction uses hydrated ethyl alcohol as a solvent.^{28,29,31} In the present study, the pigmentation and change in the optical parameters of the elastomers in 11% PAL and 11% PGL may have been related to the polarity of the extract and the maxillofacial elastomer. As a solvent, ethanol permits the selective extraction of some components directly related to biological activity,²⁸ although the alcohol extract may be contraindicated for some individuals.³¹ The present results are consistent with those of the study by Heidrich et al²⁴ who reported that the color of acrylic resin complete denture bases changed when the polymer was exposed to PGL over 1 year.

Among the residual components of the propolis extract solutions evaluated, wax and chlorophyll contain dyes that

Table 6. Global test of spectral reflectance values of all elastomer specimens measured against black and white background after 60 days of immersion in solutions

Elastomers	Black Background				White Background			
	df	Sum of Squares	F	P	df	Sum of Squares	F	P
RTV								
Immersion solutions	4	0.06	46.12	<.001	4	0.35	302.54	<.001
Residual	45	0.01	—	<.001	45	0.01	—	<.001
HTV								
Immersion solutions	4	0.06	6.05	<.001	4	0.03	13.25	<.001
Residual	45	0.12	—	<.001	45	0.03	—	<.001

HTV, high-temperature vulcanization; RTV, room temperature vulcanization. $P < .05$ denotes statistically significant difference.

may have caused pigmentation on the surface of the elastomer, altering its chromatic pattern, translucency, and opacity. The results of the present study suggest that the propolis solution could be used for maxillofacial prosthesis disinfection when the formulation conditions are controlled. However, further studies are needed to test the reliability of various propolis sources.

The results showed that ΔE values obtained with 11% PAQ and 11% PGL for the HTV elastomer may be considered imperceptible and clinically acceptable. The increase in temperature during propolis extraction reduces the viscosity of a solution and increases its diffusibility through the gel layer and the membrane itself.^{26,31} The effect of temperature on the processing of an aqueous propolis extract leads to an increased permeate flow and reduction of the viscosity of the solution. Thus, the 11% PAQ solution is less viscous than the 11% PAL and 11% PGL solutions. The adherence of substances from 11% PAL to the elastomers is probably due to the surface energy relationship¹¹ between them. This adherence may interfere with the disinfection procedures because it may affect the esthetic properties of the elastomer.²⁴

Transmittance L^* and C^* coordinate values for 11% PAQ were similar to those of H_2O for the HTV elastomer. In addition, the TP values of the HTV elastomers were similar for the propolis extract solutions and H_2O . However, among the propolis extract solutions used, TP values showed a difference for the RTV elastomer. The difference in results between the elastomers for the same solutions may have been related to the contraction of continuous polymerization, which starts during polymerization and continues even after clinical polymerization is complete.⁶ It is believed that the additional or residual polymerization causes not only the dimensional alteration of the silicone, but also changes in the chromatic pattern.^{6,22} The amount of this factor may have effects on the difference between the materials to influence the absorption and solubility of the residue in the propolis solutions, altering the optical behavior of the polymer matrix.²² Also, the differences in the crystalline

Table 7. Hardness (Shore A) values of all specimens at baseline and after 60 days of immersion in solutions

Elastomers	RTV		HTV	
	Baseline	After 60 d	Baseline	After 60 d
11% PAQ	30.18 \pm 0.39	30.15 \pm 0.23	15.47 \pm 0.37	15.74 \pm 0.40
11% PGL	30.22 \pm 0.52	30.48 \pm 0.55	15.55 \pm 0.27	15.60 \pm 0.33
11% PAL	30.15 \pm 0.31	30.78 \pm 1.01	15.28 \pm 0.38	15.35 \pm 0.90
H_2O	30.10 \pm 0.51	30.23 \pm 0.20	15.52 \pm 0.20	15.44 \pm 0.37
2% CHX	30.39 \pm 0.35	30.31 \pm 0.25	15.54 \pm 0.21	15.64 \pm 0.36

CHX, chlorhexidine gluconate; HTV, high-temperature vulcanization; PAL, alcoholic propolis extract; PAQ, aqueous propolis extract; PGL, glycolic propolis extract; RTV, room temperature vulcanization. Values are given as means \pm standard deviation.

Table 8. Two-way repeated-measures ANOVA of hardness (Shore A) for all specimens at baseline and after 60 days of immersion in solutions

Variation Factor	df	Sum of Squares	Mean Square	F	P
Solution	4	1.37	0.34	1.18	.33
Between subjects	45	13.08	0.29	—	—
Period	1	0.76	0.76	4.06	.05
Solution \times period	4	1.59	0.40	2.11	.09
Within subjects	45	8.47	0.19	—	—

$P < .05$ denotes statistically significant difference.

and amorphous structure between elastomers may also be related to their differences in opacity compromising the esthetics of the prosthesis.^{8,12}

In general, against a white background, the reflectance of both elastomers in the present study was lower for short wavelengths and increased with increasing wavelengths. Color reading against a black and white background causes a difference in the observation of the reflectance behavior of the elastomers.³⁴ The spectral reflectance of the specimens after immersion differed between the solutions, demonstrating that not only the perception of the color of the prosthesis but also its brightness and opacity can change for both elastomers.

No significant effect was found on the Shore A hardness for either elastomer, suggesting that the color change was only superficial. However, previous in vitro studies^{5,6,9,19} have reported that the MDX4-4210 elastomer submitted to disinfection and associated with the simulation of artificial aging showed reduction of hardness by sorption of substances and/or degradation of the material.

The present study had some limitations. The experimental disinfection period may be different from the period chosen by patients wearing a maxillofacial prosthesis. Further analyses of different propolis concentrations and extraction processes would be interesting for the understanding of potential color pigments.

CONCLUSIONS

Based on the findings of this in vitro study, the following conclusions were drawn:

1. HTV elastomers immersed in 11% aqueous and glycolic green propolis extracts showed clinically

acceptable and imperceptible color changes, whereas the room temperature vulcanized elastomers immersed in 11% alcoholic and glycolic green propolis extracts showed clinically unacceptable and perceptible changes.

2. Both elastomers immersed in 11% aqueous green propolis extract and 2% CHX showed translucency and opacity parameters similar to those of the control group immersed in distilled water.
3. The Shore A hardness of both elastomers showed clinically acceptable values following a 60-day immersion protocol in all tested disinfectant groups.

REFERENCES

1. Goiato MC, Pesqueira AA, Ramos da Silva C, Gennari Filho H, Micheline Dos Santos D. Patient satisfaction with maxillofacial prosthesis. Literature review. *J Plast Reconstr Aesthet Surg* 2009;62:175-80.
2. Markt JC, Lemon JC. Extraoral maxillofacial prosthetic rehabilitation at the M. D. Anderson Cancer Center: a survey of patient attitudes and opinions. *J Prosthet Dent* 2001;85:608-13.
3. Chang TL, Garrett N, Roumanas E, Beumer J 3rd. Treatment satisfaction with facial prostheses. *J Prosthodont* 2005;94:275-80.
4. Han Y, Powers JM, Kiat-Amnuay S. Effect of opacifiers and UV absorbers on pigmented maxillofacial silicone elastomer, part 1: color stability after artificial aging. *J Prosthet Dent* 2013;109:397-401.
5. Nguyen CT, Chambers MS, Powers JM, Kiat-Amnuay S. Effect of opacifiers and UV absorbers on pigmented maxillofacial silicone elastomer, part 2: mechanical properties after artificial aging. *J Prosthet Dent* 2013;109:402-10.
6. dos Santos DM, Goiato MC, Moreno A, Pesqueira AA, Dekon SFC, Guiotti AM. Effect of addition of pigments and opacifier on the hardness, absorption, solubility and surface degradation of facial silicone after artificial ageing. *Polym Degrad Stabil* 2012;97:1249-53.
7. Beumer J III, Marunick MT, Esposito SJ. Maxillofacial rehabilitation: prosthodontic and surgical management of cancer-related, acquired, and congenital defects of the head and neck. 3rd ed. St. Louis, MO: Elsevier; 2011. p. 255-314.
8. Lewis DH, Castleberry DJ. An assessment of recent advances in external maxillofacial materials. *J Prosthet Dent* 1980;43:426-32.
9. Guiotti AM, Goiato MC, Dos Santos DM, Vechiato-Filho AJ, Cunha BG, Paulini MB, et al. Comparison of conventional and plant-extract disinfectant solutions on the hardness and color stability of a maxillofacial elastomer after artificial aging. *J Prosthet Dent* 2016;115:501-8.
10. Filié Haddad M, Coelho Goiato M, Micheline Dos Santos D, Moreno A, Filipe D'almeida N, Alves Pesqueira A. Color stability of maxillofacial silicone with nanoparticle pigment and opacifier submitted to disinfection and artificial aging. *J Biomed Opt* 2011;16:095004.
11. Anusavice KJ, Shen C, Rawls HR. Phillips' science of dental materials. 12th ed. St. Louis, MO: Elsevier; 2012. p. 30-47.
12. Johnston WM, Ma T, Kienle BH. Translucency parameter of colorants for maxillofacial prostheses. *Int J Prosthodont* 1995;8:79-86.
13. Harianawala HH, Kheur MG, Apte SK, Kale BB, Sethi TS, Kheur SM. Comparative analysis of transmittance for different types of commercially available zirconia and lithium disilicate materials. *J Adv Prosthodont* 2014;6:456-61.
14. Nogueira AD, Della Bona A. The effect of a coupling medium on color and translucency of CAD-CAM ceramics. *J Dent* 2013;41:18-23.
15. Hu X, Johnston WM, Seghi RR. Measuring the color of maxillofacial prosthetic material. *J Dent Res* 2010;89:1522-7.
16. Gozalo-Diaz DJ, Lindsey DT, Johnston WM, Wee AG. Measurement of color for craniofacial structures using a 45/0-degree optical configuration. *J Prosthet Dent* 2007;97:45-53.
17. Brewer JD, Wee A, Seghi R. Advances in color matching. *Dent Clin North Am* 2004;48:341-58.
18. Li Q, Yu H, Wang YN. Spectrophotometric evaluation of the optical influence of core build-up composites on all-ceramic materials. *Dent Mater* 2009;25:158-65.
19. Paravina RD, Majkic G, Del Mar Perez M, Kiat-Amnuay S. Color difference thresholds of maxillofacial skin replications. *J Prosthodont* 2009;18:618-25.
20. Pinheiro JB, Vomero MP, do Nascimento C, Watanabe E, Paranhos HFO, Coto NP, et al. Genomic identification of microbial species adhering to maxillofacial prostheses and susceptibility to different hygiene protocols. *Biofouling* 2018;34:15-25.
21. de Oliveira FM, Salazar-Gamarra R, Ohman D, Nannmark U, Pecorari V, Dib LL. Quality of life assessment of patients utilizing orbital implant-supported prostheses. *Clin Implant Dent Relat Res* 2018;20:438-43.
22. Goiato MC, Haddad MF, Santos DM, Pesqueira AA, Moreno A. Hardness evaluation of prosthetic silicones containing opacifiers following chemical disinfection and accelerated aging. *Braz Oral Res* 2010;24:303-8.
23. Moon A, Powers JM, Kiat-Amnuay S. Color stability of denture teeth and acrylic base resin subjected daily to various consumer cleansers. *J Esthet Restor Dent* 2014;26:247-55.
24. Heidrich D, Fortes CBB, Mallmann AT, Vargas CM, Arndt PB, Scroferneker ML. Rosemary, castor oils, and propolis extract: activity against *Candida albicans* and alterations on properties of dental acrylic resins. *J Prosthodont* 2018;28:e863-8.
25. Santos FA, Bastos EM, Maia AB, Uzeda M, Carvalho MA, Farias LM, et al. Brazilian propolis: physicochemical properties, plant origin and antibacterial activity on periodontopathogens. *Phytother Res* 2003;17:285-9.
26. Santos VR, Pimenta FJ, Aguiar MC, do Carmo MA, Naves MD, Mesquita RA. Oral candidiasis treatment with Brazilian ethanol propolis extract. *Phytother Res* 2005;19:652-4.
27. Santos VR, Gomes RT, de Mesquita RA, de Moura MD, França EC, de Aguiar EG, et al. Efficacy of Brazilian propolis gel for the management of denture stomatitis: a pilot study. *Phytother Res* 2008;22:1544-7.
28. Huang S, Zhang CP, Wang K, Li GQ, Hu FL. Recent advances in the chemical composition of propolis. *Molecules* 2014;19:19610-32.
29. Sforcin JM. Biological properties and therapeutic applications of propolis. *Phytother Res* 2016;30:894-905.
30. Farnesi AP, Aquino-Ferreira R, De Jong D, Bastos JK, Soares AE. Effects of stingless bee and honey bee propolis on four species of bacteria. *Genet Mol Res* 2009;8:635-40.
31. Kubiliene L, Laugaliene V, Pavilonis A, Maruska A, Majiene D, Barauskaite K, et al. Alternative preparation of propolis extracts: comparison of their composition and biological activities. *BMC Complement Altern Med* 2015;15:156.
32. Commission Internationale de l'Eclairage. CIE Technical report: colorimetry. CIE Pub No. 15.3. Vienna, Austria: CIE Central Bureau; 2004. p. 16-21.
33. Sharma G, Wu W, Dalal EN. The CIEDE2000 color-difference formula: implementation notes, supplementary test data, and mathematical observations. *Color Res Appl* 2005;30:21-30.
34. Johnston WM, Hesse NS, Davis BK, Seghi RR. Analysis of edge-losses in reflectance measurements of pigmented maxillofacial elastomer. *J Dent Res* 1996;75:752-60.
35. Della Bona A, Pecho OE, Ghinea R, Cardona JC, Pérez MM. Colour parameters and shade correspondence of CAD-CAM ceramic systems. *J Dent* 2015;43:726-34.
36. ASTM International. ASTM D2240-15e1, Standard test method for rubber property—durometer hardness. West Conshohocken, PA: ASTM International; 2015. Available at: <http://www.astm.org/Standards/D2240.htm>. Last Accessed February 23, 2018.
37. Anderson MJ. A new method for non-parametric multivariate analysis of variance. *Austral Ecol* 2001;26:32-46.
38. R Core Team. R: A language and environment for statistical computing. Vienna, Austria: R Foundation for Statistical Computing; 2015. Available at: <http://www.R-project.org/>. Accessed February 23, 2018.
39. Burchett W, Ellis A. Nonparametric comparison of multivariate samples. Package 'nrmv', R package version 2.4.0. Available at: <https://CRAN.R-project.org/package=nrmv> 2017. Accessed February 23, 2018.
40. Marcus R, Peritz E, Gabriel KR. On closed testing procedures with special reference to ordered analysis of variance. *Biometrika* 1976;63:655-60.
41. Sonnemann E. General solutions to multiple testing problems. Translation of "Sonnemann, E. (1982). Allgemeine Lösungen multipler Testprobleme. *EDV in Medizin und Biologie* 13(4), 120-128". *Biom J* 2008;50:641-56.
42. Oksanen J, Blanchet FG, Friendly M, Kindt R, Legendre P, McGlenn D, et al. Community ecology package, Package 'vegan', R package version 2.4-6. Available at: <https://cran.r-project.org/web/packages/vegan/vegan.pdf> 2009. Accessed February 23, 2018.

Corresponding author:

Dr Amália Moreno
 Department of Oral Surgery, Pathology and Clinical Dentistry
 School of Dentistry
 Federal University of Minas Gerais (UFMG)
 Av. Antônio Carlos, 6627
 Pampulha, Belo Horizonte, MG 31270-901
 BRAZIL
 Email: amalia_moreno@yahoo.com.br

Acknowledgments

The authors thank Mrs E. Greene who edited the manuscript for English language.

Copyright © 2019 by the Editorial Council for *The Journal of Prosthetic Dentistry*.
<https://doi.org/10.1016/j.prosdent.2019.01.020>